PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

INTERNATIONAL ATTEICATION FOBLISH		1	DERC TREE TAILER TO COOL EXCITION	11121111 (101)
(51) International Patent Classification 6:		(1	1) International Publication Number:	WO 98/30083
A01H 1/00, C07H 21/04, C07K 14/00, C12N 5/04, 5/10, C12P 19/34, C12Q 1/68	A1	(4	3) International Publication Date:	16 July 1998 (16.07.98)
(21) International Application Number: PCT/US98/00615			(81) Designated States: CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 9 January 1998 (09.01.98)		DK, E3, F1, FK, OB, OK, IE, 11,	LU, MC, NL, F1, SE).	
			Published	
(30) Priority Data: 08/781,734 10 January 1997 (10.01.97)	Ţ	US	With international search report.	
(71) Applicant: THE REGENTS OF THE UNIVERSITY OF CALIFORNIA [US/US]; 22nd floor, 300 Lakeside Drive, Oakland, CA 94612 (US).				
(72) Inventors: SHEN, Kathy; 44228 Country Club I Macero, CA 95618 (US). MEYERS, Blake; 90 Drive, Davis, CA 95616 (US). MICHELMORE, W.; 36757 Russel Boulevard, Davis, CA 95616 (US)	04 Dra Richa	ike		
(74) Agents: EINHORN, Gregory, P. et al.; Towns Townsend and Crew LLP, 8th floor, Two Eml Center, San Francisco, CA 94111 (US).	send a barcade	ero	·	
·				
(54) Title: RG NUCLEIC ACIDS FOR CONFERRING DISEASE RESISTANCE TO PLANTS				
(57) Abstract				
The present invention provides RG nucleic acids and proteins which confer disease resistance to plants. The nucleic acids can be used to produce transgenic plants resistant to pests. Antibodies to proteins of the invention are also provided.				
·				
'				
			·	
				•

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

RG NUCLEIC ACIDS FOR CONFERRING DISEASE RESISTANCE TO PLANTS

5

10

15

20

25

30

The present application is a continuation-in-part application ("CIP") of U.S. Patent Application Serial No. ("USSN") 08/781,734, filed January 10, 1997. The aforementioned application is explicitly incorporated herein by reference in its entirety and for all purposes.

This invention was made with Government support under Grant Nos. 92-37300-7547 and 95-37300-1571, awarded by the United States Department of Agriculture. The Government has certain rights in this invention.

FIELD OF THE INVENTION

The present invention relates generally to plant molecular biology. In particular, it relates to nucleic acids and methods for conferring pest resistance in plants. particularly lettuce.

BACKGROUND OF THE INVENTION

Recently, several resistance genes have been cloned by several groups from several plants. Many of these genes are sequence related. The derived amino acid sequences of the most common class, *RPS2*, *RPM1* (bacterial resistances in *Arabidopsis* (Mindrinos et al. Cell 78:1089-1099 (1994)); Bent et al. Science 265:1856-1860 (1994); Grant et al., Science 269:843-846 (1995)), L6 (fungal resistance in flax; Lawrence, et al., The Plant Cell 7:1195-1206 (1995)), and N, (virus resistance in tobacco; Whitham, et al., Cell 78:1101-1115 (1994); and U.S. Patent No. 5,571,706), all contain leucine-rich repeats (LRR) and nucleotide binding sites (NBS).

The NBS is a common motif in several mammalian gene families encoding signal transduction components (e.g., Ras) and is associated with ATP/GTP-binding sites.

The NBS is a common motif in several mammalian gene families encoding signal transduction components (e.g., Ras) and is associated with ATP/GTP-binding sites.

LRR domains can mediate protein-protein interactions and are found in a variety of proteins involved in signal transduction, cell adhesion and various other functions. LRRs are leucine rich regions often comprising 20-30 amino acid repeats where leucine and other aliphatic residues occur periodically. LRRs can function extracellularly or intracellularly.

5

10

15

20

25

30

Since the onset of civilization, plant diseases have had catastrophic effects on crops and the well-being of the human population. Plant diseases continue to effect enormous human and economic costs. An increasing human population and decreasing amounts of arable land make all approaches to preventing and treating plant pathogen destruction critical. The ability to control and enhance a plant's protective responses against pathogens would be of enormous benefit. Tissue-specific and temporal control of mechanisms responsible for plant cell death would also be of great practical and economic value. The present invention fulfills these and other needs.

What is needed in the art are plant disease resistance genes and means to create transgenic disease resistance plants, particularly in lettuce. Further, what is needed in the art is a means to DNA fingerprint cultivars and germplasm with respect to their disease resistance haplotypes for use in plant breeding programs. The present invention provides these and other advantages.

SUMMARY OF THE INVENTION

The present invention provides isolated nucleic acid constructs. These constructs comprise an RG (resistance gene) polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, and an RG4 polypeptide. RG1, RG2, RG3, RG4, and the like, represent individual "RG families." Each "RG family," as defined herein, is a group of polypeptide sequences that have at least 60% amino acid sequence identity. Individual members of an RG family, i.e., individual species of the genus, typically map to the same genomic locus. The invention provides for constructs comprising nucleotides encoding the RG families of the

invention, which can include sequences encoding a leucine rich region (LRR), and/or a nucleotide binding site (NBS), or both.

5

10

15

20

25

30

The invention provides for an isolated nucleic acid construct comprising an RG polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide from an RG family selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide. In alternative embodiments, the nucleic acid construct comprises an RG polynucleotide which encodes an RG polypeptide comprising an leucine rich region (LRR), or, an RG polypeptide comprising a nucleotide binding site (NBS). The nucleic acid construct can comprise a polynucleotide which is a full length gene. In another embodiment, the nucleic acid construct encodes a fusion protein.

In one embodiment, the nucleic acid construct comprises a sequence encoding an RG1 polypeptide. The RG1 polypeptide can be encoded by a polynucleotide sequence selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 and SEQ ID NO:137 (RG1B), SEQ ID NO: 3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEQ ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).

In another embodiment, the nucleic acid construct comprises a sequence encoding an RG2 polypeptide. The RG2 polypeptide can be encoded by a polynucleotide sequence selected from the group consisting of: SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C); SEQ ID NO:30 (RG2D); SEQ ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEQ ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).

In other embodiments, the nucleic acid construct comprises a RG3 sequence (SEQ ID NO:68) encoding an RG3 polypeptide (SEQ ID NO:138) (RG3). In other embodiments, the nucleic acid construct comprises an RG4 sequence (SEQ ID NO:69) encoding an RG4 polypeptide (SEQ ID NO:139) (RG4).

In other embodiments, the nucleic acid construct comprises a RG5 sequence (SEQ ID NO:134) encoding an RG5 polypeptide (SEQ ID NO:135). The RG5 polypeptide can be encoded by a polynucleotide sequence as set forth in SEQ ID NO:134.

5

10

15

20

25

30

The invention also provides for a nucleic acid construct which comprises an RG7 sequence encoding an RG7 polypeptide. The RG7 polypeptide can be encoded by a polynucleotide sequence as set forth in SEQ ID NO:136.

In further embodiments, the nucleic acid construct can further comprise a promoter operably linked to the RG polynucleotide. In alternative embodiments, the promoter can be a plant promoter; a disease resistance promoter; a lettuce promoter; a constitutive promoter; an inducible promoter; or, a tissue-specific promoter. The nucleic acid construct can comprise a promoter sequence from an RG gene linked to a heterologous polynucleotide.

The invention also provides for a transgenic plant comprising a recombinant expression cassette comprising a promoter operably linked to an RG polynucleotide. The expression cassette can comprise a plant promoter or a viral promoter; the plant promoter can be a heterologous promoter. In one embodiment, the transgenic plant is lettuce. In alternative embodiments, the transgenic plant comprises an expression cassette which includes an RG polynucleotide selected from the group consisting of SEQ ID NO:1 (RG1A); SEQ ID NO:2 and SEQ ID NO:137 (RG1B); SEQ ID NO: 3 (RG1C); SEQ ID NO:4 (RG1D); SEQ ID NO:5 (RG1E); SEQ ID NO:6 (RG1F); SEQ ID NO:7 (RG1G); SEQ ID NO:8 (RG1H); SEQ ID NO:9 (RG1I) and SEQ ID NO:10 (RG1J); SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C); SEQ ID NO:30 (RG2D); SEQ ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEQ ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104

(RG2I); SEQ ID NO:106 (RG2I) and SEQ ID NO:107 (RG2I); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W); SEQ ID NO:68 (RG3); SEQ ID NO:69 (RG4); SEQ ID NO:134 (RG5); or SEQ ID NO:136 (RG7).

5

10

15

20

25

30

The invention provide for a transgenic plant comprising an expression cassette comprising an RG polynucleotide which can encode an RG1 polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEQ ID NO:13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), or SEQ ID NO:20 (RG1J); or, an RG2 polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEO ID NO:111 (RG2K); SEO ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2O): SEO ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W); an RG4 polypeptide as set forth by SEQ ID NO:72; an RG5 polypeptide with a sequence as set forth by SEQ ID NO:135; or, an RG7 polypeptide.

The invention also provides for a method of enhancing disease resistance in a plant, the method comprising introducing into the plant a recombinant expression cassette comprising a promoter functional in the plant and operably linked to an RG polynucleotide sequence. In this method, the plant can be a lettuce plant; and, the RG polynucleotide can encode an RG polypeptide selected from the group consisting of an RG1 polypeptide selected from the group consisting of an RG1 polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEO ID NO:13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID

NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), or SEQ ID NO:20 (RG1J); or, an RG2 polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:72; SEQ ID NO:74; SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W). In this method, the promoter can be a plant disease resistance promoter, a tissue-specific promoter, a constitutive promoter, or an inducible promoter.

5

10

15

20

25

30

The invention also provides for a method of detecting RG resistance genes in a nucleic acid sample, the method comprising: contacting the nucleic acid sample with an RG polynucleotide to form a hybridization complex; and, wherein the formation of the hybridization complex is used to detect the RG resistance gene in the nucleic acid sample. In this method, the RG polynucleotide can be an RG1 polynucleotide, an RG2 polynucleotide an RG3 polynucleotide, an RG4 polynucleotide, an RG5 polynucleotide or an RG7 polynucleotide. In this method, the RG resistance gene can be amplified prior to the step of contacting the nucleic acid sample with the RG polynucleotide, and, the RG resistance gene can be amplified by the polymerase chain reaction. In one embodiment, the RG polynucleotide is labeled.

The invention further provides for an RG polypeptide having at least 60% sequence identity to a polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.

A further understanding of the nature and advantages of the present invention may be realized by reference to the remaining portions of the specification, the figures and claims.

All publications, patents and patent applications cited herein are hereby expressly incorporated by reference for all purposes.

5

10

15

20

25

30

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to families of RG genes, particularly from Lactuca sativa. Nucleic acid sequences of the present invention can be used to confer resistance in plants to a variety of pests including viruses, fungi, nematodes, insects, and bacteria. Sequences from within the RG genes can be used to fingerprint cultivars or germplasm for the presence of desired resistance genes. Promoters of RG genes can be used to drive heterologous gene expression under conditions in which RG genes are expressed. Further, the present invention provides RG proteins and antibodies specifically reactive to RG proteins. Antibodies to RG proteins can be used to detect the type and amount of RG protein expressed in a plant sample.

The present invention has use over a broad range of types of plants, including species from the genera Cucurbita, Rosa, Vitis, Juglans, Fragaria, Lotus, Medicago, Onobrychis, Trifolium, Trigonella, Vigna, Citrus, Linum, Geranium, Manihot, Daucus, Arabidopsis, Brassica, Raphanus, Sinapis, Atropa, Capsicum, Datura, Hyoscyamus, Lycopersicon, Nicotiana, Solanum, Petunia, Digitalis, Majorana, Ciahorium, Helianthus, Lactuca, Bromus, Asparagus, Antirrhinum, Heterocallis, Nemesis, Pelargonium, Panieum, Pennisetum, Ranunculus, Senecio, Salpiglossis, Cucumis, Browaalia, Glycine, Pisum, Phaseolus, Lolium, Oryza, Zea, Avena, Hordeum, Secale, Triticum, and, Sorghum. In particularly preferred embodiments, species from the family Compositae and in particular the genus Lactuca are employed such as L. sativa and such subspecies as crispa, longifolia, and asparagina.

The nucleic acids of the present invention can be used in marker-aided selection. Marker-aided selection does not require the complete sequence of the gene or precise knowledge of which sequence confers which specificity. Instead, partial sequences can be used as hybridization probes or as the basis for oligonucleotide primers to amplify nucleic acid, e.g., by PCR. Partial sequences can be used in other methods, such as to

follow the segregation of chromosome segments containing resistance genes in plants. Because the RG marker is the gene itself, there can be negligible recombination between the marker and the resistance phenotype. Thus, RG polynucleotides of the present invention provide an optimal means to DNA fingerprint cultivars and wild germplasm with respect to their disease resistance haplotypes. This can be used to indicate which germplasm accessions and cultivars carry the same resistance genes. At present, selection of plants (e.g., lettuce) for resistance to some diseases is slow and difficult. But linked markers allow indirect selection for such resistance genes. Moreover, RG markers also allow resistance genes to be identified and combined in a manner that would not otherwise be possible. Numerous accessions have been identified that provide resistance to all isolates of downy mildew (Bremia lactucae). However, without molecular markers it is impossible to combine such resistances from different sources. The nucleic acid sequences of the invention provide for a fast and convenient means to identify and combine resistances from different sources. The RG markers of the invention can also be used to identify recombinants that have new combinations of resistance genes in cis on the same chromosome.

5

10

15

20

25

30

In addition, RG markers may allow the identification of the Mendelian factors determining traits, such as field resistance to downy mildew. Once such markers have been identified, they will greatly increase the ease with which field resistance can be transferred between lines and combined with other resistances.

In another application, primers to RG sequences can be also designed to amplify sequences that are conserved in multiple RG family members. This gives genetic information on multiple RG family members. Alternatively, one or more primers can be made to sequences unique to a single resistance gene genus or a single RG specie. This allows an analysis of individual family groups (an RG genus) or an individual family member (a specie). Primers made to individual RGs at the edge of each cluster can be used to select for recombinants within the cluster. This minimizes the amount of linkage drag during introgression. Classical and molecular genetics has shown that pest resistance genes tend to be clustered in the genome. Pest resistance loci comprise arrays of genes and exhibit a variety of complex haplotypes rather than being simple alternate allelic forms. Pest resistance is conferred by families, or genuses, of related RG sequences, individual members, or species, of which have evolved to have a different specificity.

Oligonucleotide primers can be designed that amplify members from multiple haplotypes, or genuses, or amplify only members of one genus, or only amplify an individual specie.

This will provide codominant information and allow heterozygotes to be distinguished from homozygotes.

Further, comparison of RG sequences will allow a determination of which sequences are critical for resistance and will ultimately lead to engineering resistance genes with new specificities. Resistance gene sequences were not previously available for lettuce. Marker-aided selection will greatly increase the precision and speed of breeding for disease resistance. Transgenic approaches will allow pyramiding of resistance genes into a single Mendelian unit, transfer between sexually-incompatible species, substitute for conventional backcrossing procedures, and allow expression of other genes in parallel with resistance genes.

The RG polynucleotides also have utility in the construction of disease resistant transgenic plants. This avoids lengthy and sometimes difficult backcrossing programs currently necessary for introgression of resistance. It is also possible to transfer resistance polynucleotides between sexually-incompatible species, thereby greatly increasing the germplasm pool that can be used as a source of resistance genes. Cloning of multiple RG sequences in a single cassette will allow pyramiding of genes for resistance against multiple isolates of a single pathogen such as downy mildew or against multiple pathogens. Once introduced, such a cassette can be manipulated by classical breeding methods as a single Mendelian unit.

Transgenic plants of the present invention can also be constructed using an RG promoter. The promoter sequences from RG sequences of the invention can be used with RG genes or heterologous genes. Thus, RG promoters can be used to express a variety of genes in the same temporal and spatial patterns and at similar levels to resistance genes.

Nucleic acids of the Invention and Their Preparation

RG Polynucleotide Families

5

10

15

20

25

The present invention provides isolated nucleic acid constructs which comprise an RG polynucleotide. In alternative embodiments, the RG polynucleotide is at least 18 nucleotides in length, typically at least 20, 25, or 30 nucleotides in length, more

typically at least 100 nucleotides in length, generally at least 200 nucleotides in length, preferably at least 300 nucleotides in length, more preferably at least 400 nucleotides in length, and most preferably at least 500 nucleotides in length.

5

10

15

20

25

30

In particularly preferred embodiments, the RG polynucleotide encodes a RG protein which confers resistance to plant pests. This RG protein can be longer, equivalent, or shorter than the RG protein encoded by an RG gene. In various embodiments, an RG polynucleotide can hybridize under stringent conditions to members of an RG family (an RG genus); *e.g.*, it can hybridize to a member of the RG1 RG family, such as an RG1 polynucleotide selected from the group consisting of: SEQ ID NO:1 (RG1A); SEQ ID NO:2 and SEQ ID NO:137 (RG1B); SEQ ID NO:3 (RG1C); SEQ ID NO:4 (RG1D); SEQ ID NO:5 (RG1E); SEQ ID NO:6 (RG1F); SEQ ID NO:7 (RG1G); SEQ ID NO:8 (RG1H); SEQ ID NO:9 (RG1I) and SEQ ID NO:10 (RG1J).

In other embodiments, the polynucleotide can also hybridize under stringent conditions to a member of the RG2 family; such as an RG2 polynucleotide selected from the group consisting of: SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C); SEQ ID NO:30 (RG2D); SEQ ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEQ ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:112 (RG2L); SEQ ID NO:120 (RG2P); SEQ ID NO:120 (RG2P); SEQ ID NO:120 (RG2P); SEQ ID NO:120 (RG2V); SEQ ID NO:120 (RG2P); SEQ ID NO:120 (RG2V); SEQ ID NO:120 (RG2P); SEQ ID NO:120 (RG2V); and, SEQ ID NO:130 (RG2V); and SEQ ID NO:130 (RG2V); and SEQ ID NO:130 (RG2V); and SEQ ID NO:130

In alternative embodiments, each RG2 gene can also include an AC15 sequence which hybridizes under stringent conditions to a polynucleotide selected from the group consisting of: SEQ ID NO:56 (AC15-2A); SEQ ID NO:57 (AC15-2B); SEQ ID NO:58 (AC15-2C); SEQ ID NO:59 (AC15-2D); SEQ ID NO:60 (AC15-2E); SEQ ID NO:61 (AC15-2G); SEQ ID NO:62 (AC15-2H); SEQ ID NO:63 (AC15-2I); SEQ ID

NO:64 (AC15-2J); SEQ ID NO:65 (AC15-2L); SEQ ID NO:66 (AC15-2N); SEQ ID NO:67 (AC15-2O).

In other embodiments, an RG polynucleotide can hybridize under stringent conditions to an RG3 (SEQ ID NO:68), an RG4 (SEQ ID NO:69), and RG5 (SEQ ID NO:135), and an RG7 (SEQ ID NO:137), RG family member.

5

10

15

20

25.

30

The present invention further provides nucleic acid constructs which comprise an RG polynucleotide which encodes RG polypeptides from various RG families; such as an RG polypeptide having at least 60% sequence identity to an RG polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, and RG4 polypeptide, and RG5 polypeptide, and an RG7 polypeptide.

Exemplary RG1 polypeptides have the sequences shown in SEQ ID NO:2 (RG1A), SEQ ID NO:4 (RG1B), SEQ ID NO:6 (RG1C), SEQ ID NO:8 (RG1D), SEQ ID NO:10 (RG1E), SEQ ID NO:12 (RG1F), SEQ ID NO:14 (RG1G), SEQ ID NO:16 (RG1H), SEQ ID NO:20 (RG1J). Exemplary RG2 polypeptides have the sequences shown in SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W).

An exemplary RG3 polypeptide has the sequence shown in SEQ ID NO:138. An exemplary RG4 polypeptide has the sequence shown in SEQ ID NO:139. RG polynucleotides will have at least 60% identity, more typically at least 65% identity, generally at least 70% identity, and preferably at least 75% identity, more preferably at least 80% identity, and most preferably at least 85%, 90%, or 95% identity at the deduced amino acid level. The regions where substantial identity is assessed can be inclusive or exclusive of the nucleotide binding site or the leucine rich region.

Vectors and Transcriptional Control Elements

5

10

15

20

25

30

The invention, providing methods and reagents for making novel species and genuses of RG nucleic acids described herein, further provides methods and reagents for expressing these nucleic acids using novel expression cassettes, vectors, transgenic plants and animals, using constitutive and inducible transcriptional and translational cis-(e.g., promoters and enhancers) and trans-acting control elements.

The expression of natural, recombinant or synthetic plant disease resistance polypeptide-encoding or other (i.e., antisense, ribozyme) nucleic acids can be achieved by operably linking the coding region a promoter (that can be plant-specific or not, constitutive or inducible), incorporating the construct into an expression cassette (such as an expression vector), and introducing the resultant construct into an in vitro reaction system or a suitable host cell or organism. Synthetic procedures may also be used. Typical expression systems contain, in addition to coding or antisense sequence, transcription and translation terminators, polyadenylation sequences, transcription and translation initiation sequences, and promoters useful for transcribing DNA into RNA. The expression systems optionally at least one independent terminator sequence, sequences permitting replication of the cassette in vivo, e.g., plants, eukaryotes, or prokaryotes, or a combination thereof, (e.g., shuttle vectors) and selection markers for the selected expression system, e.g., plant, prokaryotic or eukaryotic systems. To ensure proper polypeptide expression under varying conditions, a polyadenylation region at the 3'-end of the coding region can be included (see Li (1997) Plant Physiol.115:321-325, for a review of the polyadenylation of RNA in plants). The polyadenylation region can be derived from the natural gene, from a variety of other plant genes, or from T-DNA (e.g., using Agrobacterium tumefaciens T-DNA replacement vectors, see e.g., Thykjaer (1997) Plant Mol Biol. 35:523-530; using a plasmid containing a gene of interest flanked by Agrobacterium T-DNA border repeat sequences; Hansen (1997) "T-strand integration in maize protoplasts after codelivery of a T-DNA substrate and virulence genes," Proc. Natl. Acad. Sci. USA 94:11726-11730.

To identify the promoters, the 5' portions of the clones described here are analyzed for sequences characteristic of promoter sequences. For instance, promoter sequence elements include the TATA box consensus sequence (TATAAT), which is usually 20 to 30 base pairs upstream of the transcription start site. In plants, further

upstream from the TATA box, at positions -80 to -100, there is typically a promoter element with a series of adenines surrounding the trinucleotide G (or T) N G (see, e.g., Messing, in *Genetic Engineering in Plants*, pp. 221-227, Kosage, Meredith and Hollaender, eds. 1983). If proper polypeptide expression is desired, a polyadenylation region at the 3'-end of the RG coding region should be included. The polyadenylation region can be derived from the natural gene, from a variety of other plant genes, or from viral genes, such as T-DNA.

5

10

15

20

25

30

The nucleic acids of the invention can be expressed in expression cassettes, vectors or viruses which are transiently expressed in cells using, for example, episomal expression systems (e.g., cauliflower mosaic virus (CaMV) viral RNA is generated in the nucleus by transcription of an episomal minichromosome containing supercoiled DNA, Covey (1990) Proc. Natl. Acad. Sci. USA 87:1633-1637). Alternatively, coding sequences can be inserted into the host cell genome becoming an integral part of the host chromosomal DNA.

Selection markers can be incorporated into expression cassettes and vectors to confer a selectable phenotype on transformed cells and sequences coding for episomal maintenance and replication such that integration into the host genome is not required. For example, the marker may encode biocide resistance, such as antibiotic resistance, particularly resistance to chloramphenicol, kanamycin, G418, bleomycin, hygromycin, or herbicide resistance, such as resistance to chlorosulfuron or Basta, to permit selection of those cells transformed with the desired DNA sequences, see for example, Blondelet-Rouault (1997) Gene 190:315-317; Aubrecht (1997) J. Pharmacol. Exp. Ther. 281:992-997. Because selectable marker genes conferring resistance to substrates like neomycin or hygromycin can only be utilized in tissue culture, chemoresistance genes are also used as selectable markers in vitro and in vivo. See also, Mengiste (1997) "High-efficiency transformation of Arabidopsis thaliana with a selectable marker gene regulated by the T-DNA 1' promoter," Plant J. 12:945-948, showing that the 1' promoter is an attractive alternative to the cauliflower mosaic virus (CaMV) 35S promoter for the generation of T-DNA insertion lines, the 1' promoter may be especially beneficial for the secondary transformation of transgenic strains containing the 35S promoter to exclude homology-mediated gene silencing.

The endogenous promoters from the RG genes of the present invention can be used to direct expression of the genes. These promoters can also be used to direct expression of heterologous structural genes. The promoters can be used, for example, in recombinant expression cassettes to drive expression of genes conferring resistance to any number of pathogens or pests, including fungi, bacteria, and the like.

Constitutive Promoters

5

10

15

20

25

30

In construction of recombinant expression cassettes, vectors, transgenics, of the invention, a promoter fragment can be employed to direct expression of the desired gene in all tissues of a plant or animal. Promoters that drive expression continuously under physiological conditions are referred to as "constitutive" promoters and are active under most environmental conditions and states of development or cell differentiation. Examples of constitutive promoters include those from viruses which infect plants, such as the cauliflower mosaic virus (CaMV) 35S transcription initiation region; the 1'- or 2'- promoter derived from T-DNA of Agrobacterium tumafaciens; the promoter of the tobacco mosaic virus; and, other transcription initiation regions from various plant genes known to those of skill. See also Holtorf (1995) "Comparison of different constitutive and inducible promoters for the overexpression of transgenes in Arabidopsis thaliana," Plant Mol. Biol. 29:637-646.

Inducible Promoters

Alternatively, a plant promoter may direct expression of the plant disease resistance nucleic acid of the invention under the influence of changing environmental conditions or developmental conditions. Examples of environmental conditions that may effect transcription by inducible promoters include pathogenic attack, anaerobic conditions, elevated temperature, drought, or the presence of light. Such promoters are referred to herein as "inducible" promoters. For example, the invention incorporates the drought-inducible promoter of maize (Busk (1997) supra); the cold, drought, and high salt inducible promoter from potato (Kirch (1997) Plant Mol. Biol. 33:897-909).

Embodiments of the invention also incorporate use of plant promoters which are inducible upon injury or infection to express the invention's plant disease resistance (RG) polypeptides. Various embodiments include use of, e.g., the promoter for a tobacco (Nicotiana tabacum) sesquiterpene cyclase gene (EAS4 promoter), which is expressed in wounded leafs, roots, and stem tissues, and upon infection with microbial pathogens (Yin

(1997) Plant Physiol. 115(2):437-451); the ORF13 promoter from Agrobacterium rhizogenes 8196, which is wound inducible in a limited area adjacent to the wound site (Hansen (1997) Mol. Gen. Genet. 254:337-343); the Shpx6b gene promoter, which is a plant peroxidase gene promoter induced by microbial pathogens (demonstrated using a fungal pathogen, see Curtis (1997) Mol. Plant Microbe Interact. 10:326-338); the wound-inducible gene promoter wun1, derived from potato (Siebertz (1989) Plant Cell 1:961-968); the wound-inducible Agrobacterium pmas gene (mannopine synthesis gene) promoter (Guevara-Garcia (1993) Plant J. 4:495-505).

5

10

15

20

25

30

Alternatively, plant promoters which are inducible upon exposure to plant hormones, such as auxins, are used to express the nucleic acids of the invention. For example, the invention can use the auxin-response elements E1 promoter fragment (AuxREs) in the soybean (Glycine max L.) (Liu (1997) Plant Physiol. 115:397-407); the auxin-responsive Arabidopsis GST6 promoter (also responsive to salicylic acid and hydrogen peroxide) (Chen (1996) Plant J. 10: 955-966); the auxin-inducible parC promoter from tobacco (Sakai (1996) 37:906-913); a plant biotin response element (Streit (1997) Mol. Plant Microbe Interact. 10:933-937); and, the promoter responsive to the stress hormone abscisic acid (Sheen (1996) Science 274:1900-1902).

Plant promoters which are inducible upon exposure to chemicals reagents which can be applied to the plant, such as herbicides or antibiotics, are also used to express the nucleic acids of the invention. For example, the maize In2-2 promoter, activated by benzenesulfonamide herbicide safeners, can be used (De Veylder (1997) Plant Cell Physiol. 38:568-577); application of different herbicide safeners induces distinct gene expression patterns, including expression in the root, hydathodes, and the shoot apical meristem. Coding sequence can be under the control of, e.g., a tetracycline-inducible promoter, e.g., as described with transgenic tobacco plants containing the Avena sativa L. (oat) arginine decarboxylase gene (Masgrau (1997) Plant J. 11:465-473); or, a salicylic acid-responsive element (Stange (1997) Plant J. 11:1315-1324. Using chemically- (e.g., hormone- or pesticide-) induced promoters, harvesting of fruits and plant parts would be greatly facilitated. A chemical which can be applied to the transgenic plant in the field and induce expression of a polypeptide of the invention throughout all or most of the plant would make a environmentally safe defoliant or herbicide. Thus, the invention also provides for transgenic plants containing an inducible gene encoding for the RG

polypeptides of the invention whose host range is limited to target plant species, such as weeds or crops before, during or after harvesting.

Abcission promoters are activated upon plant ripening, such as fruit ripening, and are especially useful incorporated in the expression systems (e.g., expression cassettes, vectors) of the invention. In some embodiments, when a plant disease resistant polypeptide-encoding nucleic acid is under the control of such a promoter, rapid cell death, induced by expression of the invention's polypeptide, can accelerate and/or accentuate abcission, increasing the efficiency of the harvesting of fruits or other plant parts, such as cotton, and the like. Induction of rapid cell death at this time would accelerate separation of the fruit from the plant, greatly augmenting harvesting procedures. See, e.g., Kalaitzis (1997) Plant Physiol. 113:1303-1308, discussing tomato leaf and flower abscission; Payton (1996) Plant Mol. Biol. 31:1227-1231, discussing ethylene receptor expression regulation during fruit ripening, flower senescence and abscission; Koehler (1996) Plant Mol. Biol. 31:595-606, discussing the gene promoter for a bean abscission cellulase; Kalaitzis (1995) Plant Mol. Biol.28: 647-656, discussing cloning of a tomato polygalacturonase expressed in abscission; del Campillo (1996) Plant Physiol. 111:813-820, discussing pedicel breakstrength and cellulase gene expression during tomato flower abscission.

Tissue-Specific Promoters

5

10

15

20

25

30

Tissue specific promoters are transcriptional control elements that are only active in particular cells or tissues. Plant promoters which are active only in specific tissues or at specific times during plant development are used to express the nucleic acids of the invention. Examples of promoters under developmental control include promoters that initiate transcription only in certain tissues, such as leaves, roots, fruit, seeds, ovules, pollen, pistols, or flowers. Such promoters are referred to as "tissue specific". The operation of a promoter may also vary depending on its location in the genome. Thus, an inducible promoter may become fully or partially constitutive in certain locations.

For example, a seed-specific promoter directs expression in seed tissues. Such promoters may be, for example, ovule-specific, embryo-specific, endosperm-specific, integument-specific, seed coat-specific, or some combination thereof. A leaf-specific promoter has been identified in maize, Busk (1997) *Plant J.* 11:1285-1295. The ORF13 promoter from *Agrobacterium rhizogenes* exhibits high activity in roots (Hansen (1997) *supra*). A maize pollen-specific promoter has been identified in maize (Guerrero (1990)

Mol. Gen. Genet. 224:161-168). A tomato promoter active during fruit ripening, senescence and abscission of leaves and, to a lesser extent, of flowers can be used (Blume (1997) Plant J. 12:731-746). A pistol specific promoter has been identified in the potato (Solanum tuberosum L.) SK2 gene, encoding a pistil-specific basic endochitinase (Ficker (1997) Plant Mol. Biol. 35:425-431). The Blec4 gene from pea (Pisum sativum cv. Alaska) is active in epidermal tissue of vegetative and floral shoot apices of transgenic alfalfa, making it a useful tool to target the expression of foreign genes to the epidermal layer of actively growing shoots. The activity of the Blec4 promoter in the epidermis of the shoot apex makes it particularly suitable for genetically engineering defense against insects and diseases that attack the growing shoot apex (Mandaci (1997) Plant Mol Biol. 34:961-965).

5

10

15

20

25

30

The invention also provides for use of tissue-specific plant promoters include a promoter from the ovule-specific BEL1 gene described in Reiser (1995) Cell 83:735-742, GenBank No. U39944. Suitable seed specific promoters are derived from the following genes: MACI from maize, Sheridan (1996) Genetics 142:1009-1020; Cat3 from maize, GenBank No. L05934, Abler (1993) Plant Mol. Biol. 22:10131-1038; the gene encoding oleosin 18kD from maize, GenBank No. J05212, Lee (1994) Plant Mol. Biol. 26:1981-1987; vivparous-1 from Arabidopsis, Genbank No. U93215; the gene encoding oleosin from Arabidopsis, Genbank No. Z17657; Atmyc1 from Arabidopsis, Urao (1996) Plant Mol. Biol. 32:571-576; the 2s seed storage protein gene family from Arabidopsis, Conceicao (1994) Plant 5:493-505; the gene encoding oleosin 20kD from Brassica napus. GenBank No. M63985; napA from Brassica napus, GenBank No. J02798, Josefsson (1987) JBL 26:12196-1301; the napin gene family from Brassica napus, Sjodahl (1995) Planta 197:264-271; the gene encoding the 2S storage protein from Brassica napus, Dasgupta (1993) Gene 133:301-302; the genes encoding oleosin a, Genbank No. U09118, and, oleosin B, Genbank No. U09119, from soybean; and, the gene encoding low molecular weight sulphur rich protein from soybean, Choi (1995) Mol Gen, Genet. 246:266-268. The tissue specific E8 promoter from tomato is particularly useful for directing gene expression so that a desired gene product is located in fruits. Other suitable promoters include those from genes encoding embryonic storage proteins.

One of skill will recognize that a tissue-specific promoter may drive expression of operably linked sequences in tissues other than the target tissue. Thus, as

used herein a tissue-specific promoter is one that drives expression preferentially in the target tissue, but may also lead to some expression in other tissues as well.

The invention also provides for use of tissue-specific promoters derived from viruses which can include, e.g., the tobamovirus subgenomic promoter (Kumagai (1995) Proc. Natl. Acad. Sci. USA 92:1679-1683; the rice tungro bacilliform virus (RTBV), which replicates only in phloem cells in infected rice plants, with its promoter which drives strong phloem-specific reporter gene expression; the cassava vein mosaic virus (CVMV) promoter, with highest activity in vascular elements, in leaf mesophyll cells, and in root tips (Verdaguer (1996) Plant Mol. Biol. 31:1129-1139).

10

15

5

In some embodiments, the nucleic acid construct will comprise a promoter functional in a specific plant cell, such as in a species of *Lactuca*, operably linked to an RG polynucleotide. Promoters useful in these embodiments include RG promoters. In additional embodiments, the nucleic acid construct will comprise a RG promoter operably linked to a heterologous polynucleotide. The heterologous polynucleotide is chosen to provide a plant with a desired phenotype. For example, the heterologous polynucleotide can be a structural gene which encodes a polypeptide which imparts a desired resistance phenotype. Alternatively, the heterologous polynucleotide may be a regulatory gene which might play a role in transcriptional and/or translational control to suppress, enhance, or otherwise modify the transcription and/or expression of an endogenous gene within the plant. The heterologous polynucleotide of the nucleic acid construct of the present invention can be expressed in either sense or anti-sense orientation as desired. It will be appreciated that control of gene expression in either sense or anti-sense orientation can have a direct impact on the observable plant characteristics.

Modifying and Inhibiting RG Gene Expression

25

30

20

The invention also provides for RG nucleic acid sequences which are complementary to the RG polypeptide-encoding sequences of the invention; *i.e.*, antisense RG nucleic acids. Antisense technology can be conveniently used to modify gene expression in plants. To accomplish this, a nucleic acid segment from the desired gene is cloned and operably linked to a promoter such that the anti-sense strand of RNA will be transcribed. The construct is then transformed into plants and the antisense strand of RNA is produced. In plant cells, it has been shown that antisense RNA inhibits gene expression by preventing the accumulation of mRNA which encodes the enzyme of interest, see, e.g.,

Sheehy (1988) *Proc. Nat. Acad. Sci. USA* 85:8805-8809; Hiatt et al., U.S. Patent No. 4,801,340.

Antisense sequences are capable of inhibiting the transport, splicing or transcription of RG-encoding genes. The inhibition can be effected through the targeting of genomic DNA or messenger RNA. The transcription or function of targeted nucleic acid can be inhibited, e.g., by hybridization and/or cleavage. One particularly useful set of inhibitors provided by the present invention includes oligonucleotides which are able to either bind RG gene or message, in either case preventing or inhibiting the production or function of RG. The association can be though sequence specific hybridization. Such inhibitory nucleic acid sequences can, for example, be used to completely inhibit a plant disease resistance response. Another useful class of inhibitors includes oligonucleotides which cause inactivation or cleavage of RG message. The oligonucleotide can have enzyme activity which causes such cleavage, such as ribozymes. The oligonucleotide can be chemically modified or conjugated to an enzyme or composition capable of cleaving the complementary nucleic acid. One may screen a pool of many different such oligonucleotides for those with the desired activity.

Antisense Oligonucleotides

5

10

15

20

25

30

The invention provides for with antisense oligonucleotides capable of binding RG message which can inhibit RG activity by targeting mRNA. Strategies for designing antisense oligonucleotides are well described in the scientific and patent literature, and the skilled artisan can design such RG oligonucleotides using the novel reagents of the invention. In some situations, naturally occurring nucleic acids used as antisense oligonucleotides may need to be relatively long (18 to 40 nucleotides) and present at high concentrations. A wide variety of synthetic, non-naturally occurring nucleotide and nucleic acid analogues are known which can address this potential problem. For example, peptide nucleic acids (PNAs) containing non-ionic backbones, such as N-(2-aminoethyl) glycine units can be used. Antisense oligonucleotides having phosphorothioate linkages can also be used, as described in WO 97/03211; WO 96/39154; Mata (1997) Toxicol Appl Pharmacol 144:189-197; Antisense Therapeutics, ed. Agrawal (Humana Press, Totowa, N.J., 1996). Antisense oligonucleotides having synthetic DNA backbone analogues provided by the invention can also include phosphoro-dithioate, methylphosphonate.

phosphoramidate, alkyl phosphotriester, sulfamate, 3'-thioacetal, methylene(methylimino), 3'-N-carbamate, and morpholino carbamate nucleic acids, as described herein.

Combinatorial chemistry methodology can be used to create vast numbers of oligonucleotides that can be rapidly screened for specific oligonucleotides that have appropriate binding affinities and specificities toward any target, such as the sense and antisense RG sequences of the invention (for general background information, see, e.g., Gold (1995) J. of Biol. Chem. 270:13581-13584).

Inhibitory Ribozymes

5

10

15

20

25

30

The invention provides for with ribozymes capable of binding RG message which can inhibit RG activity by targeting mRNA. Strategies for designing ribozymes and selecting the RG-specific antisense sequence for targeting are well described in the scientific and patent literature, and the skilled artisan can design such RG ribozymes using the novel reagents of the invention. Ribozymes act by binding to a target RNA through the target RNA binding portion of a ribozyme which is held in close proximity to an enzymatic portion of the RNA that cleaves the target RNA. Thus, the ribozyme recognizes and binds a target RNA through complementary base-pairing, and once bound to the correct site, acts enzymatically to cleave and inactivate the target RNA. Cleavage of a target RNA in such a manner will destroy its ability to direct synthesis of an encoded protein if the cleavage occurs in the coding sequence, or, preventing transport of the message from the nucleus to the cytoplasm. After a ribozyme has bound and cleaved its RNA target, it is typically released from that RNA and so can bind and cleave new targets repeatedly.

Catalytic RNA molecules or ribozymes can also be used to inhibit expression of any plant gene. It is possible to design ribozymes that specifically pair with virtually any target RNA and cleave the phosphodiester backbone at a specific location, thereby functionally inactivating the target RNA. In carrying out this cleavage, the ribozyme is not itself altered, and is thus capable of recycling and cleaving other molecules, making it a true enzyme. The inclusion of ribozyme sequences within antisense RNAs confers RNA-cleaving activity upon them, thereby increasing the activity of the constructs. The design and use of target RNA-specific ribozymes is described, e.g., in Haseioff (1988) Nature 334:585-591.

In some circumstances, the enzymatic nature of a ribozyme can be advantageous over other technologies, such as antisense technology (where a nucleic acid

molecule simply binds to a nucleic acid target to block its transcription, translation or association with another molecule) as the effective concentration of ribozyme necessary to effect a therapeutic treatment can be lower than that of an antisense oligonucleotide. This potential advantage reflects the ability of the ribozyme to act enzymatically. Thus, a single ribozyme molecule is able to cleave many molecules of target RNA. In addition, a ribozyme is typically a highly specific inhibitor, with the specificity of inhibition depending not only on the base pairing mechanism of binding, but also on the mechanism by which the molecule inhibits the expression of the RNA to which it binds. That is, the inhibition is caused by cleavage of the RNA target and so specificity is defined as the ratio of the rate of cleavage of the targeted RNA over the rate of cleavage of non-targeted RNA. This cleavage mechanism is dependent upon factors additional to those involved in base pairing. Thus, the specificity of action of a ribozyme can be greater than that of antisense oligonucleotide binding the same RNA site.

The enzymatic ribozyme RNA molecule can be formed in a hammerhead motif, but may also be formed in the motif of a hairpin, hepatitis delta virus, group I intron or RNaseP-like RNA (in association with an RNA guide sequence). Examples of such hammerhead motifs are described by Rossi (1992) Aids Research and Human Retroviruses 8:183; hairpin motifs by Hampel (1989) Biochemistry 28:4929, and Hampel (1990) Nuc. Acids Res. 18:299; the hepatitis delta virus motif by Perrotta (1992) Biochemistry 31:16; the RNaseP motif by Guerrier-Takada (1983) Cell 35:849; and the group I intron by Cech U.S. Pat. No. 4,987,071. The recitation of these specific motifs is not intended to be limiting; those skilled in the art will recognize that an enzymatic RNA molecule of this invention has a specific substrate binding site complementary to one or more of the target gene RNA regions, and has nucleotide sequence within or surrounding that substrate binding site which imparts an RNA cleaving activity to the molecule.

Sense Supression

5

10

15

20

25

30

Another method of suppression is sense suppression. Introduction of nucleic acid configured in the sense orientation has been shown to be an effective means by which to block the transcription of target genes. For an example of the use of this method to modulate expression of endogenous genes see, Napoli et al., *The Plant Cell* 2:279-289 (1990), and U.S. Patent No. 5,034,323.

Cloning of RG Polypeptides

Synthesis and/or cloning of RG polynucleotides and isolated nucleic acid constructs of the present invention are provided by methods well known to those of ordinary skill in the art. Generally, the nomenclature and the laboratory procedures in recombinant DNA technology described below are those well known and commonly employed in the art. Standard techniques are used for cloning, DNA and RNA isolation, amplification and purification. Generally enzymatic reactions involving DNA ligase, DNA polymerase, restriction endonucleases and the like are performed according to the manufacturer's specifications. These techniques and various other techniques are generally performed according to Sambrook *et al.*, *Molecular Cloning - A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, (1989).

The isolation of RG genes may be accomplished by a number of techniques. For instance, oligonucleotide probes based on the sequences disclosed here can be used to identify the desired gene in a cDNA or genomic DNA library. To construct genomic libraries, large segments of genomic DNA are generated by random fragmentation, e.g. using restriction endonucleases, and are ligated with vector DNA to form concatemers that can be packaged into the appropriate vector. To prepare a cDNA library, mRNA is isolated from the desired organ, such as roots and a cDNA library which contains the RG gene transcript is prepared from the mRNA. Alternatively, cDNA may be prepared from mRNA extracted from other tissues in which RG genes or homologs are expressed.

20

25

30

5

10

15

The cDNA or genomic library can then be screened using a probe based upon the sequence of a cloned RG gene such as the genes disclosed herein. Probes may be used to hybridize with genomic DNA or cDNA sequences to isolate homologous genes in the same or different plant species.

Those of skill in the art will appreciate that various degrees of stringency of hybridization can be employed in the assay; and either the hybridization or the wash medium can be stringent. As the conditions for hybridization become more stringent, there must be a greater degree of complementarity between the probe and the target for duplex formation to occur. The degree of stringency can be controlled by temperature, ionic strength, pH and the presence of a partially denaturing solvent such as formamide. For example, the stringency of hybridization is conveniently varied by changing the polarity of the reactant solution through manipulation of the concentration of formamide within the range of 0% to 50%.

Alternatively, the RG nucleic acids of the invention can be amplified from nucleic acid samples using a variety of amplification techniques, such as polymerase chain reaction (PCR) technology, to amplify the sequences of the RG and related genes directly from genomic DNA, from cDNA, from genomic libraries or cDNA libraries. PCR and other *in vitro* amplification methods may also be useful, for example, to clone nucleic acid sequences that code for proteins to be expressed, to make nucleic acids to use as probes for detecting the presence of the desired mRNA in samples, for nucleic acid sequencing, or for other purposes.

5

10

15

20

25

30

Oligonucleotides can be used to identify and detect additional RG families and RG family species using a variety of hybridization techniques and conditions. Suitable amplification methods include, but are not limited to: polymerase chain reaction, PCR (PCR PROTOCOLS, A GUIDE TO METHODS AND APPLICATIONS, ed. Innis, Academic Press, N.Y. (1990) and PCR STRATEGIES (1995), ed. Innis, Academic Press, Inc., N.Y. (Innis), ligase chain reaction (LCR) (Wu (1989) Genomics 4:560; Landegren (1988) Science 241:1077; Barringer (1990) Gene 89:117); transcription amplification (Kwoh (1989) Proc. Natl. Acad. Sci. USA 86:1173); and, self-sustained sequence replication (Guatelli (1990) Proc. Natl. Acad. Sci. USA, 87:1874); Q Beta replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA, Cangene, Mississauga, Ontario); see Berger (1987) Methods Enzymol. 152:307-316, Sambrook, and Ausubel, as well as Mullis (1987) U.S. Patent Nos. 4,683,195 and 4,683,202; Arnheim (1990) C&EN 36-47; Lomell J. Clin. Chem., 35:1826 (1989); Van Brunt, Biotechnology, 8:291-294 (1990); Wu (1989) Gene 4:560; Sooknanan (1995) Biotechnology 13:563-564. Methods for cloning in vitro amplified nucleic acids are described in Wallace, U.S. Pat. No. 5,426,039.

The degree of complementarity (sequence identity) required for detectable binding will vary in accordance with the stringency of the hybridization medium and/or wash medium. The degree of complementarity will optimally be 100 percent; however, it should be understood that minor sequence variations in the probes and primers may be compensated for by reducing the stringency of the hybridization and/or wash medium as described earlier.

In some preferred embodiments, members of this class of pest resistance genes can be identified by their ability to be amplified by PCR primers based on the sequences disclosed here. Appropriate primers and probes for identifying RG sequences

from plant tissues are generated from comparisons of the sequences provided herein. See, e.g., Table 1. For a general overview of PCR see PCR Protocols: A Guide to Methods and Applications. (Innis, M, Gelfand, D., Sninsky, J. and White, T., eds.), Academic Press, San Diego (1990), incorporated herein by reference.

Briefly, the first step of each cycle of the PCR involves the separation of the nucleic acid duplex formed by the primer extension. Once the strands are separated, the next step in PCR involves hybridizing the separated strands with primers that flank the target sequence. The primers are then extended to form complementary copies of the target strands. For successful PCR amplification, the primers are designed so that the position at which each primer hybridizes along a duplex sequence is such that an extension product synthesized from one primer, when separated from the template (complement), serves as a template for the extension of the other primer. The cycle of denaturation, hybridization, and extension is repeated as many times as necessary to obtain the desired amount of amplified nucleic acid.

In the preferred embodiment of the PCR process, strand separation is achieved by heating the reaction to a sufficiently high temperature for an sufficient time to cause the denaturation of the duplex but not to cause an irreversible denaturation of the polymerase (see U.S. Patent No. 4,965,188). Template-dependent extension of primers in PCR is catalyzed by a polymerizing agent in the presence of adequate amounts of four deoxyribonucleotide triphosphates (typically dATP, dGTP, dCTP, and dTTP) in a reaction medium comprised of the appropriate salts, metal cations, and pH buffering system. Suitable polymerizing agents are enzymes known to catalyze template-dependent DNA synthesis.

Polynucleotides may also be synthesized by well-known techniques as described in the technical literature. See, e.g., Carruthers et al., Cold Spring Harbor Symp. Quant. Biol. 47:411-418 (1982), and Adams et al., J. Am. Chem. Soc. 105:661 (1983). Double stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

RG Proteins

5

10

15

20

25

30

The present invention further provides isolated RG proteins encoded by the RG polynucleotides disclosed herein. One of skill will recognize that the nucleic acid encoding a functional RG protein need not have a sequence identical to the exemplified genes disclosed here. For example, because of codon degeneracy a large number of nucleic acid sequences can encode the same polypeptide. In addition, the polypeptides encoded by the RG genes, like other proteins, have different domains which perform different functions. Thus, the RG gene sequences need not be full length, so long as the desired functional domain of the protein is expressed.

5

10

15

20

25

30

The resistance proteins are at least 25 amino acid residues in length. Typically, the RG proteins are at least 50 amino acid residues, generally at least 100, preferably at least 150, more preferably at least 200 amino acids in length. In particularly preferred embodiments, the RG proteins are of sufficient length to provide resistance to pests when expressed in the desired plants. Generally then, the RG proteins will be the length encoded by an RG gene of the present invention. However, those of ordinary skill will appreciate that minor deletions, substitutions, or additions to an RG protein will typically yield a protein with pest resistance characteristics similar or identical to that of the full length sequence. Thus, full-length RG proteins modified by 1, 2, 3, 4, or 5 deletions, substitutions, or additions, generally provide an effective degree of pest resistance relative to the full-length protein.

The RG proteins which provide pest resistance will typically comprise at least one of an LRR or an NBS. Preferably, both are present. LRR and/or NBS regions present in the RG proteins of the present invention can be provided by RG genes of the present invention. In some embodiments, the LRR and/or NBS regions are obtained from other pest resistance genes. See, e.g., Yu et al., Proc. Natl. Acad. Sci. USA, 93: 11751-11756 (1996); Bent et al., Science, 265: 1856-1860 (1994).

Modified protein chains can also be readily designed utilizing various recombinant DNA techniques well known to those skilled in the art. For example, the chains can vary from the naturally occurring sequence at the primary structure level by amino acid substitutions, additions, deletions, and the like. Modification can also include swapping domains from the proteins of the invention with related domains from other pest resistance genes.

Pests that can be targeted by RG genes and proteins of the present invention. include such bacterial pests as *Erwinia carotovora* and *Pseudomonas marginalis*. Fungal pests which can be targeted by the present invention include *Bremia lactucae*, *Marssonina panattoniana*, *Rhizoctonia solani*, *Olpidium brassicae*, root aphid, *Sclerotinia sclerotiorum* and *S. minor*, and *Botrytis cinerea* which causes gray mold. RG genes also provide resistance to viral diseases such as lettuce and turnip mosaic viruses.

Fusion Proteins

5

10

15

20

25

30

RG polypeptides can also be expressed as recombinant proteins with one or more additional polypeptide domains linked thereto to facilitate protein detection, purification, or other applications. Such detection and purification facilitating domains include, but are not limited to, metal chelating peptides such as polyhistidine tracts and histidine-tryptophan modules that allow purification on immobilized metals, protein a domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp, Seattle WA). The inclusion of a cleavable linker sequences such as Factor Xa or enterokinase (Invitrogen, San Diego CA) between the purification domain and plant disease resistant polypeptide may be useful to facilitate purification. One such expression vector provides for expression of a fusion protein comprising the sequence encoding a plant disease resistant polypeptide of the invention and nucleic acid sequence encoding six histidine residues followed by thioredoxin and an enterokinase cleavage site (e.g., see Williams (1995) Biochemistry 34:1787-1797). The histidine residues facilitate detection and purification while the enterokinase cleavage site provides a means for purifying the desired protein(s) from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described, see e.g., Kroll (1993) DNA Cell. Biol., 12:441-53.

Antibodies Reactive to RG Polypeptides and Immunological Assays

The present invention also provides antibodies which specifically react with RG proteins of the present invention under immunologically reactive conditions. An antibody immunologically reactive with a particular antigen can be generated *in vivo* or by recombinant methods such as selection of libraries of recombinant antibodies in phage or similar vectors. "Immunologically reactive conditions" includes reference to conditions which allow an antibody, generated to a particular epitope of an antigen, to bind to that

epitope to a detectably greater degree than the antibody binds to substantially all other epitopes, generally at least two times above background binding, preferably at least five times above background. Immunologically reactive conditions are dependent upon the format of the antibody binding reaction and typically are those utilized in immunoassay protocols.

5

10

15

20

25

30

"Antibody" includes reference to an immunoglobulin molecule obtained by in vitro or in vivo generation of the humoral response, and includes both polyclonal and monoclonal antibodies. The term also includes genetically engineered forms such as chimeric antibodies (e.g., humanized murine antibodies), heteroconjugate antibodies (e.g., bispecific antibodies), and recombinant single chain Fv fragments (scFv). The term "antibody" also includes antigen binding forms of antibodies (e.g., Fab', F(ab'), Fab, Fv, rIgG, and, inverted IgG). See, Pierce Catalog and Handbook, 1994-1995 (Pierce Chemical Co., Rockford, IL). An antibody immunologically reactive with a particular antigen can be generated in vivo or by recombinant methods such as selection of libraries of recombinant antibodies in phage or similar vectors. See, e.g., Huse et al. (1989) Science 246:1275-1281; and Ward, et al. (1989) Nature 341:544-546; and Vaughan et al. (1996) Nature Biotechnology, 14:309-314.

Many methods of making antibodies are known to persons of skill. A number of immunogens are used to produce antibodies specifically reactive to an isolated RG protein of the present invention under immunologically reactive conditions. An isolated recombinant, synthetic, or native RG protein of the present invention is the preferred immunogens (antigen) for the production of monoclonal or polyclonal antibodies.

The RG protein is then injected into an animal capable of producing antibodies. Either monoclonal or polyclonal antibodies can be generated for subsequent use in immunoassays to measure the presence and quantity of the RG protein. Methods of producing monoclonal or polyclonal antibodies are known to those of skill in the art. See, e.g., Coligan (1991) Current Protocols in Immunology Wiley/Greene, NY; and Harlow and Lane (1989) Antibodies: A Laboratory Manual Cold Spring Harbor Press, NY); Goding (1986) Monoclonal Antibodies: Principles and Practice (2d ed.) Academic Press, New York, NY.

Frequently, the RG proteins and antibodies will be labeled by joining, either covalently or non-covalently, a substance which provides for a detectable signal. A wide

variety of labels and conjugation techniques are known and are reported extensively in both the scientific and patent literature. Suitable labels include radionucleotides, enzymes, substrates, cofactors, inhibitors, fluorescent moieties, chemiluminescent moieties, magnetic particles, and the like. Patents teaching the use of such labels include U.S. Patent Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

The antibodies of the present invention can be used to screen plants for the expression of RG proteins of the present invention. The antibodies of this invention are also used for affinity chromatography in isolating RG protein.

10

15

5

The present invention further provides RG polypeptides that specifically bind, under immunologically reactive conditions, to an antibody generated against a defined immunogen, such as an immunogen consisting of the RG polypeptides of the present invention. Immunogens will generally be at least 10 contiguous amino acids from an RG polypeptide of the present invention. Optionally, immunogens can be from regions exclusive of the NBS and/or LRR regions of the RG polypeptides. Nucleic acids which encode such cross-reactive RG polypeptides are also provided by the present invention. The RG polypeptides can be isolated from any number plants as discussed earlier. Preferred are species from the family *Compositae* and in particular the genus *Lactuca* such as *L. sativa* and such subspecies as *crispa*, *longifolia*, and *asparagina*.

20

25

30

"Specifically binds" includes reference to the preferential association of a ligand, in whole or part, with a particular target molecule (i.e., "binding partner" or "binding moiety") relative to compositions lacking that target molecule. It is, of course, recognized that a certain degree of non-specific interaction may occur between a ligand and a non-target molecule. Nevertheless, specific binding, may be distinguished as mediated through specific recognition of the target molecule. Typically specific binding results in a much stronger association between the ligand and the target molecule than between the ligand and non-target molecule. Specific binding by an antibody to a protein under such conditions requires an antibody that is selected for its specificity for a particular protein. The affinity constant of the antibody binding site for its cognate monovalent antigen is at least 10⁷, usually at least 10⁸, preferably at least 10⁹, more preferably at least 10¹⁰, and most preferably at least 10¹¹ liters/mole. A variety of immunoassay formats are appropriate for selecting antibodies specifically reactive with a particular protein. For

example, solid-phase ELISA immunoassays are routinely used to select monoclonal antibodies specifically reactive with a protein. See Harlow and Lane (1988) Antibodies, A Laboratory Manual, Cold Spring Harbor Publications, New York, for a description of immunoassay formats and conditions that can be used to determine specific reactivity. The antibody may be polyclonal but preferably is monoclonal. Generally, antibodies cross-reactive to such proteins as RPS2, RPM1 (bacterial resistances in Arabidopsis, L6 (fungal resistance in flax, PRF (resistance to *Pseudomonas syringae* in tomator), and *N*, (virus resistance in tobacco), are removed by immunoabsorbtion.

5

10

15

20

25

30

Immunoassays in the competitive binding format are typically used for cross-reactivity determinations. For example, an immunogenic RG polypeptide is immobilized to a solid support. Polypeptides added to the assay compete with the binding of the antisera to the immobilized antigen. The ability of the above polypeptides to compete with the binding of the antisera to the immobilized RG polypeptide is compared to the immunogenic RG polypeptide. The percent cross-reactivity for the above proteins is calculated, using standard calculations. Those antisera with less than 10% cross-reactivity with such proteins as RPS2, RPM1, L6, PRF, and N, are selected and pooled. The cross-reacting antibodies are then removed from the pooled antisera by immunoabsorbtion with these non-RG resistance proteins.

The immunoabsorbed and pooled antisera are then used in a competitive binding immunoassay to compare a second "target" polypeptide to the immunogenic polypeptide. In order to make this comparison, the two polypeptides are each assayed at a wide range of concentrations and the amount of each polypeptide required to inhibit 50% of the binding of the antisera to the immobilized protein is determined using standard techniques. If the amount of the target polypeptide required is less than twice the amount of the immunogenic polypeptide that is required, then the target polypeptide is said to specifically bind to an antibody generated to the immunogenic protein. As a final determination of specificity, the pooled antisera is fully immunosorbed with the immunogenic polypeptide until no binding to the polypeptide used in the immunosorbtion is detectable. The fully immunosorbed antisera is then tested for reactivity with the test polypeptide. If no reactivity is observed, then the test polypeptide is specifically bound by the antisera elicited by the immunogenic protein.

WO 98/30083 PCT/US98/00615 30

Production of transgenic plants of the invention

Isolated nucleic acid constructs prepared as described herein can be introduced into plants according techniques known in the art. In some embodiments, the introduced nucleic acid is used to provide RG gene expression and therefore pest resistance in desired plants. In some embodiments, RG promoters are used to drive expression of desired heterologous genes in plants. Finally, in some embodiments, the constructs can be used to suppress expression of a target endogenous gene, including RG genes.

To use isolated RG sequences in the above techniques, recombinant DNA vectors suitable for transformation of plant cells are prepared. Techniques for transforming a wide variety of higher plant species are well known and described in the technical and scientific literature. See, for example, Weising et al. Ann. Rev. Genet. 22:421-477 (1988).

A DNA sequence coding for the desired RG polypeptide, for example a cDNA or a genomic sequence encoding a full length protein, will be used to construct a recombinant expression cassette which can be introduced into the desired plant. An expression cassette will typically comprise the RG polynucleotide operably linked to transcriptional and translational initiation regulatory sequences which will direct the transcription of the sequence from the RG gene in the intended tissues of the transformed plant.

20

15

5

10

Such DNA constructs may be introduced into the genome of the desired plant host by a variety of conventional techniques. For example, the DNA construct may be introduced directly into the genomic DNA of the plant cell using techniques such as electroporation. PEG poration, particle bombardment and microinjection of plant cell protoplasts or embryogenic callus, or the DNA constructs can be introduced directly to plant tissue using ballistic methods, such as DNA particle bombardment. Alternatively, the DNA constructs may be combined with suitable T-DNA flanking regions and introduced into a conventional Agrobacterium tumefaciens host vector. The virulence functions of the Agrobacterium tumefaciens host will direct the insertion of the construct and adjacent marker into the plant cell DNA when the cell is infected by the bacteria.

30

25

Transformation techniques are known in the art and well described in the scientific and patent literature. The introduction of DNA constructs using polyethylene glycol precipitation is described in Paszkowski et al. Embo J. 3:2717-2722 (1984).

Electroporation techniques are described in Fromm et al. Proc. Natl. Acad. Sci. USA 82:5824 (1985). Ballistic transformation techniques are described in Klein et al. Nature 327:70-73 (1987).

Agrobacterium tumefaciens-meditated transformation techniques are well described in the scientific literature. See, for example Horsch et al. Science 233:496-498 (1984), and Fraley et al. Proc. Natl. Acad. Sci. USA 80:4803 (1983). Although Agrobacterium is useful primarily in dicots, certain monocots can be transformed by Agrobacterium. For instance, Agrobacterium transformation of rice is described by Hiei et al., Plant J. 6:271-282 (1994). A particularly preferred means of transforming lettuce is described in Michelmore et al., Plant Cell Reports, 6:439-442 (1987).

Transformed plant cells which are derived by any of the above transformation techniques can be cultured to regenerate a whole plant which possesses the transformed genotype and thus the desired RG-controlled phenotype. Such regeneration techniques rely on manipulation of certain phytohormones in a tissue culture growth medium, typically relying on a biocide and/or herbicide marker which has been introduced together with the RG nucleotide sequences. Plant regeneration from cultured protoplasts is described in Evans et al., Protoplasts Isolation and Culture, Handbook of Plant Cell Culture, pp. 124-176, Macmillilan Publishing Company, New York, 1983; and Binding, Regeneration of Plants, Plant Protoplasts, pp. 21-73, CRC Press, Boca Raton, 1985. Regeneration can also be obtained from plant callus, explants, organs, or parts thereof. Such regeneration techniques are described generally in Klee et al. Ann. Rev. of Plant Phys. 38:467-486 (1987).

The methods of the present invention are particularly useful for incorporating the RG polynucleotides into transformed plants in ways and under circumstances which are not found naturally. In particular, the RG polypeptides may be expressed at times or in quantities which are not characteristic of natural plants.

One of skill will recognize that after the expression cassette is stably incorporated in transgenic plants and confirmed to be operable, it can be introduced into other plants by sexual crossing. Any of a number of standard breeding techniques can be used. depending upon the species to be crossed.

5

10

15

20

25

30

The present invention further provides methods for detecting RG resistance genes in a nucleic acid sample suspected of comprising an RG resistance gene. The means by which the RG resistance gene is detected is not a critical aspect of the invention. For example, RG resistance genes can be detected by the presence of amplicons using RG resistance gene specific primers. Additionally, RG resistance genes can be detected by assaying for specific hybridization of an RG polynucleotide to an RG resistance gene. In some embodiments, the RG resistance gene can be amplified prior to the step of contacting the nucleic acid sample with the RG polynucleotide.

5

10

15

20

25

30

In a typical detection method, the nucleic acid sample is contacted with an RG polynucleotide to form a hybridization complex. The hybridization complex may be detected directly (e.g., in Southern or northern blots), or indirectly (e.g., by subsequent primer extension during PCR amplification). The RG polynucleotide hybridizes under stringent conditions to an RG polynucleotide of the invention. Formation of the hybridization complex is directly or indirectly used to indicate the presence of the RG resistance gene in the nucleic acid sample.

Detection of the hybridization complex can be achieved using any number of well known methods. For example, the nucleic acid sample, or a portion thereof, may be assayed by hybridization formats including but not limited to, solution phase, solid phase, mixed phase, or in situ hybridization assays. Briefly, in solution (or liquid) phase hybridizations, both the target nucleic acid and the probe or primer are free to interact in the reaction mixture. In solid phase hybridization assays, probes or primers are typically linked to a solid support where they are available for hybridization with target nucleic in solution. In mixed phase, nucleic acid intermediates in solution hybridize to target nucleic acids in solution as well as to a nucleic acid linked to a solid support. In in situ hybridization, the target nucleic acid is liberated from its cellular surroundings in such as to be available for hybridization within the cell while preserving the cellular morphology for subsequent interpretation and analysis. The following articles provide an overview of the various hybridization assay formats: Singer et al., Biotechniques 4(3):230-250 (1986); Haase et al., Methods in Virology, Vol. VII, pp. 189-226 (1984); Wilkinson, "The theory and practice of in situ hybridization" In: In situ Hybridization, Ed. D.G. Wilkinson. IRL Press, Oxford University Press, Oxford; and Nucleic Acid Hybridization: A Practical Approach, Ed. Hames, B.D. and Higgins, S.J., IRL Press (1987).

The effect of the modification of RG gene expression can be measured by detection of increases or decreases in mRNA levels using, for instance, Northern blots. In addition, the phenotypic effects of gene expression can be detected by measuring nematode, fungal, bacterial, viral, or other pest resistance in plants. Suitable assays for determining pest resistance are well known. Michelmore and Crute, *Trans. Br. mycol.*Soc. 79(3): 542-546 (1982).

5

10

15

20

25

30

The means by which hybridization complexes are detected is not a critical aspect of the present invention and can be accomplished by any number of methods currently known or later developed. RG polynucleotides can be labeled by any one of several methods typically used to detect the presence of hybridized nucleic acids. One common method of detection is the use of autoradiography using probes labeled with ³H, ¹²⁵I, ²⁵S, ¹⁴C, or ³²P, or the like. The choice of radioactive isotope depends on research preferences due to ease of synthesis, stability, and half lives of the selected isotopes. Other labels include ligands which bind to antibodies labeled with fluorophores, chemiluminescent agents, and enzymes. Alternatively, probes can be conjugated directly with labels such as fluorophores, chemiluminescent agents or enzymes. The choice of label depends on sensitivity required, ease of conjugation with the probe, stability requirements, and available instrumentation. Labeling the RG polynucleotide is readily achieved such as by the use of labeled PCR primers.

The choice of label dictates the manner in which the label is bound to the probe. Radioactive probes are typically made using commercially available nucleotides containing the desired radioactive isotope. The radioactive nucleotides can be incorporated into probes, for example, by using DNA synthesizers, by nick translation with DNA polymerase I, by tailing radioactive DNA bases to the 3' end of probes with terminal deoxynucleotidyl transferase, by treating single-stranded M13 plasmids having specific inserts with the Klenow fragment of DNA polymerase in the presence of radioactive deoxynucleotides, dNTP, by transcribing from RNA templates using reverse transcriptase in the presence of radioactive deoxynucleotides, dNTP, or by transcribing RNA from vectors containing specific RNA viral promoters (e.g., SP6 promoter) using the corresponding RNA polymerase (e.g., SP6 RNA polymerase) in the presence of radioactive ribonucleotides rNTP.

The probes can be labeled using radioactive nucleotides in which the isotope resides as a part of the nucleotide molecule, or in which the radioactive component is attached to the nucleotide via a terminal hydroxyl group that has been esterified to a radioactive component such as inorganic acids, e.g., 32P phosphate or 14C organic acids, or esterified to provide a linking group to the label. Base analogs having nucleophilic linking groups, such as primary amino groups, can also be linked to a label.

Non-radioactive probes are often labeled by indirect means. For example, a ligand molecule is covalently bound to the probe. The ligand then binds to an anti-ligand molecule which is either inherently detectable or covalently bound to a detectable signal system, such as an enzyme, a fluorophore, or a chemiluminescent compound. Enzymes of interest as labels will primarily be hydrolases, such as phosphatases, esterases and glycosidases, or oxidoreductases, particularly peroxidases. Fluorescent compounds include fluorescein and its derivatives, rhodamine and its derivatives, dansyl, umbelliferone, etc. Chemiluminescers include luciferin, and 2,3-dihydrophthalazinediones, e.g., luminol. Ligands and anti-ligands may be varied widely. Where a ligand has a natural anti-ligand, namely ligands such as biotin, thyroxine, and cortisol, it can be used in conjunction with its labeled, naturally occurring anti-ligands. Alternatively, any haptenic or antigenic compound can be used in combination with an antibody.

Probes can also be labeled by direct conjugation with a label. For example, cloned DNA probes have been coupled directly to horseradish peroxidase or alkaline phosphatase, (Renz. M., and Kurz, K. (1984) A Colorimetric Method for DNA Hybridization. *Nucl. Acids Res.* 12: 3435-3444) and synthetic oligonucleotides have been coupled directly with alkaline phosphatase (Jablonski, E., *et al.* (1986) Preparation of Oligodeoxynucleotide-Alkaline Phosphatase Conjugates and Their Use as Hybridization Probes. *Nuc. Acids. Res.* 14: 6115-6128; and Li P., *et al.* (1987) Enzyme-linked Synthetic Oligonucleotide probes: Non-Radioactive Detection of Enterotoxigenic *Escherichia Coli* in Faeca Specimens. *Nucl. Acids Res.* 15:5275-5287).

Definitions

5

10

15

20

25

30

Units, prefixes, and symbols can be denoted in their SI accepted form.

Numeric ranges are inclusive of the numbers defining the range. Unless otherwise indicated, nucleic acids are written left to right in 5' to 3' orientation, respectively. The

headings provided herein are not limitations of the various aspects or embodiments of the invention which can be had by reference to the specification as a whole. Accordingly, the terms defined immediately below are more fully defined by reference to the specification as a whole.

As used herein, the term "plant" includes reference to whole plants, plant organs (e.g., leaves, stems, roots, etc.), seeds and plant cells and progeny of same. The class of plants which can be used in the methods of the invention is generally as broad as the class of higher plants amenable to transformation techniques, including both monocotyledonous and dicotyledonous plants.

5

10

15

20

25

30

As used herein, "pest" includes, but is not limited to, viruses, fungi, nematodes, insects, and bacteria.

As used herein, "heterologous" is a nucleic acid that originates from a foreign species, or, if from the same species, is substantially modified from its original form. For example, a promoter operably linked to a heterologous structural gene is from a species different from that from which the structural gene was derived, or, if from the same species, one or both are substantially modified from their original form.

As used herein, "RG gene," alternatively referred to as "RLG gene," is a gene encoding resistance to plant pests, such as viruses, fungi, nematodes, insects, and bacteria, and which hybridizes under stringent conditions and/or has at least 60% sequence identity at the deduced amino acid level to the exemplified sequences provided herein. RG genes encode "RG polypeptides," alternatively referred to as "RLG polypeptides," which can comprise LRR motifs and/or NBS motifs. The RG polypeptides encoded by RG genes have at least 55% or 60% sequence identity, typically at least 65% sequence identity, preferably at least 70% sequence identity, often at least 75% sequence identity, more preferably at least 80% sequence identity, and most preferably at least 90% sequence identity at the deduced amino acid level relative to the exemplary RG sequences provided herein. The term "RG family" or "RG family genus" or "genus" includes reference to a group of RG polypeptide sequence species that have at least 60% amino acid sequence identity, and, the nucleic acids encoding these polypeptides. The individual species of a genus, i.e., the members of a family, typically are genetically mapped to the same locus.

As used herein, "RG polynucleotide" includes reference to a contiguous sequence from an RG gene of at least 18, 20, 25, 30, 40, or 50 nucleotides in length, up to

at least about 100 or at least about 200 nucleotides in length. In some embodiments, the polynucleotide is preferably at least 100 nucleotides in length, more preferably at least 200 nucleotides in length, most preferably at least 500 nucleotides in length. Thus, RG polynucleotide may be a RG gene or a subsequence thereof.

5

10

15

20

25

30

As used herein, "isolated," when referring to a molecule or composition, such as, for example, an RG polypeptide or nucleic acid, means that the molecule or composition is separated from at least one other compound, such as a protein, other nucleic acids (e.g., RNAs), or other contaminants with which it is associated in vivo or in its naturally occurring state. Thus, an RG polypeptide or nucleic acid is considered isolated when it has been isolated from any other component with which it is naturally associated, e.g., cell membrane, as in a cell extract. An isolated composition can, however, also be substantially pure. An isolated composition can be in a homogeneous state and can be in a dry or an aqueous solution. Purity and homogeneity can be determined, for example, using analytical chemistry techniques such as polyacrylamide gel electrophoresis (SDS-PAGE) or high performance liquid chromatography (HPLC).

The term "nucleic acid" or "nucleic acid molecule" or "nucleic acid sequence" refers to a deoxyribonucleotide or ribonucleotide oligonucleotide in either single- or double-stranded form. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogues of natural nucleotides which have similar or improved binding properties, for the purposes desired, as the reference nucleic acid. The term also includes nucleic acids which are metabolized in a manner similar to naturally occurring nucleotides or at rates that are improved thereover for the purposes desired. The term also encompasses nucleic-acid-like structures with synthetic backbones. DNA backbone analogues provided by the invention include phosphodiester, phosphorothioate, phosphorodithioate, methylphosphonate, phosphoramidate, alkyl phosphotriester, sulfamate, 3'-thioacetal, methylene(methylimino), 3'-N-carbamate, morpholino carbamate, and peptide nucleic acids (PNAs); see Oligonucleotides and Analogues, a Practical Approach, edited by F. Eckstein, IRL Press at Oxford University Press (1991); Antisense Strategies, Annals of the New York Academy of Sciences, Volume 600, Eds. Baserga and Denhardt (NYAS 1992); Milligan (1993) J. Med. Chem. 36:1923-1937; Antisense Research and Applications (1993, CRC Press). PNAs contain non-ionic backbones, such as N-(2-aminoethyl) glycine units. Phosphorothioate linkages are described in WO

97/03211; WO 96/39154; Mata (1997) Toxicol Appl Pharmacol 144:189-197. Other synthetic backbones encompasses by the term include methyl-phosphonate linkages or alternating methylphosphonate and phosphodiester linkages (Strauss-Soukup (1997) Biochemistry 36:8692-8698), and benzylphosphonate linkages (Samstag (1996) Antisense Nucleic Acid Drug Dev 6:153-156). The term nucleic acid is used interchangeably with gene. cDNA, mRNA, oligonucleotide primer, probe and amplification product. Unless otherwise indicated, a particular nucleic acid sequence includes the complementary sequence thereof.

5

10

15

20

25

30

The term "exogenous nucleic acid" refers to a nucleic acid that has been isolated, synthesized, cloned, ligated, excised in conjunction with another nucleic acid, in a manner that is not found in nature, and/or introduced into and/or expressed in a cell or cellular environment other than or at levels or forms different than the cell or cellular environment in which said nucleic acid or protein is be found in nature. The term encompasses both nucleic acids originally obtained from a different organism or cell type than the cell type in which it is expressed, and also nucleic acids that are obtained from the same cell line as the cell line in which it is expressed. invention.

The term "recombinant," when used with reference to a cell, or to the nucleic acid, protein or vector refers to a material, or a material corresponding to the natural or native form of the material, that has been modified by the introduction of a new mojety or alteration of an existing mojety, or is identical thereto but produced or derived from synthetic materials. For example, recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise expressed at a different level, typically, under-expressed or not expressed at all. The term "recombinant means" encompasses all means of expressing, i.e., transcription or translation of, an isolated and/or cloned nucleic acid in vitro or in vivo. For example, the term "recombinant means" encompasses techniques where a recombinant nucleic acid, such as a cDNA encoding a protein, is inserted into an expression vector, the vector is introduced into a cell and the cell expresses the protein. "Recombinant means" also encompass the ligation of nucleic acids having coding or promoter sequences from different sources into one vector for expression of a fusion protein, constitutive expression of a protein, or inducible expression of a protein, such as the plant disease resistant, or RG. polypeptides of the invention.

The term "specifically hybridizes" refers to a nucleic acid that hybridizes, duplexes or binds to a particular target DNA or RNA sequence. The target sequences can be present in a preparation of total cellular DNA or RNA. Proper annealing conditions depend, for example, upon a nucleic acid's, such as a probe's length, base composition, and the number of mismatches and their position on the probe, and can be readily determined empirically providing the appropriate reagents are available. For discussions of nucleic acid probe design and annealing conditions, see, e.g., Sambrook and Ausubel.

5

10

15

20

25

30

The terms "stringent hybridization," "stringent conditions," or "specific hybridization conditions" refers to conditions under which an oligonucleotide (when used, for example, as a probe or primer) will hybridize to its target subsequence, such as an RG nucleic acid in an expression vector of the invention but not to a non-RG sequence. Stringent conditions are sequence-dependent. Thus, in one set of stringent conditions an oligonucleotide probe will hybridize to only one specie of the genus of RG nucleic acids of the invention. In another set of stringent conditions (less stringent) an oligonucleotide probe will hybridize to all species of the invention's genus but not to non-RG nucleic acids. Longer sequences hybridize specifically at higher temperatures. Stringent conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic acid concentration) at which 50% of the probes complementary to the target sequence hybridize to the target sequence at equilibrium (if the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Typically, stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, i.e., about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. Often, high stringency wash conditions preceded by low stringency wash conditions to remove background probe signal. An example of medium stringency wash conditions for a duplex of, e.g., more than 100 nucleotides, is 1x SSC at 45°C for 15 minutes (see Sambrook for a description of SSC buffer). An example low stringency wash for a duplex of, e.g., more than 100 nucleotides, is 4-6x SSC at 40° C for 15 minutes. a signal to noise ratio of 2x (or higher) than that observed for an unrelated

probe in the particular hybridization assay indicates detection of a "specific hybridization." Nucleic acids which do not hybridize to each other under stringent conditions can still be substantially identical if the polypeptides which they encode are substantially identical. This can occurs, e.g., when a nucleic acid is created that encodes for conservative substitutions. Stringent hybridization and stringent hybridization wash conditions are different under different environmental parameters, such as for Southern and Northern hybridizations. An extensive guide to the hybridization of nucleic acids is found in, e.g., Sambrook, Tijssen (1993) supra.

5

10

15

20

25

30

As used herein "operably linked" includes reference to a functional linkage between a promoter and a second sequence, wherein the promoter sequence initiates and mediates transcription of the DNA sequence corresponding to the second sequence. Generally, operably linked means that the nucleic acid sequences being linked are contiguous and, where necessary to join two protein coding regions, contiguous and in the same reading frame.

In the expression of transgenes one of skill will recognize that the inserted polynucleotide sequence need not be identical and may be "substantially identical" to a sequence of the gene from which it was derived. As explained herein, these variants are specifically covered by this term.

In the case where the inserted polynucleotide sequence is transcribed and translated to produce a functional RG polypeptide, one of skill will recognize that because of codon degeneracy, a number of polynucleotide sequences will encode the same polypeptide. These variants are specifically covered by the term "RG polynucleotide sequence". In addition, the term specifically includes those full length sequences substantially identical (determined as described herein) with an RG gene sequence which encode proteins that retain the function of the RG protein. Thus, in the case of RG genes disclosed here, the term includes variant polynucleotide sequences which have substantial identity with the sequences disclosed here and which encode proteins capable of conferring resistance to nematodes, bacteria, viruses, fungi, insects or other pests on a transgenic plant comprising the sequence.

Two polynucleotides or polypeptides are said to be "identical" if the sequence of nucleotides or amino acid residues, respectively, in the two sequences is the same when aligned for maximum correspondence, as described below. The term

"complementary to" is used herein to mean that the complementary sequence is identical toall or a specified contiguous portion of a reference polynucleotide sequence.

5

10

15

20

25

30

The terms "sequence identity," "sequence similarity" and "homology" refer to when two sequences, such as the nucleic acid and amino acid sequences or the polypeptides of the invention, when optimally aligned, as with, for example, the programs PILEUP, BLAST, GAP, FASTA or BESTFIT (see discussion, *supra*). "Percentage amino acid/nucleic acid sequence identity" refers to a comparison of the sequences of two polypeptides/nucleic acids which, when optimally aligned, have approximately the designated percentage of the same amino acids/nucleic acids, respectively. For example, "60% sequence identity" and "60% homology" refer to a comparison of the sequences of two RG nucleic acids or polypeptides which, when optimally aligned, have 60% identity. For example, in one embodiment, nucleic acids encoding RG polypeptides of the invention comprise a sequence with at least 50% nucleic acid sequence identity to SEQ ID NO:1. In other embodiments, the RG polypeptides of the invention are encoded by nucleic acids comprising a sequence with at least 50% sequence identity to SEQ ID NO:1, or, are encoded by nucleic acids comprising SEQ ID NO:1, or, have at least 60% amino acid sequence identity to the polypeptide of SEQ ID NO:2.

"Percentage of sequence identity" is determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity.

The term "substantial identity" of polynucleotide sequences means that a polynucleotide comprises a sequence that has at least 55% or 60% sequence identity, generally at least 65%, preferably at least 70%, often at least 75%, more preferably at least 80% and most preferably at least 90%, compared to a reference sequence using the programs described above (preferably BESTFIT) using standard parameters. One of skill will recognize that these values can be appropriately adjusted to determine corresponding

identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the like. Substantial identity of amino acid sequences for these purposes normally means sequence identity of at least 55% or 60%, preferably at least 70%, more preferably at least 80%, and most preferably at least 95%. Polypeptides having "sequence similarity" share sequences as noted above except that residue positions which are not identical may differ by conservative amino acid changes. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. For example, a group of amino acids having aliphatic side chains is glycine, alanine, valine, leucine, and isoleucine; a group of amino acids having aliphatic-hydroxyl side chains is serine and threonine; a group of amino acids having amide-containing side chains is asparagine and glutamine; a group of amino acids having aromatic side chains is phenylalanine, tyrosine, and tryptophan; a group of amino acids having basic side chains is lysine, arginine, and histidine; and a group of amino acids having sulfur-containing side chains is cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, and asparagine-glutamine.

5

10

15

20

25

30

Another indication that nucleotide sequences are substantially identical is if two molecules hybridize to each other under appropriate conditions. Appropriate conditions can be high or low stringency and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C to about 20°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH. The Tm is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, stringent wash conditions are those in which the salt concentration is about 0.02 molar at pH 7 and the temperature is at least about 50°C. However, nucleic acids which do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This may occur, *e.g.*, when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code.

Nucleic acids of the invention can be identified from a cDNA or genomic library prepared according to standard procedures and the nucleic acids disclosed here used as a probe. Thus, for example, stringent hybridization conditions will typically include at least one low stringency wash using 0.3 molar salt (e.g., 2X SSC) at 65°C. The washes

are preferably followed by one or more subsequent washes using 0.03 molar salt (e.g., 0.2X SSC) at 50°C, usually 60°C, or mosre usually 65°C. Nucleic acid probes used to identify the nucleic acids are preferably at least 100 nucleotides in length.

5

10

15

20

25

30

As used herein, "nucleotide binding site" or "nucleotide binding domain" ("NBS") includes reference to highly conserved nucleotide-, i.e., ATP/GTP-, binding domains, typically included in the "kinase domain" of kinase polypeptides, such as a kinase-1a, kinase 2, or a kinase 3a motif, as described herein. For example, the tobacco N and Arabidopsis RPS2 genes, among several recently cloned disease-resistance genes, share highly conserved NBS sequence. Kinase NBS subdomains further consist of three subdomain motifs: the P-loop, kinase-2, and kinase-3a subdomains (Yu (1996) Proc. Acad. Sci. USA 93:11751-11756). As discussed in detail herein, examples include the Arabidopsis RPP5 gene (Parker (1997) supra), the A. thaliana RPS2 gene (Mindrinos (1997) supra), and the flax L6 rust resistance gene (Lawrence (1995) supra) which all encode proteins containing an NBS; and Mindrinos (1994) Cell 78:1089-1099; and Shen (1993) FEBS 335:380-385. Using the teachings disclosed and incorporated herein and standard nucleic acid hybridization and/or amplification techniques, one of skill can identify members having NBS domains, including any of the genus of NBS-containing plant disease resistant polypeptides of the invention.

As used herein, "leucine rich region" ("LRR") includes reference to a region that has a leucine content of at least 20% leucine or isoleucine, or 30% of the aliphatic residues: leucine, isoleucine, methionine, valine, and phenylalanine, and arranged with approximate repeated periodicity. The length of the repeat may vary in length but is generally about 20 to 30 amino acids. An LRR-containing polypeptide typicially will have the canonical 24 amino acid leucine-rich repeat (LRR) sequence, which is present in different proteins that mediates molecular recognition and/or interaction processes; as described in Bent (1994) Science 265:1856-1860; Parker (1997) Plant Cell. 9:879-894; Hong (1997) Plant Physiol. 113:1203-1212; Schmitz (1997) Nucleic Acids Res. 25:756-763; Hipskind (1996) Mol. Plant Microbe Interact. 9:819-825; Tornero (1996) Plant J. 10:315-330; Dixon (1996) Cell 84:451-459; Jones (1994) Science 266:789-793; Lawrence (1995) Plant Cell 7:1195-1206; Song (1995) Science 270:1804-1806; as discussed in further detail supra. Using the teachings disclosed and incorporated herein and standard nucleic acid hybridization and/or amplification techniques, one of skill can

identify polypeptides having LRR domains, including any member of the genus of LRR-containing RG polypeptides of the invention.

The term "promoter" refers to a region or sequence determinants located upstream or downstream from the start of transcription and which are involved in recognition and binding of RNA polymerase and other proteins to initiate transcription. A "plant promoter" is a promoter capable of initiating and/or regulating transcription in plant cells: see also discussion on plant promoters, *supra*.

5

10

15

20

25

30

The term "constitutive promoter" refers to a promoter that initiates and helps control transcription in all tissues. Promoters that drive expression continuously under physiological conditions are referred to herein as "constitutive" promoters and are active under most environmental conditions and states of development or cell differentiation; see also detailed discussion, *supra*.

The term "inducible promoter" refers to a promoter which directs transcription under the influence of changing environmental conditions or developmental conditions. Examples of environmental conditions that may effect transcription by inducible promoters include anaerobic conditions, elevated temperature, drought, or the presence of light. Such promoters are referred to herein as "inducible" promoters; see also detailed discussion, *supra*.

The term "abscission-induced promoter" or "abcission promoter" refers to a class of promoters which are activated upon plant ripening, such as fruit ripening, and are especially useful incorporated in the expression systems (e.g., expression cassettes, vectors) of the invention. When the plant disease resistant polypeptide-encoding nucleic acid is under the control of an abcission promoter, rapid cell death, induced by expression of the invention's polypeptide, accelerates and/or accentuates abcission of the plant part, increasing the efficiency of the harvesting of fruits or other plant parts, such as cotton, and the like; see also detailed discussion, supra.

The term "tissue-specific promoter" refers to a class of transcriptional control elements that are only active in particular cells or tissues. Examples of plant promoters under developmental control include promoters that initiate transcription only (or primarily only) in certain tissues, such as roots, leaves, fruit, ovules, seeds, pollen, pistols, or flowers; see also detailed discussion, *supra*.

As used herein "recombinant" includes reference to a cell, or nucleic acid, or vector, that has been modified by the introduction of a heterologous nucleic acid or the alteration of a native nucleic acid to a form not native to that cell, or that the cell is derived from a cell so modified. Thus, for example, recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all.

5

10

15

20

25

30

As used herein, a "recombinant expression cassette" or "expression cassette" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements which permit transcription of a particular nucleic acid in a target cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the recombinant expression cassette portion of the expression vector includes a nucleic acid to be transcribed, and a promoter.

As used herein, "transgenic plant" includes reference to a plant modified by introduction of a heterologous polynucleotide. Generally, the heterologous polynucleotide is an RG structural or regulatory gene or subsequences thereof.

As used herein, "hybridization complex" includes reference to a duplex nucleic acid sequence formed by selective hybridization of two single-stranded nucleic acids with each other.

As used herein, "amplified" includes reference to an increase in the molarity of a specified sequence. Amplification methods include the polymerase chain reaction (PCR), the ligase chain reaction (LCR), the transcription-based amplification system (TAS), the self-sustained sequence replication system (SSR). A wide variety of cloning methods, host cells, and *in vitro* amplification methodologies are well-known to persons of skill.

As used herein, "nucleic acid sample" includes reference to a specimen suspected of comprising RG resistance genes. Such specimens are generally derived, directly or indirectly, from lettuce tissue.

The term "antibody" refers to a polypeptide substantially encoded by an immunoglobulin gene or immunoglobulin genes, or fragments or synthetic or recombinant analogues thereof which specifically bind and recognize analytes and antigens, such as a genus or subgenus of polypeptides of the invention, as described *supra*.

PCT/US98/00615 45

It is understood that the examples and embodiments described herein are for. illustrative purposes only and that various modifications or changes in light thereof will be suggested to persons skilled in the art and are to be included within the spirit and purview of this application and scope of the appended claims.

5

EXAMPLES

The following examples are offered to illustrate, but not to limit the claimed invention.

Example 1

10

15

20

25

30

Example 1 describes the use of PCR to amplify RG genes from lettuce. Multiple primers with low degeneracy, particularly at the 3' end, were designed based on the sequences of two known resistance genes from tobacco and flax. **DNA Templates**

Lettuce genomic DNA was extracted from cultivar Diana and a mutant line derived from cultivar Diana using a standard CTAB protocol. To generate cDNA templates, RNA was isolated from cultivar Diana and the mutant following standard procedures; first strand cDNA was synthesized using Superscript reverse transcriptase from 1 Dg total RNA as specified by the manufacturer (Life Technologies). BAC (bacterial artificial chromosome) clones from the Dm3 region were isolated from a BAC library of over 53,000 clones using marker AC15 that was known to be closely linked to Dm3. Bacterial plasmids containing clones of L6 and RPS2 were used as positive controls.

PCR with degenerate oligonucleotide primers

Oligonucleotide primers were designed based on conserved motifs in the nucloetide binding sites (NBS) of L6, RPS2, and N. Eight primers were made corresponding to the GVGKTT motif in the sense direction; each had 64-fold degeneracy. Six primers were made to the GLPLAL motif in the anti-sense direction; with either 16 or 256-fold degeneracy (Table 1).

Oligonucleotides included 14-mer adaptors of (CUA), at the 5' end of the sense primers and (CAU)₄ at the 5' end of the antisense primers to allow rapid cloning of the PCR products into pAMP1 (Life Technologies).

PCR amplification was performed in 50 Φl reaction volume with 1 ΦM of . each of a pair of sense and antisense primers. The templates were denatured by heating to 94EC for 2 min. This was followed by 35 cycles of 30 sec at 94EC, 1 min at 50EC, 2 min at 72EC, with a single final extension of 5 min at 72EC. 25 ng of genomic DNA or cDNA was used. BAC clones as templates required less. The final dNTP concentration was 0.2 mM; MgCl, was 1.5 mM.

Forty-eight combinations of sense and antisense primers were tested on a panel of nine templates consisting of two genomic DNA samples, two cDNA preparations, three BAC clones and plasmids containing L6 and RPS2 as positive controls.

Amplification from *L6* and *RPS2* resulted in fragments of 516 and 513 repectively. Seven combinations of primers resulted in fragments of approximately this size with multiple templates (Table 2). Primers that gave RLG products were: PLOOPAA, PLOOPAG, PLOOPGA, PLOOPGG, PLOOPAC, GLPL3, GLPL4.

15

10

5

20

25

(Intentionally left blank)

Table 1

DEGENERATE PRIMER SEQUENCES for NBS PCR

Sense primers based on GVGKTT amino acid sequence from L6, N and rps2 PLOOP motif:

- PLOOPAG 5' GGN GTN GGN AAA ACG AC 3'
- PLOOPAA 5' GGN GTN GGN AAA ACA AC 3'
- PLOOPAT 5' GGN GTN GGN AAA ACT AC 3'
- PLOOPAC 5' GGN GTN GGN AAA ACC AC 3'
- PLOOPGG 5' GGN GTN GGN AAG ACG AC 3'
- PLOOPGA 5' GGN GTN GGN AAG ACA AC 3'
- PLOOPGT 5' GGN GTN GGN AAG ACT AC 3'
- PLOOPGC 5' GGN GTN GGN AAG ACC AC 3'

Antisense primers based on GLPLAL amino acid sequence:

- GLPL1 5' AGN GCN AGN GGN AGG CC 3'
- GLPL2 5' AGN GCN AGN GGN AGA CC 3' !
- GLPL3 5' AGN GCN AGN GGN AGT CC 3'
- GLPL4 5' AGN GCN AGN GGN AGC CC 3'
- GLPL5 5' AAN GCC AAN GGC AAA CC 3'
- GLPL6 5' AAN GCC AAN GGC AAT CC 3'

5

10

15

20

25

30

TABLE 2. Characteristics of RLGs isolated from lettuce.

	Template	Primers	Number*	Size ^b (bp)	Copy number ^c	Dm linkage
RLG1	genomic DNA	PLOOPGA+GLPL6	6/6	522		DM4,
	genomic DNA	PLOOPGA+GLPL6 PLOOPAA+GLPL6	1/5 5/5			DM13
	cDNA	PLOOPAA+GLPL6	1/1			
RLG2	васн8	PLOOPGG+GLPL3	3/3	510		DM1, Dm3
RLG3	gemonic DNA	PLOOPGA+GLPL4	3/6	461		Dm5 Dm8
RLG4	genomic DNA	PLOOPGA+GLPL4	1/6	524		

- * Number of RLG sequences out of total number of clones sequenced.
- b Size of fragment amplified from the nucleotide bindind domain.
- ^c Estimated copy number from genomic Southern blot analysis and numbers of clones in the BAC library.

Example 2

Example 2 describes the genetic analysis used to obtain a preliminary indication of the linkage relationships of the amplified products and known clusters of resistance genes.

Bulked segregant analysis was performed to obtain a preliminary indication of the linkage relationships of the amplified products and known clusters of resistance genes. DNA from individuals were pooled for each susceptible and resistant bulk. Amplified products were then mapped by RFLP analysis from our intraspecific mapping population. Resistances from four clusters of resistance genes as well as over six hundred markers have now been mapped on this population. Linkage analysis was done using JIONMAP or MAPMAKER mapping programs. Due to a suppression of recombination in the *Dm3* region, sequences were mapped relative to *Dm3* using a panel of deletion mutants that provided greater genetic resolution than the mapping population (Anderson *et al.* 1996). All blots were washed twice at 63EC in 2x SSC/1% SDS for 20 min, followed by one wash at 63EC in 1x SSC/0.1% SDS for 10 or 30 min.

Most of the RLG sequences were analyzed by bulked segregant analysis (BSA) using pools of resistant and susceptible individuals for each of the four clusters of resistance genes. In genomic Southern analyses, all the RLGs revealed numerous fragments of varying intensity. The numbers of bands was highly dependent of the stringency of hybridization. BSA demonstrated that RLG1 was linked to the *Dm4*, 7 and *Dm13* clusters. Segregation analysis confirmed this linkage.

RLG2 was derived from BAC H8 that was known to be from the Dm3 region. BSA with RLG2 demonstrated that the polymorphic bands that distinguished the parents of our mapping population mapped to the Dm1,Dm3 cluster. Several bands absolutely cosegregated with Dm1 or Dm3. To provide finer genetic resolution, RLG2 was also mapped using a panel of Dm3 deletion mutants. A number of fragments were missing in largest deletion mutant demonstrating that several RLG2 family members are physically located very close to Dm3. No fragment was missing in all deletion mutants; however, this is not unexpected as there is extensive duplication within the region.

15

20

25

30

10

5

Example 3

Example 3 describes the screening of a bacterial artificial chromosome library.

Over 53,000 BAC clones containing lettuce genomic DNA were screened with two of the amplified products. High density filters each containing 1536 clones were hybridized to ³²P labelled probes. Filters were washed at 65EC with 40 mM Na₂PO₄/0.1% SDS for 5 min followed by 20 min in the same solution.

To isolate additional RLG sequences we screened our genomic BAC library. Clones were identified that hybridized to RLG1 and RLG2. Nearly all the clones that hybridized to RLG2 also hybridized to marker AC15 that had already been shown by deletion mutant analysis to be clustered around *Dm3*. This provided further evidence for clustering of RLG2 sequences.

Using primers conserved within each family, part of the NBS was amplified from each unique BAC clone and sequenced. This revealed that members within each family varied from 64% identical at the deduced amino acid level. The most divergent members only weakly cross-hybridized to each other. Currently, RLG sequences are

considered to be part of the same family of sequences if they are at least 55% identical at . the deduced amino acid level and map to the same region of the chromosome.

Example 4:

5

10

15

20

25

30

Example 4 describes the cloning, identification, sequencing and characterization of RG polynucleotide sequences; including use of RG sequences from plasmid and PCR products.

Doubled stranded plasmid DNA clones and PCR products were sequenced using an ABI377 automated sequencer and fluorescently labelled di-deoxy terminators. Sequences were assembled using Sequencher (Genecodes), DNAStar (DNAStar) and Genetics Computer Group (GCG, Madison, WI) software. Database searches were performed using BLASTX and FASTA (GCG) algorithms.

Sequences flanking the NBS region for RLG2 and for some of RLG1 were obtained by a series of IPCR and the products sequenced directly. IPCR worked less well for RLG1. Therefore RLG1 was subcloned from a BAC clone into pBSK (Stratagene) and the double stranded plasmid sequenced by long range sequencing.

Initially, a total of 30 clones were sequenced. Three of these seven primer combinations yielded sequences that comprised continuous open reading frames with sequence identity to the NBS of known resistance genes. Seven out of 10 clones amplified from genomic DNA with the primer pair PLOOPGA/GLP6 were 522 bp long; they were identical to each other and named RLG1. All six clones amplified from genomic DNA or cDNA using the primers PLOOPAA/GLP6 were similar/the same as RLG1. All three clones sequenced from BAC clone H8 were 510 bp long, identical to each other but different from RLG1 and were therefore designated RLG2. The 11 clones sequenced from four other primer combinations had no similarity to any NBS motifs and therefore were not studied further. Therefore, sequencing resulted in the identification of clones containing NBS motifs representing four RLG sequences.

Comparison of the deduced amino acid sequences of RLG1 and RLG2 to those of known resistance genes revealed that RLG1 and RLG2 are as similar to each other as they are to resistance genes from other species and that this is the same level of identity shown between the known resistance genes (Table 3). The percent identity (upper quadrant) and percent identity (lower quadrant) were determined using the MEGALIGN

routine of the DNASTAR package. Identity refers to the proportion of identical amino acids: identity refers to the proportion of identical and similar amino acids and takes into account substitutions of amino acids with similar chemical characteristics. RG1 and RG2 are as similar to each other and to cloned resistance genes as cloned resistance genes from a variety of species are to each other. L6, resistance to Melampsora lini in flax (Lawrence et al., 1995). N, resistance to tobacco mosaic virus in tobacco (Whitham et al., 1994). PRF, required for resistance to Pseudomonas syringae in tomato. RPS2, resistance to Pseudomonas syringae in Arabidopsis thaliana (Bent et al., 1994; Mindrinos et al., 1994). RPM1, resistance to Pseudomonas syringae pv. maculicola in A. thaliana (Grant et al., 1995). The initial RG1 and RG2, sequences were amplified from lettuce using degenerate primers.

Table 3 **IDENTITIES OF** RESISTANCE GENE HOMOLOGUES

RG1 RG2 RG3 RG4 N gene RPS2 * * * 22.7 RG1 15.0 29.2 Lettuce 25.4 23.8 Lettuce RG2 *** 32.2 21.6 22.7 33.0 * * * Lettuce RG3 17.2 15.0 32.8 * * * RG4 Lettuce 22.7 44.3 * * * Tobacco N gene 21.6 Arabidopsis RPS2

25

30

20

5

10

15

The regions homologous to the primers are included in this analysis as the genomic sequences for RLG1 and RLG2 were determined by IPCR. Interestingly, the genomic sequences for RLG1 exactly matched that of the primers used.

To obtain further evidence that we had amplified resistance genes, we amplified the regions flanking the NBSs of RLG1a and RLG2a by IPCR of BAC clones. These products were then directly sequenced without cloning to minimize the introduction of PCR artifacts. Sequence analysis of the 5' regions failed to detect any homology to known resistance genes. However, the sequence of the 3' region contained leucine-rich

repeats (LRRs). When this sequence was used to search GENBANK using BLASTX, it detected identity to the *Arabidopsis* resistance gene, *RPS2*. This region does not contain as regular LRRs as in some resistance genes; however, the repeat structure seems to be consistent with that of the flax resistance gene, *L6*. Therefore, the presence of an LRR region is further evidence that the sequences we amplified using degenerate oligonucleotide primers are probably resistance genes.

The sequences of the IPCR products also provided the genomic sequences of the regions complementary to the sequences of the degenerate oligonucleotide primers. The genomic sequences for RLG1 were identical to one of the primers in the mixture. The RLG sequences are resistance genes as supported by three criteria: the presence of multiple sequence motifs characteristic of resistance genes, genetic cosegregation with known resistance genes, and their existence as clustered multi-gene families. The presence of LRR regions in a similar position relative to the NBS as in cloned resistance genes provides stronger evidence than relying solely sequence similarity between NBS regions. The clustering of RLG sequences at the same position as the known clusters of resistance genes make them strong candidates for encoding resistance genes. The hybridization patterns and genetic distribution of the RLG sequences are similar to that of cloned resistance genes in other species. Most of these hybridize to small multigene families and preliminary genetic evidence indicates that they are clustered in the genome. Therefore, the degenerate primers that we designed from other resistance genes seemed to have been specific enough to amplify resistance genes rather than P-loop containing proteins in general.

25

20

5

10

15

(intentionally left blank)

SEQIP NO: 1

[Strand]

ATCCTAACCCTTCCTACCAG ANCCCTCTCCTCCTCATC TTTTCTCATATCTCATATTC TCATATATTMTCCCACATATT ANTITICAGGITATTITAAA TIAATTITITATICCACATGI CATTITATGAGTITITCTAT TITATTGAGTITCACATAAT ATTTAAATGTAATAACAATA AATGCATATTTATTTTCTT TAAATAAACGCATATAATAT ATAGATTAAAAACATATAAAT 161 ACATAGGITAAACTCATATA ATACATATGITCATCCCCAG TITATTTATATGTCTCATCC TITAATTTATTTATTTAT TTATTAGAGTAGATGATCTT TGTGATATTAAAAATTTAAT TTGTTCAAAATTTAAAATTA TTAATAATCCCACAATTTGA ATAAAATTAAAAAAATGGN CCCACCATTAGTCCATCACT TTTTCAGCTCATCAATATCG TGAGTATTCTCCTTCGTTTC 401 CACCCTAATCAATATTTCCA GCGAATGACAGACTCCTACG GCGTTTCTGAATTTGCGTTC CGACACTGTTCATTGAAGGA 481 GATAATAAATCAAATGGAGC TGCTCCAATGTTCATTGCTG ATGAAAGGTGAATTGTATGT GAAGANAATGTCAGCGATCN 561 ATCTCCATCCGGAACCCACC ACATTATCAGTGTACCACCA AACCACTCAAAACGGYGGAA GTAGRRAKACWRKAAAGTCA 641 TGAAGAATAGATTATTTTTG TCCTCATGGGCTGACTGAGG AGCGGGTTTAGTTCATCATT TTTCTTTGANCAAAGAATTA 721 TOGGICCATGGAATTITTAC ATCGACAAAGAAGTITCACT TCGCAATGITTTGTTAAACA ATTTTTAATCITTTTATCIT TICGITIGAAACTCCTCAATI GCAACTIGCAACTIGCAACT TITGGGCCCACAAATTIGIG GTGGGGGTTAATTTAATCCA CATATICACTGTAAACAATA ATTCAAATCGATCTCTGTTC ATCCAATTCATCAACATCTC TTGATAATTGAAATCATTCA 961 1041 CGCTTCATCCATTTCATCCA CATCTATACTATATTCTCTG CTCTTATCATATTAAACGAT GGCTGAAATCGTTCTTTCTG 1121. CCTTCTTGACAGTGTTTT GAAAAGCTGGCATYTGAAGC CTTGAAGAAGATTGTTCGCT CCAAAAGAATTGAATCTGAG CTTAAGAAATTGAAGGAGAC ATTAGACCAAATCCAAGATC TGCTTAACGATGCTTCCCAG AAGGAAGTAACTAATGAAGC COTTALAAGATGCCTGAATG ATCTCCAACATTTGGCTTAT GACATAGACGACCTACTTGA TGATYTTGCAACTGAAGCTG ITCA::CGTGAGTTGACCGAG GAGGGTGGAGCCTCCTCCAG TATGGTAAGAAAACTAATCC CAAGTTGTTGCACAAGTTTC TCACAAAGTAATAGGATGCA TGCCAAGTTAGATGATATTG CCACCAGGTTACAAGAACTG GTAGAGGCAAAAAATAATCT TGGTTTAAGTGTGATAACAT ATGAAAAGCCAAAAATTGAA AGGTATGAGGCGTCTTTTGGT AGATGAAAGCGGTACTGTCG 1601 GACGTGAAGATGATGAGAAA AAATTGCTGGAGAAGCTGTT GGGGGGATAAAGATGAATCAG GGAGTCAAAACTTCAGCATC 1681 GTGCCCATAGTTGGTATGGG TGGAGTTGGTAAAACAACTC TAGCTAGACTTTTGTATGAT GAAAAGAAAGTGAAGGATCA 1761 CTTCGAACTCAGGGCTTGGG TTTGTGTTTCTGATGAGTTC AGTGTTCCCAATATAAGCAG AGTTATTTATCAATCTGTGA CTGGGGAAAGGAGGAGTTT GAAGACTTAAATCTGCTTCA AGAAGCTCTTAAAGAGAAAC TTAGGAACCAGCTATTTCTA 1841 ATACTTTTGGATGATGTGTG GTCTGAAAGCTATGGTGATT GGGAGAAATTAGTGGGCCCA TTCCTTGCGGGGTCTCCTGG 2001 AAGTAGAATAATCATGACAA CTCCGGAAGGAGCAATTGCTC AGAAAGCTTGGGCTTTTCTCA TCAAGACCCTCTGGAGGGTC TATCACAAGATGATGCTTTG TCTTTGTTTGCTCAACACGC ATTTGGTGTACCAAACTTTG ATTCACATCCAACACTAAGG 2161 CCACATEGAGAACTGTTTGT GAAGAAATGTGATGGCTTAC CTCTAGCYTTAAGAACACTT GGAAGGTTATTAAGGACAAA 2241 AACAGACGAGGAACAATCGA AGGAGCTGTTCGATAGTGAG ATATCGAGGTTAGGAAAGAG CGATGAGATTGTTCCCGCTC TTAGACTAAGCTACAATGAT CTTTCTGCCXCTTTGAAGCT RTTRTTTGCATAYTGCTCCT TGTTTCCCAAGGACTATGAG TITGACAAGGAGGAGTTGAT TCTATTGTGGATGGCAGAAG GGTTTTTGCACCAACCAACT AYAAACAAGTCAAAGCAACG 2481 KTTGGGTCTTGAATATTTTR AAGAGTTRTTGTCAAGRTCR TTTTTTCAACATGCTCCTAA TRRCAAATCSTTGTTTGTGA TGCATGACCTAATGAATGAT TTGGCTACATTTGTTGCTGG AGAATTTTTTTCAAGGTTAG ACATAGAGATGAAGAAGGAA 2561 TTTAGGATGGAATCTTTGGA RAAGCACCGMCATATGTCAT TTGTATGTGAGRATTACATA GGTTACAAAARGTTCGAGCC ATTTAGAGGAGCTAAAAATT TGAGAACATTTTTAGCATTG TCTGTTGGGGTGGTAGAAGA TTGGAAGATGTTTTACTTAT 2721 2801 CAAACAAGGTCTTGAATGAC WTACTTCARGATTTACCATT GTTAAGGGTCCTRAKTTTGA TTRRTCTTAYAATAASYRAG GTACCARAANTCGTSGGTAG TATGAASCACTTGCGGTATC TTAATCTATCWGRAACTTWA ATCACMCATTTACCGGAAWA TKTCTGCAATCTTTATAATT TACARACCCTGATTGTKTCT GGCTGTGAMTATTTAGTTAA KTTGCCCAARACCTTCTCAA 1041 ASCTIAAAATTIGCASCAT TITGACATGAGGGRTACTCC KAAKTIRAARAACATGCCCT TARGGATIGGTGARTIGAAA ARTCTACAAACTCTCTTYMG TAACATTGCCATAGCAATAA CCGAGCTTAAGAACTTGCAM AAYCTCCATGGGAAARTTTG 3121 TATTCCCCGGCTGGGAAAAA TGGAAAATGCMGTKGGATCC ACGTTAAGCGAACTTGTCTC AAAAAAGGTTWAATGARTTA 3201 NAAACTGGRVIFGGGGGTGA TRAATTTAATGTTTTCCGAA ATGGGAACACTTGAAAAAGA AGTCCTCAATGAAGTGATGC 3281 CTCATAATGGTACTCTANAA AAAACCCANAATTATGTCTA TAGGGGGTATAGAGTTTCCA AATTGGGTTGGTTNCACTAA GGGTTTCTGAAACTAGAGAT GTGTTCATGGTGTATGAAAA AGANTGTTTTACGTAGTTTC ATCAATCACCAAGTGGGAAA TAGATGATATITTCAGGGCY TACTGATGAGATGTGGAGAG GTATGATAGGGTIVICTIGGG GCGGTAGAAGAAATAAGCAT 3601 CCATTCTTGTAATGAAATAA GATATYTGTGGGAATCAGAA GCAGAGGCAAGTAAGGTTCT TATGAATTTAAAGAAGTTGG 3681 ATTTAGTGAATGTGAAAAT TTGGTGAGTTTAGGGGAGAA AAAGGAGGATAATCATAATA TTAATAGTGGGAGCAGCCTA ACATCTTTTAGGAGGTTGAA TGTATGGAGATGTAACAGCT TGGAGCATTGCAGGTGTCCA GATAGCATGGAGAATTTGTA 3761 TATGCACATGTGTGATTCAA TNACATCCGTCTCCTTCCCA ACAGGAGGAGGACAGAAGAT CAAGTCACTTACCATCACTG 3841 3921 ATTICCAAGAACCTTTCCGAA GAGGACTTCGGAGGACGACGAGA GAGGACAAGAGTCCTTATAA ACTCAAAAATCCAGATGCTT 4001 GAATCASTAGATATACGTAA TIGGCCAAATCIGAAATCTA TCAGTGAATTGAGTTGCTTC ATTCACCTGAACAGATTATA TATATCAAACTGTCCGAGTR TGGAGTCATTTCCTGACCAT GAGTTGCCAAATCTCACCTC CTTAACAGATCGAAGGAGAG 4081 4161 GACAGCGATTTTCGTACGAA CGGTTACGATTCGACTGGCC GTCGTTTT

SEQ ID NO:2

[Strand]

1	AACCGTTCGT	ACGAGAATCG	CIGICCICIC	CITCCIGIAA	TATAATGATA	AGAAAAAATA	TGATTAAAGG
71	ACCORGA AGENT	AAATCCATTA	TTCCACCGGT	GATATGATGC	ACTAGCTGTA	GTATGCAAAA	ACAGTATTAT
141	AAATGCTAAC	CAAAACAGCA	GCTAAGAAAC	ATATAAATA	ATGGTTTGAA	TOGICCTITC	TCCGTACAÇT
211	Cylinkatell C.	AAATCCCTAT	CATTCATACA	TACAAGTGCT	CCCATATTAG	GTTTTCACTA	TAAGCAATGG
281	עבורונע ע עניונים	TEGTTETECE	TICTITIGCGG	TGTTCTTTGA	AAAGCTTGCT	TCTGAAGCCT	TGAAGAGGGT
351	UKSCALAKSCALCAL	AAAGTAATIG	ACAAGGAGCT	CGAGAAATTG	AATAGCTCAT	GAATCAATAT	AAAAGCTCTG
421	CHUNTANTENTE	CTTCTCAGAA	GGAAATAAGT	AAGGAAGCTG	TTAAAGAATG	GTIGAATGCT	CTTCAACATT
491	WELL Emain PLCS	CATAGATGAT	CTACTTGGCG	ATTTGGCAAC	CAAAGCTATC	CATCGTAAGT	TCTCTGAGGA
561	PUBLICATION	ACCATCAACA	AGGTACGAAA	GTTAATTCCA	TCTTGTTTCT	CTAGTTTGTC	AAGTACTAAG
631	ATTECTEDACA	AGATACATAA	TATTACCAGC	AAGTTACAAG	AACTATTAGA	AGAGAGAAAT	AATCTTGGAT
701	TATEMENT	TYGGTGAAAGC	CGAAAACTTC	GAAATAGAAA	ATCAGAGACC	TCINIGCTAG	ATCCATCTAG
771	The state of the s	CGCACAGATG	ATAAGGAAGC	GITGCTTCTC	AAGCTATATG	AACCATGTGA	TAGAAACTTT
841	ACCATCALCC	CNATAGTTGG	TATGGGTGGG	TTAGATAAGA	CCACTTTAGG	TAGACTITIG	TATGATNAAA
911	TOCALOTOLA	GGATCACTTC	GAACTCAAGG	CGTGGGTTTG	TGTTTCTGAT	GAGTTTGATA	TCTTCGGTAT
981.	AAGCAAAACC	ATTTTCGAAT	CGATAGAGGG	GGGAAACCAA	GAGTTTAAGG	ATTIAAATCT	GCTTCAGGTG
1051	Chalalala y y CC	AGAAAATCTC	AAAGAAACGA	TITCITGITG	TICTIGATGA	TGTATGGAGC	GAGAGCTATA
1121	CTCATTCCCA	AATTCTAGAA	CGTCCATTTC	TAGCAGGAGC	ACCAGGAAGT	AAAGTAATCA	TCACAACCCG
1191	CARCILIZATION	TTGCTAAACC	AATTGGGTCA	TGATCAACCA	TACCAATIGT	CIGATITICIC	ACATGACAAT
1261	المالكان فيتملك	TATTTTTTCA	ACACGCATTT	GGTGTAAATA	GCTTTGATTC	ACATCCGATA	CTTAAACCAC
1331	ATGGTGAAGG	TATTGTTGAA	AAATGTGATG	GTTTGCCATT	GGCTTTGATT	GCACTTGGGA	GGTTATTGAG
1401	CACALLAAGA	GATGAGGAAG	AATGGAAGGA	ACTATTGAAT	AGTGAGATAT	GGAGGTTAGG	AAAGAGAGAT
1471	GAGATTATIC	CGGYTCTTAG	ACTAAGCTAT	AATGATCTTT	CIGCCICITY	GAAGCAGTTG	TTTGCATATT
1541	GCTCCTTGTT	CCCCAAAGAC	TATGTGTTCA	ACAAGGAGAA	GTTGATTTTA	TTATGGATGG	CAGAAGGGTT
1611	TTTGCACAAT	GAAAATACAA	ACAAGTCAAT	GGAACGCTTA	GNICIIGAAI	ATTTTGACGA	CTTGTTGTCA
1681	AGGTCATTIT	TTCAACATGC	ACTCGATGAC	AAATCGTTGT	TIGIGGIGCA	CGACCTCATG	AATGACTTGG
1751	CCACATCTGT	TGCTGGAGAT	TATTTTTAA	GATTAGACAT	. LCYVYLCYYY	AAGGAAGCTT	TGGAAAAATA
1821	CCGACATATG	TCATTTGTTT	GIGAGAGTIA	CATGGTTTAC	AAAAGGTTCG	AACCATTTAA	AGGAGCTAAA
1891	AAATTGAGAA	CTTTCTTAGC	AATGCCTGTT	GGGATGATAA	AAAGTIGGAC	AACATTTTAC	TTATCAAATA
1961	AGGICCIIGA	TGACTTACTT	CACGAATTAC	CATTGTTGAG	AGITCTAAGI	TIGAGITATO	TTAGCATCAA
2031	GGAGGTACCI	GAAATAATAG	GCAATTIGAA	ACACTIGCGG	TATCTTAATI	TATCACACAC	GAGTATCACA
2101	CATTTACCAC	AAAATGTCTG	CAATCIITAC	: AACTTACAAA	CATTGATCCT	TIGIGGCIGI	TGTTTTATAA
2171	CCAAGTTTCC	CAACAACTIC	TTAAAGCTTA	GAAATTTACC	GCATTIGGAC	ATTAGCGATA	CICCCGGITT
2241	GAAGAAGATO	TCCTCGGGGA	TIGGIGAATI	GAAGAACCT?	CACACYCIC	CCAAGCTCAT	TATIGGAGGT
2311	GAAAATAGAG	: TAAACGAGCT	TAAGAACTTA	CAAAATCTCC	ATG		

RIGIb - Diana [Strand]

1	TACTACTACT	AGAATTCGGT	GTTGGTAAGA	CGACTCTAGC	TAGACTTTTG	TATGAGGAAA	TGCAAGGGAA
71	GGATCACTTC	GAACTTAAGG	CCTCCCTATC	TGTTTCTGAT	GAGTTTGATA	TCTTCAATAT	AAGCAAAATT
	ATCTTACAAT						
211	AGAAGATeTC	AAAGAAAAGa	TITCTICTIG	TICTIGATGA	TGTTTGGAGT	GAAAGCTATA	CCGATTGGGA
281	AATINTAGAA	CGCCCATTTC	TTGCAGGGGC	ACCTGGAAGT	AAGATTATTA	TCACCACCCG	GAAGCTGTCA
351	TIGITAAACA	AACTCGGTTA	CAATCAACCT	TACAACCITT	CCCTTTTCTC	ACATGAGAAT	GCTTTGTCTT
	TATTCTGTCA						
491	TATTGTTGAA	AAATGTGATG	GeTTGCCATT	GGCATTGTCG	ACATGATGAT	GATG:	

SEQ ID 137

1 (1	

1	TYTTETTETA	COTATIATCAT	TCAGAAGNGC	CCAAAGACCA	NACATATICTT	TAANGNTGNT	Threeanace
71						GCTTACGACA	
-							
141						CICGAGCTTC	
211	GTAAGAAAGC	TAATCCCAAG	TTGTTGCACA	AGTITCTCAC	AAAGTAATAG	GATGCATGCC	AGGTTAGATG
281	ATATTGCCGC	TAAGTIJACAA	GAACTGGTAG	AGGCGAAAAA	TAATCTTGGT	TTAAGTGTGA	TAACATACGA
351						TCATTGGACG	
421						TCAAAACTTC	
491	CCATAGTTGG	TATGGGTGGG	GTAGGTAAAA	CAACTCTAGC	TAGACTTTTG	TATGATGAAA	AAAAAGTGAA
561						TTCCCAATAT	
631						GCTTCAAGAA	
701						GAAAGCTATG	
771						TGACTACTCG	
841						CTCCCTGCAA	
911						TTTGATTCAC	ATCCAACACT
981	AAGGCCATAT	GGGGAACAGT	TTGTGAAAAA	ATGTGGGGGA	TTGCCTTTGG	CCTTGT	

SEQID NO:4 [Strand]

1	CHIACCHITC	TACGAGATCG	CTGTCCCTCC	TCGATCTGCT	TAACGATGCT	TCCCAGAAGG	AAGTNACTAA
71	TGAAGCCGTT	AAAAGATGGC	TGAATGATCT	CCAACATITG	GCTTATGACA	TANACGACCT	ACTIGATGAT
141	CTTGCAACAS	AAAGCTATTC	NTCSTGAGTT	GACCGANGAA	GGTGGAGCCT	CCACCAGTAT	GGTAAGAAAA
211	CTAATCCCAA	GTTGTTGCAC	AAGTTTCTCA	CAAAGTTATA	GGATGCATGC	CAAGTTAGAT	GATATTGCCA
281	CCAGGTTACA	AGAACTGGTA	GAGGCAAAAA	ATAATCTTGG	TTTAAGTGTG	ATAACATATG	AAAAGCCCAA
351						GTTNAGATGA	
421						AGCATCCTGC	
491						AGACAGTGAA	
561						AAGCAAAGTT	
631						GCTCTTAGAG	
701						GTGATTGGGA	
771						GAAGGAGCAA	
841					CTCCCTGCAA	CGTCTATCAC	AAGATGATGC
911	TITIGICITITG	TTTGCTCAAC	ACGCATTTGG	TGWCCA			

RIGIE (Strand)

1	TCTAGCTAGA	CTTTTGTATG	ACGAGATGCA	AGAGAAGGAT	CACTTCGAAC	TCAAGGCGTG	CCTTTCTCTT
71	עבועבארעבאניוי	TTGATATATT	CAATATAAGC	TTTATTAAAA	TCCAATCGAT	AGGAGGTGGA	AACCAAGAAT
141	بلملت کا تا	AAATCTCCTT	CAAGTAGCTG	TAAAAGAGAA	GATTTCAAAG	AAACGATTTC	TACTTGTTÇT
211	יועבאריביות ביאר עביאר	TYCKACTICAAA	CCTATGCGGA	TIGGGAAATT	CTGGAACGCC	CATTTCTTGC	AGGGGCAGCC
201	GGAAGTAAAA	TTATCATGAC	GACCCGGAAG	CAGTCATTGC	TAACCAAACT	CGGTTACAAG	CAACCTTACA
251	ACCITICCGT	THYCTCACAT	GACAGTGCTC	TCTCTTTATT	CTGTCAGCAT	GCATTGGGTG	AAGATAACTT
431	UCCITICOI.	CCVVCVCALLY	AACCACATGG	CGLAGGCATT	GTTGAAAAAT	GTGCT	

RLGIF Strandl

1				GCTGAAATCT			
71	GAAAAGNTGG	CTTCTGAAGC	CTTGAAGAAG	ATCGCTCGCT	TCCATCGGAT	TGATTCTGAG	CTCAAGAAAC
, 141	TGAAGAGGTC	ATTAATCCAG	ATCAGATCTG	TGCTTAATGA	TGCTTCTGAG	AAGGAAATAA	GTGATGAAGC
211	TGTTAAAGAA	TGGCTGAATG	GTCTCCAACA	TTTGTCTTAC	GACATAGACG	ACCTACTTGA	TGATTTGGCA
281				GGATCTGGAG			
351				TAAGATGCGT			
421	CAAGAACTGG	TAGAGGAAAA	AGATAATCTT	GGCTTAAGTG	TGAAAGGTGA	AAGCCCAAAA	CATACCAACA
491				CTAGCATTAT			
561				TAGAAACTTT			
631				TATGACGAGA			
701				TCTTCAATAT			
771				CCTTCAAGTA			
841	TITCT:NYTTG	TTCTGGATGA	TGTTTGGAGT	GAAAGCTATA	CAGAATGGGA	AATTCTAGCA	CGTCCATTTC
911	TTGCAGGGGC	ACCAGGAAGT	AAGATTATCA	TGACGACCCG	GAAGTTGTCG	TTGCTAACCA	AACTCGGTTA
981_	CAATCAACCT	TACAACCTTT	CSGTTTTGTC	ACATGATAAT	GCTYTGTCTT	TATTCTGTCA	GCAYGCATIG
1051	GGTGAAGATA	ACTTCGATTC	ACATCCAACA	CITAAACCAC	ASGGTGAAAG	TATTGTTGAA	AAATGTGACG
1121	GTTTACCATT	GGCTTTRATT	GCACTTGGGA	GRTTGTTGAR	GACAAAAACA	GATGAGGAAG	AATGGAARGA
1191				AAAGGGAGAT			
1261				TITGCATACT			
1331				CAGAAGGGTT			
1401				ATTGTTGTCA			
1471	AAATCGATGT	TTGTGATGCA	TGACCTGATG	AATGACTTGG	CHACATCTGT	TCCTCGAGAT	TTTTTTTCAA
1541				GGAAGGAAGC			TGTCAWTTGT
1611	TIGIGAKGAT	TACATGGTKI	ACAAAAGGTT	CRAGCCATTS	ACAAGGAGCT	AG	

RIGIG [Strand]

,	GTGAAGGATC	ACTICGAACT	CAGGGCTTGG	GTTTGTGTTT	CTGATGAATT	TAATATCCTC	AATATAAGCA
71	AAGTAATTTA	TCAATCTGTA	ACCGGGGAAA	AAAAGGAGTT	TGAAGACTTA	AATCTGCTTC	AAGAAGCTCT
141	TAAAGAAAAA	CTTTGGAATC	AGTTATTTCT	AATAGTTCTG	GATGATGTGT	GGTCTGAAAG	CTATCGTGAT
211	TOCCLOADAT	TAGTGGGCCC	ATTITITICG	GGGTCTCCTG	GAAGTATGAT	TATCATGACA	ACTCGGAAGG
201	AGCALTIGCC	AAGAAAGCTG	GGTTTTCCTC	ATCAAGACCC	TTTGCAAGGT	CTATCACATG	ACGATGCTTT
	Chlemantahah						

RIGIH [Strand]

1	TCTAGCTAGA	CTTTTGTATG	AGGAAATGCA	AGGGAAGGAT	CACTTCGAAC	TCAAGGCGTG	GGTATGTGTT
71	TCTGATGAGT	TTGATATCTT	CAATATAAGC	AAAATTATCT	TACAATCGAT	AGGTGGTGGA	AACCAAGAAT
141	TTACGGACTT	AAACCTGCTT	CAAGTAGCTT	TAAAAGAGAA	GATCTCAAAG	AAAAGATTTC	TICTIGTICT
211	TGATGATGTT	TGGAGTGAAA	GCTATACCGA	TTGGGAAATT	CTAGAACGCC	CATTTCTTGC	AGGGGCACCT
281	GGAAGTAAGA	TTATTATCAC	CACCCGGAAG	CTGTCATTGT	TAAACAAACT	CGGTTACAAT	CAACCTTACA
351	ACCTTTCGGT	TTTGTCACAT	GAGAATGCTT	TGTCTTTATT	CTGTCAGCAT	GCATTGGGTG	AAGATAACTT
421	CAATTCACAT	CCAACACTTA	AACCACATGG	CGAAGGTATT	CTICAAAAAT	CTGAT	

SEQ IO NO:8

RIGII [Strand]

1	TCTAGCTAGA						
	TCTGATGAGT						
	TTAAGGACTT						
211	TGACGACGTT	TGGAGTGAAA	GCTATGCCGA	TTGGGAAATT	NTGGAACGCC	CATTTCTTGC	AGGGGCAGCC
	GGAAGTAAAA						
351	ACCTITCCGT	TTTGTCACAT	GACAGTGCTC	TGTCTTTATT	CTGTCAGCAT	CCATTGGGTG	AAGGTAACTT
421	CGATTCACAT	CCAACACTTA	AACCACATGG	CGAAGGCATT	GTTGAAAAAT	GTGCTGGATT	GCCATTGGCA
491	TIGICGACA						

SEQ ID NO.9

RIGIJ [Strand]

1	TACTACTACT	AGAATTCGGT	GTTGGTAAGA	CGACTCTAGC	TAGACTTTTG	TATGAGGAAA	TGCAAGGGAA
71	GGATCACTTC	GAACTTAAGG	CGTGGGTATG	TGTTTCTGAT	GAGTTTGATA	TCTTCAATAT	AAGCAAAATT
141	ATCTTACAAT	CGATAGGTGG	TGGAAACCAA	GAATTTACGG	ACTTAAACCT	GCTTCGAGTA	GCTTTAAAAG
211	AGAAGATeTC	AAAGAAAAGa	TTTCTTCTTG	TTCTTGATGA	TGTTTGGAGT	GAAAGCTATA	CCGATTGGGA
281	AATINTAGAA	CGCCCATTTC	TTGCAGGGGC	ACCTGGAAGT	AAGATTATTA	TCACCACCCG	GAAGCTGTCA
351	TIGITAAACA	AACTCGGTTA	CAATCAACCT	TACAACCTTT	CGGTTTTGTC	ACATGAGAAT	GCTTTGTCTT
421	TATTCTGTCA	GCATGCATTG	GGTGAAGATA	ACTTCAATTC	ACATCCAACA	CTTAAACCAC	ATGGCGDAGG
403	ms man-man s	2 2 2 MACANA 2 2	C-MAIA-C-C-3 date	· CCC 2 HARVAINCE	3 - 3 7 7 7 7 7 7 7 7 7	CARC	

RLGIA a.a.

IVTVRTR?LSLLHLLSYVIFS?I?PH?ILWLF.INFYSTCHFMSFSILLSFT.YLNVITINAYLFFFK.THIIYR LKSYNT.VKLI.YICSSPVYLYVSSLIYLLFIY.SR.SL.Y.KFNLFKI.NY..SHNLNKIKKNGPTISPSLFQLINIV SILLRFHPNQYFQRMTDSYGVSEFAFRHCSLKEIINQMELLQCSLLMKGELYVK?MSAI?LHPEPTTLSV YHQTTQNGGSR?T?KS.RIDYFCPHGLTEERV.FIIFL?KNYRSIEFLHRQRSFTSQCFVKQFLIFLSFR.NS SIATCNLQLLGPQICGGR.FNPHIHCKQ.FKSISVHPIHQHLLIIEIIHASSISSTSILYSLLLSY.TMAEIVLS AFLTVVFEKLA?EALKKIVRSKRIESELKKLKETLDQIQDLLNDASQKEVTNEAVKRWLNDLQHLAYDID DLLDD?ATEAV?RELTEEGGASSSMVRKLIPSCCTSFSQSNRMHAKLDDIATRLQELVEAKNNLGLSVI TYEKPKIERYEASLVDESGTVGREDDKKKLLEKLLGDKDESGSQNFSIVPIVGMGGVGKTTLARLLYDEK KVKDHFELRAWVCVSDEFSVPNISRVIYQSVTGEKKEFEDLNLLQEALKEKLRNQLFLIVLDDVWSESY GDWEKLVGPFLAGSPGSRIIMTTRKEQLLRKLGFSHQDPLEGLSQDDALSLFAQHAFGVPNFDSHPTLR PHGELFVKKCDGLPLALRTLGRLLRTKTDEEQWKELLDSEIWRLGKSDEIVPALRLSYNDLSA?LKLLFA YCSLFPKDYEFDKEEL!LLWMAEGFLHQPT?NKSKQRLGLEYF?ELLSRSFFQHAPN?KSLFVMHDLMND LATFVAGEFFSRLDIEMKKEFRM?SLEKHRHMSFVCE?YIGYK?FEPFRGAKNLRTFLALSVGVVEDWK MFYLSNKVLND?LQDLPLLRVL?Li?L?!??VP??VGSM?HLRYLNLS?T?ITHLPE??CNLYNLQTLIV SGC?YLV?LPKTFS?LKNL?HFDMR?TP?LKNMPL?IGELK?LQTLF?NIGIAITELKNL?NLHGK?CIGG LGKMENAVGCTLSELVSKKV?.??NW??G..I.CFPKWEHLKKKSSMK.CLIMVL?KKP?IMSIGGIEFPN WVGSLRVSETRDVFMVYEK?CFT.FHQSPSGK.MIFSG?TDEMWRGMIG?LGAVEEISIHSCNEIRYLWE SEAEASKYLMNLKKLDLGECENLVSLGEKKEDNHNINSGSSLTSFRRLNVWRCNSLEHCRCPDSMENLY MHMCDS?TSVSFPTGGGQKIKSLTITDCKKLSEEELGGRERTRVLINSKMQMLESVDIRNWPNLKSISEL SCFIHLNRLYISNCPS?ESFPDHELPNLTSLTDRRRGQRFSYERLRFDWPSF

RLGIB a.a.

NRSYENRCPLLPVI...EKI.LKV.IQNPLFHR.YDALAVVCKNSIINANQNSS.ETI.IMV.IVLSPYTHFFQIPII HTYKCSHIRFSLAMAEILGSAFFAVFFEKLASEALKRVACSKVIDKELEKLNSS.INIKALLNDASQKEIS KEAVKEWLNALQHLPYDIDDLLGDLATKAIHRKFSEEYGATINKVRKLIPSCFSSLSSTKMRNKIHNITS KLQELLEERNNLGLCEIGESRKLRNRKSETS?LDPSSIVGRTDDKEALLLKLYEPCDRNFSILPIVGMGGL DKTTLGRLLYD?MQVKDHFELKAWVCVSDEFDIFGISKTIFESIEGGNQEFKDLNILLQVALKEKISKKRFL WLDDVWSESYTDWEILERPFLAGAPGSKVIITTRKLSLLNQLGHDQPYQLSDLSHDNALSLFCQHAFG VNSFDSHPILKPHGEGIVEKCDGLPLALIALGRILLRTKRDEEEWKELLNSEIWRLGKRDEIIP?LRLSYND LSASLKQLFAYCSLFPKDYVFNKEKLILLWMAEGFÜHNENTNKSMERL?LEYFDDLLSRSFFQHALDDKS LFVVHDLMNDLATSVAGDYFLRLDIEMKKEALEKYRHMSFVCESYMVYKRFEPFKGAKKLRTFLAMPV GMIKSWTTFYLSNKVLDDLLHELPLLRVLSLSYLSIKEVPEIIGNLKHLRYLNLSHTSITHLPENVCNLYN LQTLILCGCCFITKFPNNFLKLRNLRHLDISDTPGLKKMSSGIGELKNLHTLSKLIIGGENRLNELKNLQNL H

SEQIO NO:12

RLGIC a.a.

SRAT?IIQK?PKT?D?F????QKEVIDEAVKRWLID?QQLAYDT?D?LDD?ATEAIHRELIRETGAS?S MVRKLIPSCCTSFSQSNRMHARLDDIAAK?QELVEAKNNLGLSVITYEKPKIERDEA?LVDASGIIGRED DKKKLLQKLLGDTYESSSQNFNIVPIVGMGGVGKTTLARLLYDEKKVKDHFELRVWVCVSDEFSVPNIS RVIYQSVTGENKEFADLNLLQEALKEKLQNKLFLIVLDDVWSESYGDWEKLVGPFHAGTSGSRIIMTTR KEQLLKQLGFSHEDPLHSIDSLQRLSQEDALSLFSQHAFGVPNFDSHPTLRPYGEQFVKKCGGLPLAL

RLGID

?T?LRDRCPSSICLTMLPRRK?LMKPLKDG.MISNIWLMT?TTYLMILQ?KAI??ELT?EGGASTSMVRK LIPSCCTSFSQSYRMHAKLDDIATRLQELVEAKNNLGLSVITYEKPKIERYEASLVDESGIFGR?DD?KK LMEKLLEDKDESGVKLQHLPIIGMGGVG?TTLARLLFDEKTVKDHFELRAWVCVSDEFSILNISKVIYQS VTGEKKEFEDLNLLQEALRGKLQNKLFLIVLDDVWSESYGDWEKLVGPFHAGTSGSRIIMTTRKEQLLK QLGFSHQDPLRCIDSLQRLSQDDALSLFAQHAFG?

RLGIE

LARILYDEMQEKDHFELKAWVCVSDEFDIFNISKIIFQSIGGGNQEFKDLNLLQVAVKEKISKKRFLLVLD DVWSESYADWEILERPFLAGAAGSKIIMTTRKQSLLTKLGYKQPYNLSVLSHDSALSLFCQHALGEDNF DSHPTLKPHGEGIVEKCA

RLGIF

FSA?NK?KQWLKSFF?HSRPVFFEK?ASEALKKIARFHRIDSELKKLKRSLIQIRSVLNDASEKEISDEA VKEWLNGLQHLSYDIDDLLDDLATETMHRELTTDLEPPPACKKDNPTCCTDFSLSSKMRNKLDNITIKL QELVEEKDNLGLSVKGESPKHTNRRLQTSLVDASSIIGREGDKDALLHKLLEDEPSDRNFSIVPIVGMGG VGKTTLARLLYDEMQEKDHFELKAWVCVSDEFDIFNISKVIFQSIGGG?QEFKDLNLLQVAVKEKISKKR FL?VLDDVWSESYTEWEILARPFLAGAPGSKIIMTTRKLSLLTKLGYNQPYNLSVLSHDNALSLFCQHA LGEDNFDSHPTLKP?GESIVEKCDGLPLALIALGRLL?TKTDEEEWKEVLNSEIWGSGKGDEIVPALKLS YNDLSASLKKLFAYCSLFPKDYVFDKEELILLWMAEGFLHQSTTSKSMERLGHEGFDELLSRSFFQHAPD AKSMFVMHDLMNDLATSVAGDFFSRMDIEMKKEFRKEAL?K?RHMS?VC?DYMV?KRF?P?TRS.

RLG1 G

VKDHFELRAWVCVSDEFNILNISKVIYQSVTGEKKEFEDLNLLQEALKEKLWNQLFLIVLDDVWSESYR DWEKLVGPFFSGSPGSMIIMTTRKEQLPRKLGFPHQDPLQGLSHDDALSLFAQHAFGVP

RLG 1 H

LARLLYEEMQGKDHFELKAWVCVSDEFDIFNISKIILQSIGGGNQEFTDLNLLQVALKEKISKKRFLLVLD DVWSESYTDWEILERPFLAGAPGSKIIITTRKLSLLNKLGYNQPYNLSVLSHENALSLFCQHALGEDNFN SHPTLKPHGEGIVEKCD

RLGI I

LARLVYDEMQEKDHFELKAWVCVSDEFDIFNISKIIFQSIGGGNQEFKDLNLLQVAVKEKILKKRFLLVLD DVWSESYADWEI?ERPFLAGAAGSKIIMTTRKQSLLTKLGYKQPYNLSVLSHDSALSLFCQHALGEGNF DSHPTLKPHGEGIVEKCAGLPLALST

RLGIT

EFGVGKTTLARLLYEEMQGKDHFELKAWVCVSDEFDIFNISKIILQSIGGGNQEFTDLNLLRVALKEKISK KRFLLVLDDVWSESYTDWEI?ERPFLAGAPGSKIIITTRKLSLLNKLGYNQPYNLSVLSHENALSLFCQH ALGEDNFNSHPTLKPHG?GIVEKCDGLPLALS

							•
1	TINACACCAT	AAATTCTCNA	CCTGNGGGGA	CAAAAACCTA	AAAATGGTCC .	ATAATGCNCA A	ATCAGNAAG
71	CTTCANADAG	(Alabaha) Walahah	TTNACCTCCA	NCTGATGCNC	NIVICCICIVIA .	AAGTICANAT (CAAGCTTGC
141	CCTCCAACTC	TANCNCCTTC	AATGGCACCT	CCTTCTCTTC	AAAAGCACAC	AAGAACACIT T	CAAGCICAA
211	CCACACACAC	ACAAGCTCTA	GAACNAGGGT	TAGGGCACAT	TTAGGGTTTT	CCICICIGGA A	AIGGIGICT
281	AAAAGTGAGG	CCATAATGTT	CCTTATATAA	GGCTCACTCC	CACAATTAGG	CTTTCAATCT (SAACGTANTA
351	CCCCC CTCTC	ACACTATGGT	ACCCCCAACG	TACTCGGTAG	TCTCCGCGTC	AANAATACAC :	ICATGAGTAC
421	GCGCAACGTA	CTTTCCCTTA	CGCCCAGCGT	ACTCAAAAGC	CAAACATTCT	TTTCAAGGAC	PAATTTTGAC
491	V V CALAIAS S'CICLY	AAGAAAAGGA	TCAAAGANAT	ATACTTGAAT	TCCGGGATGT	TACAATGAAG	PIGANACCTT
561	GGCTAAAAAA	TTAAATTGGT	TGTGGAAGCC	GTTGGCTGAG	CAAGCAACAA	GGGTAAAATT (CGTAATCTAC
631	A A ATY SETTE A A A	Jak Adalak Adalak V	TCTTCTTATT	ATTITIACTIG	ATTTACGGGT	AGTITITITI '	ICITACAAAA
701	AATATTAAAG	TTGATAAAGT	ATAGCCACTA	AAATTGACIT	TTTCCAAAAC	ATANTGICAA .	ATGGTGCGTA
771	TATGTATCAT	GITGTATTAN	ATAATGAATA	TGATGATNCT	GTTCTATTTA	ANCCGAAAAA	ATTATCTAAT
841	GATTTTATAT	TGGAAAACAA	AGTTGTGATT	TTINGCATAA	TATAATCAAA	TCCNCTTTIG	TNIGGGAGGT
911	GGATAAATGT	GGTAAATITA	NAACAAGTGT	TTINACNTIG	AAGGGTWTGG	AAAGGTTGAA	aaaagttaaa
981	ATGATAAAAT	GTTTACACAA	ATGTTGTATC	CGACTGAATA	TNATGITTAA	GGATNATIGT	ATTAAATTGT
1051	TGATATATAG	TAAGCATAAA	TATTTAGAAT	TGTGACTTAA	ATTTATAAGT	TATNONAACT	GGATTGAAAC
1121	ATTITIGATA	TANATTAGGA	ATGAAAATGA	GCAACCCTAA	CATACTTATC	TTTGGTAGTT	TGGTTATTAT
1191	ATTTTTTATTA	NAATATAGAA	NCATCCCTTT	ATTTTAAACC	CATATIGIGG	ACGGACTIGA	ATAAATGGGA
1261	AAAATGTACC	TIGCTATITA	GCACAAAAAA	ATTATAAAAA	TGTACATTGC	TATTTAGCAC	AAACAAAAA
1331	AAAAAACTTA	TCCTTTTTGC	ATTAGGTCAC	AAAGAAATAT	AAAATGGGAA	ATGTGTTGCT	ATTTAATGCA
1401	CTAAAAGAAA	CTATITICCC	TTTATTAAAC	CGGGTAAACC	AATAGAAAAA	TGGAAGTACA	TIGICATITA
1471	GCATGAAAAA	AAATAACTTT	CCATTTTTTG	CATCCGGTCA	. CAATAATAGA	AAAATGAAAG	TACGTTGCTA
1541	TTTAGCGAAA	CTAACTTCCT	TTTTTCTTT	TGGCATCGTA	TCATAAAATA	TAGACTAAAA	TACGTTAGTT
1611	TTACATTITI	AATACATIGA	AATGTCTAAT	CCACATGTTA	TTCTATAAAA	AGGGAAATGT	AATITACITA
1681	TTCTTTGATT	CTTTGGCTTC	TITTTAGTAC	CCAAAACATC	CCTCTATCCA	TCTATTCCAA	CTAAAATAAT
1751	GAAAACTATA	TICCTICCAT	TGTAGGGATG	TTATAAATTT	TGTAATIGIT	TTTATGCAAA	AAAGIGITIT
1821	TTGTTAACTA	GATTAACGAG	ATTCATTTTT	CAGCATITI	GGAGAAGTTC	ATCCATCTTT	TGGATATGAA
1891	GTGCAAGCCA	AGTTCTTTAA	CATGGAATAT	GAGGTCCCTX	TATGCTCAAA	AAATAGCAAA	TGAGAAATTT
1961	TTTAAATTGG	ATCCCCATAA	AAGAAAATTT	GITAATGGIT	GTTTTAATAT	TGGTCAATGT	GTCCACCGGA
2031	TGAGCATAAT	ACTAGTTTAT	AAGGGGTAAA	GGTGGGTTT	GTGGGCCCAT	TTATCTTTAT	TATTTCTAAA
2101	AGTCAGAATT	AAGTAAAAA	AATTATAAGA	TAAATACCAT	r aaggataaaa	AATCATITTA	TTTGGACCAA
2171	AGACCAAAGT	TGTTAAGGGG	CIGITIGITI	TITITIGIGA	A GAGCTGTGCA	ACCACTITIG	TCTGCGCCGC
2241		G TGCAGACATA					
2311	CTGCGCGAGC	TCATCCTGGC	GCATATATGT	GICACIGIC	r TCAAAGGTCI	TCAGACCICA	TTTTAACCAA
2381	LAAAAAAAA	A GACCACCGGT	TITTITITI	TITITIVITC	r Treterigia	GCIGAAAAIG	CATTITITAAT
2451	CTTTATGAC	A TGAAATTAAG	TTTGAAAAAT	TEATTTAAT	r caacagcici	AGACGITAAA	AACAAACAGT
2521		CAGACTGTGG					
2591	ACTGCAGAC	A TTTTGGCTTC	: AAATAAACA	A ACATCACCT	A ATTIGACTAC	ACCACACGGA	CCICCAATGT
2661	AACAAAAAA	A AGGTTGAAAC	: AAAGTTGCC	C ATTICICCA	T ATCCAGGGG	CATTTATGTA	AGAGTTATCT
2731	AAATITTAG	T TCGGTAGATC	: AGTTCTCAC	A TITTAACCG	g gtaaagtgty	TGIGIGIACG	CGCGCACCTG
2801	AAAGGTTIG	A ANGTAACTIC	: CAAACTGAAI	N CAANAATCG	A TATGAAGTAT	' CAAGITAGAG	GTTCAATTGG
2871	TGAAGGAAT	C AGCTGGAGGI	TGGGGAATC	3 AGCTTCCAC	T ATTAAGGTAA	AATCCATAAC	CCTAAATGTT
2941	GGTACGCTC	A TATATCAAAT	TGCGTGTTT	r gttgaatga	A AAAAGCATG	TCAAAAAACC	AGTGTAAGGC
3011	. ACGGTATAT	G ACATATITAT	' AGTTACTGA'	r aacaaatta	T GATAATTIIV	GGTTTACGTA	AGTTAGGATT
3081		A CCAAATGTAI					
3151	ATTGTACTA	G TAATTCGAAJ	AAGICTITI	A AATAATITI	T CIGITTATA	A TITATGAATA	GTTTTAGCGA
3221	CATCIAATA	T TAAATAGAAT	r GTATCTGAT.	A TIGAATIAA	T GICCITAAN	3 TGAACATAGA	CCTTTTCCAT
3291	TTACTAATG	C CTAATTATT	GITICIAAN	C AATAAATTI	T AATTICIGT	r Transcrict	AAGACAATAA
3361	AAATCCATG	A TITACCTITA	AATATTAAC	A AAAATGACC	A TAAATAAAT	A AAAAATIAGG	ATACCAAACC
	L CCCCCGCCA	T GCCCAATGT	TAAATATIC	T TGATGCTTI	T GCTTTCCC	r criticerie	TINGICIATI
350	ATICICGAG	A GTTTGAGAG	A GTTTCATAC	A AGAAAATTI	C AAGAAGAAA	CAAAGGICCA	GGIATICICI
357:	I TITCTTAAT	T ATGTATTAM	TTACAAGCA	T TITITACAC	G ATCCATGGT	r Tringigiai	GITTITICAAA
364	l TIGAAACTA	G ATTGGGACT	r TIGCCCTTG	A TGATTCATA	A GATATICCA	T GGAGTIGAGA	TIGIGIAAGA
371	1 AAAGTGGTG	A ATAGAAAGA	CAAGTGAAT	C CAGATATAC	ATTGGTAAT	A TAIGAIGAIC	AGATAGAGAT
378	1 ATGITAAAA	C TGGCTAGAA	A ATIGITITA	A TITGAAAT	T AGGITGITG	A ATTIGAAAG	TACCAAGCTA
385	1 ATAACTAAT	T AGTTATGCT	A AATAGTTAT	A AAGAACAAC	A AACTCGTAG	T TITITITIC	TGATITICAA
392	1 CCTCTTCGI	A CCAAACTAA	A TTATAACAA	A ATTGAATAT	ATICICIGO	A ATCARTITY	ACTITICITA
399	1 TTATCATCA	T GICTAAAAT	T GCCACAAGI	T TATTICA	IA GICATATIG	C MANACCECTO	GACTATTITT
406	1 ACCAATTAC	A TOTTACTT	T ATGCCCAAA	G CTAATACA	AT CCGACTAAA	L TANAGGATIV	TAGGATGCAT

SEQ FO NO:2/

4131						ATTTAGGTGC	
4201						ACTOTOATGG	
4271						GTATCAAAAT	
4341						CCAGCTTGAG	
4411	AAGTCAGGGG	TIGGTITGAA	GAAGTAGGAA	AGATCAATGC	AAAAGTGGAA	AATTTCCCTA	GCGATGTTGG
4481	CAGTTGTTTC	AATCTTAAGG	TTAGACACGG	GGTCGGAAAG	AGAGCCTCCA	AGATAATTGA	GGACATCGAC
4551	AGTGTCATGA	GAGAACACTC	TATCATCATT	TGGAATGATC	ATTCCATTCC	TTTAGGAAGA	ATTGATTCCA
4621	CGAAAGCATC	CACCTCAATA	CCATCAACCG	ATCATCATGA	TGAGTTCCAG	TCAAGAGAGC	AAACTTTCAC
4691						TATGGGGAAT	
4761						AATGTTTAAT	
4831	AGGCGGTTGT	AGGGGAAAAA	ACAGACCCCA	TIGCTATICA	ATCAGCTGTA	GCAGATTACC	TAGGTATAGA
4901						TIGIGGACAA	
4971						TGATATTGGT	
5041						GATGTTTGCA	
5111						CACAAAGITT	
5181						GAATATTGTA	
5251						AGCAAGGATG	
5321						TAAAATTTT	
5391						TCCCGAARAC	
5461						NIGTATACTA	
						TGATGGAAGT	
5531							
5601						TICTAAAGIC	
5671						GACTCTTGTA	
5741						ACCTCTCCAT	
5811						GGAGAAGCTT	
5881						GTCAACCTTC	
5951						TGTCGAATCT	
6021						GAAGAAGCTA	
6091						TTGGTCAAAC	
6161						ATAACTGCAA	
6231						TGCTCAACCA	
6301						GGAGATICCA	
6371						TGGAAGCTCG	
6441	TIGITTAAGA	AAACAGAGGT	GITATGITTA	AGIGIGGGAG	ATATGAATGA	TCTTGAAGAT	ATTGAGGTTA
6511	AGICATOCIC	ACAACTICTT	CAATCTTCTT	CGPICAACAA	TITAAGAGIC	CTTGTCGTTT	CAAAGIGIGC
6581						TTGAGCATCT	
6651						GACGATTACA	
6721	TGAAGTTTTT	ATCTTTGTGT	GGGCTACCAA	AGCTATCGGG	TITIGTGCGAT	AATGTCAAAA	TAATTGAGCT
6791	ACCACAACTC	ATGGAGTTGG	AACTTGACGA	CATTCCAGGT	TTCACAAGCA	TATATCCCAT	GAAAAAGTTT
6861	GAAACATITA	GTTTGTTGAA	GGAAGAGGTA	AATATAAATT	TITAATGCTA	ATACATTACA	AAGGATCTTT
6931						TGTTGGATGG	
7001						AGTAGTATGT	
7071	GGAGATATGG	CCTTGCGAAT	TTAATATGAG	TGAGGAAGTT	AAGTTCAGAG	AGATTAAAGT	GAGTAACTGT
7141	GATAAGCTTG	TGAATTIGTT	TCCGCACAAG	CCCATATCTC	TGCTGCATCA	TCTTGAAGAG	CTTAAAGTCA
7211	AGAATTGTGG	TTCCATTGAA	TCGTTATTCA	ACATCCATTT	GGATTGTGTT	GGTGCAACTG	GAGATGAATA
7281	CAACAACAGT	GGTGTAAGAA	TTATTAAAGT	GATCAGTIGT	GATAAGCTTG	TGAATCTCTT	TCCACACAAT
7351	CCCATGTCTA	TACTGCATCA	TCTTGAAGAG	CTTGAAGTCG	AGAATTGTGG	TTCCATTGAA	TCGTTATTCA
7421	ACATTGACTT	GGATIGIGCI	GGTGCAATTG	GGCAAGAAGA	CAACAGCATC	AGCTTAAGAA	ACATCAAAGT
7491	GGAGAATTTA	GGGAAGCTAA	GANAGGTGTG	GAGGATAAAA	GGTGGAGATA	ACTOTOGICO	CCTTGTTCAT
7561	GGCTTTCAAT	CTGTTGAAAG	CATAAGGGTT	ACNAAATGIN	AGAAGTTTAG	AAATGTATTC	ACACCTACCA
7631	CCACAAATTI	TAATCIGGGG	GCACTTTTGG	AGATTTCAAT	AGATGACTGC	GGAGAAAACA	GGGGAAATGA
7701	CGAATCGGAA	GAGAGTAGCC	ATGAGCAAGA	GCAGGTAAGG	ATTICAATIT	CACTGTCTTA	ATTAATGATT
7771	AAGCTCCTGC	TTTTTGAATA	AAAAAGGGAC	AAACCATTTC	ATGACTTAAT	GTAGCAATAC	AAGTCATGTA
7841	TAAGAGTGAC	CAACTCTTTT	TTATTTATAA	AATGACTACA	AAATATTTTT	TTTCATTAGA	GATCATGTAT
7911	AAATGTGACT	AATTITICAT	CACCTAACTT	TAGTIGATAA	ATCTTTATAA	ATGTCACTAC	TTACTTTTCA
7981	GTAAAATAAC	AAATTTAATA	AATTATCAAC	AAAAAGCATC	AACTAAAAA	ATCCCACAAC	CCGTAATAAT
8051							CAAATATCAC
8121							AGAGITGAAG
8191	CTAAAGTGCC	TATATAACTT	CGTTTCATCT	Talalal Calabia	TCTTGATACC	AAGTTGAATC	ATTTTCTTCT

RLGZA cont.

8261 TCAAAATTGA TAAAAATCTA CATTATAAAG AGACTAGCTT GAAAAAAAAT GGTCTAGGTG GGTCTTGGGT 8331 TCTGGTAGAT GAAGATGGAA GGGGAGAGTA TGATTTCAAA GACACAACAC ATCCTTCATT TTATTTATTT 8401 ATTATTATTA TTATTTTTTG ATATCTTGCT CATATTTGTT ACAGATATGT GAGGTCTATT AATCTTTTTA 8471 AATATATAAA AAAATAAATA ACATAAATGA GAAAATTAAA TAAAGAATAA ATTAATAAGG GCACAATAGT 8541 CITTITAGGT AAGACAAGGA CCAAACACGC AACAAAAATA AACAGTAGGG ACCATCCGAT TTAAAAAAAA 8611 TAATTAGGGA CCAAAAACAT AAATTCCCCC AAACCATAGG GACCATTCAT GTAATTTACT CTTACTTTTC 8681 GTTTTGTTCA TATTTGGGTA ACTATTTTT TTGTACACAT CTAGGTAACG AACTTGTTGA AGTGTTCCCA 8751 TTTAGGATGT GACCTACTAC AACCGATCAT AATAGTCATA TGTGAACACT TCCAACAACT TTATTACTTA 8821 GGTGTGTACA AAAAAACAAT AGTTACCATG ATGTGAACAT ACTGAAAAAT TAATTACCTT AGCAAGTTAT TTTCCCATTT AGGITGIATG GAAACAGTTC CGTGAGACCG TGACTTGGAT GGTAGATAAA TTTAGTAAAC 8961 TTAACCCTIC AATTAACCTA CCTTTTTCTT ATTAACTCAA TTTCAACCTA AATTCTGATT CTTGTTTGAA 9031 AGTAAGTTGC ATCTTTATTT TTGTATTATC TTGTTGCATA GGATCCTTAG CATCTTTTAA TAATTTATTT 9101 GAAGGTGAAA GATCCAACTA TITTTAATCT GITGGCATTT TCCATCATTT GCAACTGTTT CTTGAAAAAA 9171 AAATACCTAA AATCAAAATA ACCATTITCA AATCCAAAAT TATAAGAGAG AATTGTAAAT GGACATGGAA 9241 TCATAAATCA TTAACACAGT TCAGTAAACA AGTTGCTAAT TACATTTCTT GCTGTGCAGA TTGAAATTCT 9311 ATCAGAGAAA GAGACATTAC AAGAAGCCAC TGACAGTATT TCTAATGTTG TATTCCCATC CTGTCTCATG 9381 CACTCTTTC ATAACCTCCA GAAACTTATA TTGAACAGAG TTAAAGGAGT GGAGGTGGTG TTTGAGATAG 9451 AGAGTGAGAG TCCAACAAGT AGAGAATTGG TAACAACTCA CCATAACCAA CAACAACCTA TTATACTTCC 9521 CAACCTCCAG GAATTGATTC TATGGAATAT GGACAACATG AGTCATGTGT GGAAGTGCAG CAACTGGAAT 9591 AAATTCITCA CTCTTCCAAA ACAACAATCA GAATCCCCAT TCCACAACCT CACAACCATA AAAATTATGT 9661 ATTGCARAAG CATTAAGTAC TIGTTTTCGC CTCTCATGGC AGAACTTCTT TCCAACCTAA AGCATATCAA 9731 GATAAGAGAG TOTGATGGTA TTGGAGAAGT TOTTTCAAAC AGAGATGATG AGGATGAAGA AATGACTACA 9801 TTTACATCTA CCCACACAAC CACCACTTG TTCCCTAGTC TTGATTCTCT CACTCTAAGT TTCCTGGAGA 9871 ATCTGAAGTG TATTGGTGGA GGTGGTGCCA AGGATGAAGG GAGCAATGAA ATATCTTTCA ATAATACCAC 9941 TGCAACTACT GCTGTTCTTG ATCAATTTGA GGTATGCTTT GTACATATTC AATTATTTAT TTAATTTCCT 10011 TITITATTIG CAATATICTA TAAATAATAC ATTITATACC CACTATACTA AGATAATAAT TACCTAGAGG 10081 GATGGATGCT ATGACACAGC TGCTACACTT CAGAAACTCT AGTAAGGGCA GTTATGGAAG TTCAATAAAA 10151 TGATAATGGC ATCTTTTGAT GGGTAATATA GGCAATTTAA GTTTTATTTC TGTTAAAGCA GTATTTAGCA 10221 AGTACTGGCC AGTAGGAGAG GAGAATATCA CCTTTTGTGA AAATCTGGTC ATTGTACCCA GAATTTAGTT 10291 AAATGIRACA TTTTAGATAT CAGGGGTCAT CAGGTGACAG ATATTGTAGA ATAGAACAAT ATATAATATC 10361 ACCCAAAACT ATTITITCTA AGGITATICT GITAAATAIG IGCITICITG ITITCAINGA ATINGCATIC 10431 GTATATTITA GGTGTTAAAG TGATTTINIC TTCAATAAAT CCCGAAATTA ATTAAAAAAA AAAAAACAAA 10501 AGTACATTIT TGATGTGGAG AGCACTGGTA TCACTTAGTA TATAAAAAGC TTGATTTTGA ATTAACTTTC 10571 TTATACAAAA GTTGTGTATA TAGTTTAATT AGTTTTACAT CATTTTTCCA TGTGGTGTTG CAGTTGTCTG 10641 AAGCAGGTGG TGTTTCTTGG AGCTTATGCC AATACGCTAG AGAGATGAGA ATAGAATTCT GCAATGCATT 10711 GTCAASTGTA ATTCCATGTT ATGCAGCAGG ACAAATGCAA AAGCTGAAGG AGAGGACAGC GATTCTCGTA 10781 CGAACGGTTA CGATTCGACT GGCCGTCGTT TTACA

RLGLA a.a.

MDVVNAILKPVVETLMVPVKKHIGYLISCRQYMREMGIKMRGLNATRLGVEEHVNRNISNQLEVPAQV RGWFEEVGKINAKVENFPSDVGSCFNLKVRHGVGKRASKIIEDIDSVMREHSIIIWNDHSIPLGRIDSTK ASTSIPSTDHHDEFQSREQTFTEALNALDPNHKSHMIALWGMGGVGKTTMMHRLKKVVKEKKMFNFII **EAVVGEKTDPIAIQSAVADYLGIELNEKTKPARTEKLRKWFVDNSGGKKILVILDDVWQFVDLNDIGLS** PLPNQGVDFKVLLTSRDKDVCTEMGAEVNSTFNVKMLIETEAQSLFHQFIEISDDVDPELHNIGVNIVRK CGGLPIAIKTMACTLRGKSKDAWKNALLRLEHYDIENIVNGVFKMSYDNLQDEETKSTFLLCGMYPE?FD ILTEELVRYGWGLKLFKK?YTIGEARTRLNTCIERLIHTNLLMEVDDVRCIKMHDLVRAFVLDMYSKVEH ASIVNHSNTLEWHADNMHDSCKRLSLTCKGMSKFPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLE VISYDKMKYPLLPSSPQCSVNLRVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDRLPSTIGKLKKLR LLDLTNCYGVRIDNGVLKKLVKLEELYMTVVDRGRKAISLTDDNCKEMAERSKDIYALELEFFENDAQPK NMSFEKLORFQISVGRYLYGDSIKSRHSYENTLKLVLEKGELLEARMNELFKKTEVLCLSVGDMNDLEDIE VKSSSQLLQSSSFNNLRVLVVSKCAELKHFFTPGVANTLKKLEHLEVYKCDNMEELIRSRGSEEETITFP KLKFLSLCGLPKLSGLCDNVKIIELPQLMELELDDIPGFTSIYPMKKFETFSLLKEEVLIPKLEKLHVSSM WNLKEIWPCEFNMSEEVKFREIKVSNCDKLVNLFPHKPISLLHHLEELKVKNCGSIESLFNIHLDCVGAT GDEYNNSGVRIIKVISCDKLVNLFPHNPMSILHHLEELEVENCGSIESLFNIDLDCAGAIGQEDNSISLRNI KVENLGKLR?VWRIKGGDNSRPLVHGFQSVESIRVTKC?KFRNVFTPTTTNFNLGALLEISIDDCGENR GNDESEESSHEQEQIEILSEKETLQEATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTS RELYTTHHNQQQPIILPNLQELILWNMDNMSHVWKCSNWNKFFTLPKQQSESPFHNLTTIKIMYCKSIKY LFSPLMAELLSNLKHIKIRECDGIGEVVSNRDDEDEEMTTFTSTHTTTTLFPSLDSLTLSFLENLKCIGGG GAKDEGSNEISFNNTTATTAVLDQFEVCFVHIQLFI.

1 .	VCHALATATALLA I	TTTCCCAATA	TCCATTTATA	TGCGATTTAT '	PICTGAAATA	ATTTTATCAA A	ACGCAGGAA
		A WAR THE CALL	יידע עודער אידע אידע יידע אידע יידע מידע אידע	יידיאממידמידמיד	TATTAGGCIG	WWILLIAMS G	CINCINIUM
		A WAR A WARREST N N	מממיית אריית א	י איז אויוי עיוי אוידי	ICTATATITA	IGITATOR I	UUT TUUTUU
			**************************************	י יייייייייייייייייייייייייייייייייייי	TALLILLIA TALL	CIALLILACE A	CTICCUIC
		CONTRACTOR NAMED	CACCCACCAC	ALCCCCCCCCC	CTTAATATAT	CWWITHITT C	TOTAMOTAT
351		A R SHAMES A PARTY A	Velabeleti Kehherbi	Andalalalalahahahahahahahahahahahahahahaha	AATATATACA	CHANCETHUR :	TITUMITUM
		CONTRACTOR IN CONTRACTOR	T & Queb & Calchists	AAAAAGACT	GIACIGIIGI	CVATATITIV	TIMINACCI
491			עות על על על על אור או	JAMA COLLINGS	TTTTTAATTT	GIGITITATA C	SOUTH STATES
561		~ A A MYCA A A C/C	ע ביויביצה מיוידי	ANCORCEGIA	AATACAAAAA	ATTIACTOR A	MCWWIIII
631		* COC 2 C 2 C 2 C 2 C 2	TAIL MADE AND VICTOR	יויאיוידיאי	GAGAACTAGG	AGATTIANGI (WIWINICC
701		A PROPERTY OF STREET	Chalelely Wileh	Tutable Markety	GATGACAAAA	TIMMCICGIG A	ACMOOT TWYW
771		2 2 2 2 WY 2 CHY	بلململم أشكاء لابلحات	CCCALALALCACAY	AAAGCAATTA	TAGITATACI	ACMCCTMCAN.
841			מידו א מי א היצדו אידו	بلت لا لابلالا كالملم	AATTATATAA	ATAILCATI	AMCCCICIAN
911		تكلفلت لالانتحالا	CALCALACA	GAATTACAAT	CATACCCTTC	CCCTCMMMM A	JONITCOINI
981		A WATER OF THE PARTY AND A STATE OF	Cy databalabalabala	עראויים מיומיאר	TAGTITCTATT	CICAMMANI.	T//GWGT T/ T/
1051		~~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	A N C N C N C TYCTT	יייאר אר אכינדוי	VC.I.C.I.C.I.T.I.	ATTIATION	T/~W/~WT T/~WT
1121		COLDERFORM ALBERTA	delete Valence	VILTIE ALLES	ACTUACICATIO	CIGALLIAM	1111111111
1191		C S MAIAIAIAIAIA V	VALUE	AATTTAATTTAA	CAATIGGIGA	ACCUMANCIANA '	CWIGGGUGIC
1261		M	بلملت كالإبلمام لابك	יייבידיביים בעייב	ATCCTIAAAAT	GAACTATGCC	CATICACCTI
1331		AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	TO THE PROPERTY .	A LALLES TO TO A LALLE A	TUATATUTAT		CHCHNOUNIA
1401		ACCURA A ACCA	_ CCTACDADA	TAATTATTA	TAGTGAATGT	TCTTTGATAT	CVITATITI
1471			רבאתראא אראר ב	AAATTYTTAC	TIGITAGIGI	AACAACTICG	WCITWUTUUT
1541			טעע איזיייייייייייייייייייייייייייייייייי	T Vale Medatable Value	CCGAACAAGC	TCACTAAAAA	CICKIMITOC
1611		A Proposition of the Parket of	بلملت كالتكلمفية لاسا	אמינידאים אידי	TITITITIGIGG	AJUAAJUIUA	WWWINGWCIG
1681			والملك لا فالملك لا تا ما	V.Let. Va. Manadasha	TTACTACCTI	ACAMATIC	CWGIGHING
1751		THE RESIDENCE OF THE PARTY OF T	الملطائالملماتات الا	מידי דוי מידי מממידי	CCACCTACTA		TWICGUGGG
1821		~ * * ~~~~~~	والمالكلاتكلمات ط	TOTAL PARTIES	AATTGCTCAU	ACCIOCLETION	TILLETING
1891		* CCC407C94C	تالاساتكلماسكلملمك لا	: AAAATATGTU	AGGGTCATG	WOWINGHAMI	GWCWGWGTIG
1961		* ~ * * * * * * * * * * * * * * * * * *	~ MCMCCMACAC	NATACCCCGA	. ACACAAGAA	TCATCTTCAG	TICCATCICA
2031		A TOTAL PARTY OF THE PARTY OF T	~ മമന്നമ ദ്രമദ് ന	CATCAGAGCA	AATGTGGAA	ACTITICGAT	JOHIGICHIC
2101		* CONCRETE TO CO. N.	ጥ ሮክርርሮስሮልበ	: CALACACYCS	AAGCNITCA	A GATAACIGAG	CHOMITOWAN
2171		~ *~**	ملت لاملاد كلمات	ני נכנסטראנטאנט יו	TCCAGTTCY.	L'CIAGGAAGAG	LIGGITCHI
2241	GAATGCATC	C ACCICIGCA	T CATTAAGTG	A TGATTICCC	TCAAGAGAG	AAACTTTTAC	CCCAACACTA
2311	ATAGCACTO	G AACCCAACC	A AAAATTCCAG	ATGGTAGCC.	r TGTGTGGGA	r GGGTGGAGTG	CCCCACTTAT
2381	GAATGATGC	A AAGGCTGAA	G AAGGCTGMIY	G AAGAAAAGA	A ATIGITIAA	TATATIGTIG	ACTURATION
2451	AKGGGAAAA	G ACGGACCCC	T TIGCCATIC	A AGAAGCTAT	A GCAGATTAC	C TCGGTATACA	CCTANGACTA
2521	AAAACTAAG	C CAGCAAGAG	C TGATAAGCT	r cgrgaargg	r TCAAAAAGA	A TTCAGATGGA	COLVESTION TO
2591	AGTTCCTCA	T AGTACTIGA	C GATGTTIGG	C AATTAGTIG	A TOTTGAAGA	T ATTGGGTTAA	CATCCCCCTT
2661	L AAATCAAGG	T GTCGACTIC	A AGGICTIGI	T GACATCACG	A GACICACAA	G TITGCACTAT	CVICOCOLLI
2733	I GAAGCTAA1	T CAATTATT	A CGTGGGCCT	T CTAACIGAA	G CAGAAGCIC	A AAGTCTGTTC	
280	1 TAGAAACTI	C TGAGCCCG	G CICCAGAAG	A TAGGAGAGG	A TAICGIAAG	G AAGTGTTGCG	9 Children
287	1 TGCCATAA	A ACCATGGC	T GIWCICITA	G AAATAAAAG	W WAGGAIGCA	T GGAAGGATGC	COCCAAGAAG
294	1 ATAGAGCAC	T ATGACATIV	A CAATGITGO	G CCCAAAGIC	T TIGAMACON	G CTACCACAAT	CTCAGGAGTT
301	1 AGGAGACTA	A ATCCACTT	T TIAAIGIGI	G GITIGITIC	m mamaccam	C GATATICCTA A GAGAAGCAAG	: AACCAGGCTC
308	1 GATGAGGT	AT GGATGGGG	T TGAAGCTAT	T TGATAGAGI	I INTWOORT	A TGATGTTGGG	TOTOTOTOTO
315	1 AACACCTG	CA TIGAGCGA	T GGTGCAGAC	A AATTIGITA	M LIGHWANGI	G CATGCTTCTA	TTCTCAACCA
322	1 TGCATGAT	er ggreegig	or Trigrific	G GIAIGITII	C IGNAGICA	T GCAAAAGAAT	TTCATTAACA
329	1 TGGTAATA	rg cereggre	GC CIGAIGAAA	A TGATATGAT	C GIOCACIC:	C GATTITGAA	CTTATGCATG
336	1 TGCAAGGG	ra TGATTGAG	AT TUCAGTAGE	AU MAMBRINGS YO	C CIMMEIN	G CICCAIGIT	TATCATACGA
343	1 GAGATAAG	TC GCTAAGGT	TT CCTCAAGAC	T TITATOMA	A WATCOWE	A TICGGGIGC	r TCATCTCACT
350	1 TAAAATGA	AG TACCCATT	oc Ticcitic	AL MANDAMAN	or recovering	AA TCTGGAAGTY	CTGACCTTTG
357	1 GAATGITC	AT TAAAGATG	TT TGATIGCT	T TOTALOGO	A WICTUICE	AG CTAAGGTTA	TTGATCTGAG
364	1 CAAATTCT	CA CATTGAAT	GG TIACCITC	THE CHARLES	YY WITHIAMAINING	CA AACTIGAAG	TTATATITETA A
371	1 ATTTTGTG	AT GGTCTCCG	TA TAGAACAG	PO MOCANACA	SY ACCUACYC	CG TICTIACAA	CTTTCTCCAT
378	31 GGAGATGC	AT CIGGITI	AT AGATGATA	AC TOCHATOW	העראהאלט עע העראהאלט עע	IT GAGAATCIT	G AACGATTCAA
385	1 TAGAATIC	GC GTICTTIA	AT ARCANGOC	TO WWGIOWWW	AC BCABCAL	CT CATACGAAA	A CATGTIGCAA
392	21 GATCTCAG	TIG GGATGCIC	LI TIGHTGAY	PC ACAMPYSCA	מיזיטכנטי	TT TTIGAAAAC	A GAGGTGCTTT
399	1 TIGGIGAC	CA ACAAAGGI	OW ICINITYO	WC TOTHWACT	CA GGTGAAGT	CG ACACATCCT	A CTCAGTCCTC
40	61 TYYTAAGI	GT GCATGGC	TIG ANIGATET	TO WHOW IGIT	or coronner		

RLG2B (out.

SEQ ID NO:23

4131 TTCATTCTGC AATTTAAAAG TTCTTATTAT TTCAAAGTGT GTAGAGTTGA GATACCTTTT CAAACTCAAT 4201 CTTGCAAACA CTTTGTCAAG ACTTGAGCAT CTAGAAGTTT GTGAATGTGA GAATATGGAA GAACTCATAC 4271 ATACTGGAAT TGGGGGTTGT GGAGAAGAG CAATTACTTT CCCTAAGCTG AAGTTTTTAT CTTTGAGTCA 4341 ACTACCGAAG TIATCAAGIT TGTGCCATAA TGTCAACATA ATTGGGCTAC CACATCTCGT AGACTTGATA 4411 CTTAAGGGCA TTCCAGGTTT CACAGTCATT TATCCGCAGA ACAAGTTGCG AACATCTAGT TTGTTGAAGG 4481 AAGGGGTAGA TATATGTTCT TTATGTTAAT ACAATTTAAA TAATATTTC AACCAAATTT TCATAATATA TCTGTAATTT GATTGTATGA TGTGTTATTG TTTATATGTG GCTATTAAGG GATGATTATT TTGCAGGTTG 4551 TGATTCCTAA GTTGGAGACA CTTCAAATTG ATGACATGGA GAACTTAGAA GAAATATGGC CTTGTGAACT TAGTGGAGGT GAGAAAGTTA AGTTGAGAGC GATTAAAGTG AGTAGCTGTG ATAAGCTTGT GAATCTATTT CCGCGCAATC CCATGTCTCT GTTGCATCAT CTTGAAGAGC TTACAGTCGA GAATTGCGGT TCCATTGAGT 4761 CGTTATTCAA CATTGACTTG GATTGTGTCG GTGCAATTGG AGAAGAAGAC AACAAGAGCC TCTTAAGAAG 4831 4901 CATCAACGTG GAGAATITAG GGAAGCTAAG AGAGGTGTGG AGGATAAAAG GTGCAGATAA CTCTGATCTC ATCAACGGTT TTCAAGCTGT TGAAAGCATA AAGATTGAAA AATGTAAGAG GTTTAGAAAT ATATTCACAC CTATCACCGC CAATTTTTAT CTGGAGGCAC TTTTGGAGAT TCAGATAGAA GGTTGCGGAG GAAATCACGA ATCAGAGAG CAGGTAACGC TITCAATTIC ACTITCTIAA TIAATTAAGG ACTAAGCICC TGTTTTTTGA ATAATAAAGA GGTGGGATGA CTAAACTTGG GCATCACAAT TGCAACAAAA TGTTACAAAC CATGAAACGT TCAAACCATT TCTTGAATTA AGGTTTCAAT ACAAGTCATT TAAAAATATG GCTTAAATTT TTTTTATATT TATGTATCAA CATGATTTTT CATTAGAGAT CATTATTATA ATAGTAAGTT TAAAGCAATT TAAATCAGAA 5321 CTAATTCTAA CTTTAGCTAA TAAATCGTTA TAAATGTAAA TAATTACTTT TTAGTGAAAT AAGCAACGGA 5391 TTTAATAAGT TAACAACITA AATGICATIT CCTAACAAAA AAAACTTTGG TTCAGAAAAA CCGCAATTCA 5461 5531 AGATAACTAA AATAAAAATA TITGACATTC ACTAAGAGCA TITITTITITC TAAATATGAT TGCAAATGAA TAAAACITAA ATTTATACAG AAAATTCTTT TATATATGTT ATACAAAATT TACAAATTGA AATTGGATAT GTTAATTAAC GGTTTATAAT TCTGGTATCA CAAAGGGATA TATAATAAAA TATTATTTTC TGTAGTCATT TGTAATTGTA CTAGTTTATA ACCCGTGGGA ACCATGAGTT CTAAAATTAG TTAAACTTTC ATAATAAAAA TTTATAATTA TTATTTATTT TAAATAAATT ATTAATTAAG AGATATATCA AAAATTTAAA GTTATTATAA CTTCAAATTT AACATATAAT TAGAAAATAT ATGATCATAA CTTCTGCACT CTCTTGTAT AAATGCAGAG 5951 AAGCTATTAG TATATTTCTA ATCAAGTCCA AACCTAATGA AGCCTATATA ATTTTGTGAA AACTCAATTA 6021 GCATTAGGIT TIAAGAGICA CCAAATICAA AGAATAATCC AATGCITICA TIACCACTAT GGAGAAAATA TTTTCTTAGT TTAAATGAAA TGAAAACAAA CATTCAAACT AATTGTTGCT TATTAAACCA AAGACCCATT ACTTAGCCAA GAGTTTAACA AAAAAAATT ACATTCATGT ATCATTATIC ATGACTAGAT ATATATGAAC 5161 6231 ATGAAGGAG TITITATAGA AAATATAATC ATAGATATTC AACATAACTT CAGGGAATTC CTCAAAATAA CCAAGTTATT CAAGAAATTA CATCCAAGTC AACCAAAGAG AAGTTTAGCC TAGCATGGCT AAACTCAAGA 6301 6171 AACTAAAATA AGGATTAGAA GTACCAAACA TGTAGTAAGA ATCACAGTAA AAGATGATGT TGTTCTTGAT GTTCTTCTAA GTTCTTCAAG TCTCCAGTTG CTCCTAATAA TGCAAAGGAG AGCCATTAAA TTCGTATGTA TTGATCCCTT CAAAAGCTGC ACCAACCTCC CTTAAATAAC ACTCAAAGCA AAAATGACAA AATGCCCTGA 6511 6581 AGGACCCTAT GTGGGTGCCT TGCGCGGGTG GAGCTGCATA CGAAAGGTCT TTGGTCTTTG TGACGGTGAT 6651 GITGIGGGG ATAGCITGIC GCATGCTICC GCGCGGTTCA CGCACATGTG CACAGGTGAT GCATGGTGTG 6721 TGCGTTCTTG AGTTTTGAGC CTCCGATGCT TAGTCCACTT GGCCCAATTC GAGTCCAATC AGCTTATAAC CCATTITTCT TCAAGTTATC TTCAAGTTAA GCCCAATTTG GCTTCTCCAA ATCATCCATA ACTTCACAGA 6791 6861 ATCGCCCGTT CATCTTAATC CCGGATGCAC AATTATTCTC CCGTCTTCAT TTTAAGCAAG ATACCACCTT CITCATGCIT CATCCATCAA TAGTACACTT CATGTATCAT CTCTACTAGT TATTTAGTCC ACAAATCCTT 7001 GITGICCICC AAATTTAATT ATCTCATTTA GITCCCCGIT CCGCTACTTT CCTTAAAATT TGGAATTAAG 7071 CTCAGAGAAA TATTAAGTAC CCGAAATGGT CATAAAATTA ACAAAAAGGA AAATGCATGA AGATTAACTA 7141 AATGATGAAC GAAATATGCT AAAATAGACT ATAAAATGAA GTAAATAAAA TGAAATTATC GCACTCCGAC CACCETTATG GCTTGTAGTC CACCCACCCT TCATTCCTTG TACCAATATG GGATGGAAAC ATCATTAATT 7211 7281 AAGCCAAAAA GCTAACATAT AAGGGTTTAG TGACAAAGGT AAGTACTAAA GATGAAAATA ATCCATTTTT 7351 CTTGTTTTTA CACAACACA ACATAGGGGC AGACGTAGGA TTTCAAAGTA CAGATTGTTG GTGGCACATA 7421 AGTGTTGCTG GTGACATTTT TTTTTTCTTT TTACGTGGTG GCACAACAGT AGGAAAAACG AAAAATTCGA 7491 AATTITTAC AATTIGICTT AAAAAAAACA GGGGTTGTTG GTGCCACTAT GGACAACAAA GTTGAACTGC CCTACGCGCG CACACACAC CACACACATA GAGAGAGAGA GAGAGAGAGA GAGAGAGAGA AAGAAAGAAA 7631 GAGAGAGAGA GITTGGGATG TGATACTICT TITAGGAAAA TGGAGTTATA TCTTTGATAT TGTATTTTTT TAATGTAATT TATNTATTTA ATCATTTTAG TTTATAAGTT NTATTTATIN GGNTATGAAA AAAAAAGTCT 7701 TITATACATT GGATTTAACA TAAAAATCCA ACAATATTAA TCAAAAAGAC CAAACATGTG GACAATTATG 7771 7841 TATATAATTA ATTCACAATA GTCTTTAGGA ATAGTATTAT ATATATAATT AATTCTCAAT GGTCTTAGGA 7911 ATAGTAAGTT CITATATTIC AAACTTTIGC CACAATTCIT TGCITACTIT GACACTTTIC CITCCIAACT 7981 TTACATATAT ATATATATA AAGCGCAAAG GTCATAGGAA TATAATATTT TCTATTATTC TACGTTTTGC 8051 CACAAAAGTT TGAACACTTT GCCACTTTTT GTCCCTCCTT AACCTTTTCA ATGTTTTGCG ACAAAAGTTC 8121 CAAAACTTTG CCACTTTGAT CATTCCTCAA CTTTTCACCG CATTAGTTTG TGGAGTTGGC AGTTTTGGTC 8191 CCTCTAACTT CGATATTCTC TACTGCTAGC CAAAAAGGGT TCCAGAGTTT CACACTTTTG GTCCCTGACA

RLG2B cond.

8261	GTAACCAAAT	GTGAGATGTC	AAATTTTTĞC	CACATTAGTT	TGTGGAGTTG	TCCCTTTTGG	TCCCCCCACA
8331	TTCGATATTC	TACTATACGA	TCTTATTTTT	CTCAAATAAC	AACACGTATA	TITCATC:CI	AATTGGAAAA
8401	AGAGTTTTAA	AA: AAATAAC	GACTAGG:::	G:GC:GAGTT	TTTTTT: ACA	AGTTTGTATC	AAATCATATC
8471	AAAATTTAAG	GTGGAACGGT	GACCACATTA	ACCAGAAATG	TAATTTATTC	TITGATITIG	ATAATITITA
8541	ATATTTTGTT	GTGATCTATG	TATTTAAAAG	TAAACAACAA	AGAACATAAT	CCAAAACCCT	AAATTGCAAG
8611	TCTCGCCCAA	TTTCTCTATC.	ACTAGTCCTC	ACTTACGATG	GCGTTACGTC	GCTCTCTCAC	TGCTTACAAC
8681	CCTTTGTTGC	TACTCATTAC	AATAACGAAA	AGTTGAATAT	CCATATATTT	ATTIGGATGT	GGAATTGAAC
8751	GAATCTCGTC	AAAATTTTGA	TITIGITGAT	GGATTTGAGT	AGAAGTTTGG	GCAGAACGGG	AATGATGGTC
8821	TGCAAGTGGT	TATAAACTIG	ATTCTGAGTT	ATTACTATAT	ATGTAGCCTC	TITACAACGA	CCAAGGITTC
8891			TITTAGAACT				
8961	ACAACTCTTA	AAAACTTGAT	TAATCAATIG	TTTTCTTCAT	CTIGATAACA	AGTGGAATGA	TITICIACIT
9031	AGATTAACTT	GAAAAAAAAG	GTCCATGTGC	GTCTGGTGGA	TCTGGTAAAT	GAAGATGGAA	GGGAGAGCTG
9101	ACTITAAAGA	CACAAACACG	TCACCATATC	TCTTATTITA	TTTTAAATTT	CCTTTTCGTG	TATTTTCTTT
9171	TTTCCTATTT	CTTTCTTTCT	TGATCTCCAG	ATGGTATGTG	GTGTGGATAA	TTTACACCTA	GAGATTGGGA
9241			ATTTATGGCT				
9311			GTTGCATCTT				
9381			TGAAAGATCC				
9451	TGTTTCTTGA	ATAAAAAAA	CCTAAAATAA	AAATAACCAT	TTTCAAATCC	AAAATTATAA	GAGAGAATTG
9521	TAAATGGACA	TGGAATCATA	AATCATTAAC	ACAGTTCAGT	AAACAAGTTG	CTAATTACAT	TICTICCIGT
9591	GCAGATTGAA	ATTCTATCAG	AGAAAGAGAC	ATTACAAGAA	GCCACTGGCA	GTATTTCAAA	TCTTGTATTC
9661	CCATCCTGTC	TCATGCACTC	TTTTCATAAC	CICCGIGIGC	TTACATTGGA	TAATTATGAA	GGAGTGGAGG
9731			GAGAGTCCAA				
9801			TCCAGGATTT				
9871	TGCAGCAACT	GGAATAAATT	CTICACICIT	, CCYYYYYCYYC	AATCAGAATC	CCCATTCCAC	AACCTCACAA
9941			AAAAGCATTA				
			. GTGAGTGTGA				
			ATCTACCCAC				
1015	L TAAGITICCI	GGAGAATCIC	AACTGTATTC	GTGGAAGTGG	TGCCAAGGAT	GAGGGGAGCA	ATGAAATATC
			CTACTGCTGT				
							TACTAAGATA
							GGGCAGTTAT
							ATTICTGITA
							TGGTCATTGT
							GTAGAATAGA
							TCTTGATTTC
							AATITITAA A
							TATAAAAAAC
							ATTTTTCCAT
							GAGATAAAA
1099	1 TAGGCAACTY	CCATGCATIV	G TCAAGTGTG	A TICCATGIT	A TGCAGCAGT	A CAAATGCAG	A AAGCIT

RLG2B a.A.

MSDPTGIAGAIINPIAQTALVPVTDHVGYMISCRKYVRVMQMKMTELNTSRISVEEHISRNTRNHLQIP SQTKEWLDQVEGIRANVENFPIDVITCCSLRIRHKLGQKAFKITEQIESLTRQLSLISWTDDPV?LGRVG SMNASTSASLSDDFPSREKTFTQALIALEPNQKFHMVALCGMGGVGKTRMMQRLKKA?EEKKLFNYIV GAVI?EKTDPFAIQEAIADYLGIQLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGL SPFPNQGVDFKVLLTSRDSQVCTMMGVEANSIINVGLLTEAEAQSLFQQFVETSEPELQKIGEDIVRKC CGLPIAIKTMAC?LRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLQEEETKSTFLMCGLFPEDFDI PTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQTNLLIESDDVGCVKMHDLVRAFVLGMFSEVEH ASIVNHGNMPGWPDENDMIVHSCKRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLRFPQDFYEGMEKL HVISYDKMKYPLLPLAPRCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSHIEWLPSTVRNLKKL RLLDLRFCDGLRIEQGVLKSFVKLEEFYIGDASGFIDDNCNEMAERSYNLSALEFAFFNNKAEVKNMSFE NLERFKISVGCSFDENINMSSHSYENMLQLVTNKGDVLDSKLNGLFLKTEVLFLSVHGMNDLEDVEVKS THPTQSSSFCNLKVLIISKCVELRYLFKLNLANTLSRLEHLEVCECENMEELIHTGIGGCGEETITFPKLKF LSLSQLPKLSSLCHNVNIIGLPHLVDLILKGIPGFTVIYPQNKLRTSSLLKEGVVIPKLETLQIDDMENLEE IWPCELSGGEKVKLRAIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNIDLDCVGAIGEEDN KSLLRSINVENLGKLREVWRIKGADNSDLINGFQAVESIKIEKCKRFRNIFTPITANFYLEALLEIQIEGCG **GNHESEEQVTLSISLS**

SEG TO NO:

5	١		۰.			_																					
125	•	4	4 61	3	5	ë	(4) (4)	ا م	9	14.0	9	7															
1		7 66	2000	70 - 30	95	100 - 32	95 - 23	73 - 57	71-36	20 - 27	2 :	74 - 34				66	200	7	2 2	0 0	2 2	2 2	: :	2	199	145	174
풍 81	8	ខ	3 5	រ ខ្ល	8	ပ္ပ	8		ץ א	.	2			灹	8		99										
38		3		ខ្ពុ	Š	ğ	Ž,			É	į	Š		ఠ	~	8	3	3 8	3 8	3 8	֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	5	3 8	3 2	ğ	ğ	3
量員		ភ្ន	3 5	ğ	ğ	ğ	3	3 5	j	ğ	3	ğ	Ä	3		۶	3	3	3		Ś	į	į	٤	P	3	3
GAAGAC-ACAATGATGA-AGGTGAAGAAGGAAGGTTGGGGGGGGGG	.0	-GOCCOARCACANTATEXATCCCCTTCTAAAAAGGTTGTCAAAAAAAAAAATGTTFAATTTTATAATTGCCCGGTTGTAGGGGAAAAAAAGGACCC	TIGGGBAGACTAGAATGATGCAAAGGCTGAAGAAGGGTGTTGAAAAGAAATTGTTTAATTTTTTTT	AACACACGINCAGCAAAGGCTTGAGAAGTTTACAAGAAAAAAAAAAAAA	COLUMNIA DE SECUENCIA DE CONTROL DE DE CONTROL DE DE CONTROL DE CO	CTITICARACH CANTONIC CONTRACTOR AND	GGAGAC-ACGATGATGAAGAAGCTG-AAGGAGGTCGTGGGACAAAAGAAATCATTCAATATTATTATTATTGAGTGGTCATAGGAGAGAGA	-1G-AAGGAGTTGTGGAAGGAATGAAATGTTCAGTGATTGATTATTATTCATTC	AT-GCAAGAAGAGCTUGGAAGGTUTGTGAAACAAAAAAAACTI TOAN II NI II OO TOO TOO TOO TOO TOO TOO TOO TOO	TITIGGAAGAC-ACGATGATGAANAGGCTGAAAAATATTATTAAAAAAAAGAGGACGTTTCATTATATTGTTTTGGTGGTTATAAAGAAAAATATGGATCT	-TICAGTTACATGGCAGTTATACAGAAAAAAAAAACC	GCTGAAGAAG-CTGCTGAAGAAAAAAAGAATTGTTTAATTATTATTGGGGGGAGTTATAGGGGGAAAAAGACGGACCC		<u>CATTECTATTCAGCAAGCTGTAGCAGATTACCTCTGTATAGAGCTGAAAGAAA</u>	0	Ę	ETITIGCCATICAAGAAGCTATAGCAGATTACCTCGGTATACAACTCAATGAAAAACTAAGCCAGCAAGAGGTGATTAGTGAATGGTTCAAAAA	PATTGCTATTCAGCAAGTTGTAGCAGATTACCTATGCATAGAACTGAAAGAAA	CATTGCTATTCAGCAAGTTGTAGCAGATTACCTATGCATAGAGTGAAAGAAA	\CTTGCTATTCAACAAGCTGTAGCGGATTACCTTTGTATAGAGTTAAAAAAAGAACCACTAAACAAGAGTGAATGAA	COTTOCCATTCAGGATOCTATAGCAGATTACCTAGGTGTAGACTCAATGAAAATCTAACCAAGAAAAGCTGATGAAAATTCTAAGCAAGAAGAAGAAAGA	NTTGCAATTCAGCAAGCTGTAGCAGGTTACTCTCTATAGAGCTGAAAGAAA	PATTGCTATTCAGCAAGCTGTAGCAGATTACCTCTCTATAGAGCACAACAAAAAACAACAAAAAAAA	PATTGCTATTCAGCAAGCTGTACCACTCTCTATTGCTCTCTATAGACCTGAAAAAAAA	TATTICCA CONTROLLAR CONTRACTOR AND THE CONTROL OF T	CATTICCATICCAGAILCTICINACAMATIALITICAMA IN ACADEMA BARBACCA CAGACARCAGA ACTICGIGA ATTICCAGA CONTROLLA CAGACACA CAGACA CACACACA	CHITICCATTICAGAGACTATAGCAGATTACCTCGGTATACAACTCAATGAAAAAGTAAGCCAGCAAGAGCTGATAAGCTTCGTGAATGGTTCAAAAAG
₩ A	S	4	3	3	3	3	9	2	10	3	Š	₹	Þ	Ę	190	Ę	5	2	3	3	3 2	֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		5		2	3
₩ 8		ğ	3 8	ğ	ğ	ğ	ŏ		ć	ğ	3	3		ğ		3	ģ	Ź	2	ۼ ٳ	5 2		į		ğ	Ź	Į.
3 E		Ě		Ź	Ě	¥	E i		4	2		1	:: :::	톍		ğ	2	2		3 8	38	3 8	3 [ξ	3 5	ğ	ğ
	8	Ĕ		Ē	Ē	Ē	Ž	٤	٤	Ē	É	É		힝	160	ţ	ទូ	į	ij	į	3 8	3 8	3 8	įĘ	រូដ្	Ş	ધુ
		ğ	3 }	3 5	ð	ð	2	2 2	3 2	8	5	3		ž		3	3	3	3		¥ ;	3		1	4	2	¥.
ğ		3	8 5	3 8	8	AAG	SANG.	2		8	8	g		칠		ğ	Ø,	Ź		2 2	5 8	5	عُ وَ	عَ وَ	ع ا	Ź	ğ
	2.	Ē	2	2 8	E	E	Ę	5 5	<u> </u>	E	ğ	Ę	#	ջ	9	Ž	ă	ğ	ğ	Į,	کے ک	3 6	ع ز	ر و و	ا ا	2	ğ
# E	•	3	E	عِ دِ	ğ	E	Ē	2	į	E	8	Ę		욁	170	Ä	2	3	Ş.	2	2	9	3	5 2	2	2	2
		Ē	2	Ž	Ž	Ē	Ē	ÉÉ	ĺ	AT.	ğ	ATA		퇽		ğ	မွ	2	Y S	Ž,	2 6	3		ر و خ	2 6	٤	ğ
	_	3	Ę	5 6	Ę	ភ្ជ	ATA	É		Ę	Ę	Ę		톍	_	õ	မွ	3	3	ğ	3	5	Ş	وَ وَ	٤	Ų	ပ္ပ
暴門	ç	Ē.	ĒÌ	3 6	Ę	E	2	ខ្មែ	عُ إِ	įξ	ğ	É	羅	3	-9	Z	Ž	Ž	Ž	2 2	Ž	3	Ž.	1	ξĝ	2	TAA
E		151	5	ξ	į	ទ្ធ	5	를 ફ	٤	35	-	Ē		윙		Ş	ğ	ğ	á					֓֞֜֜֞֜֜֞֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֓֓֓֓֓֡֓֜֝֓֡֓֡֓֡֓֡	5 à	1	2
13		₹	3	3 8	3	3	¥	3		g	-	¥		3	150 160	3	3	ğ	٠ 2	ğ	3	3	5	§ :	\$ \cdot \cdo	2	3
	Q	ঠু	∮ 9	3 5	É	ą	ş	§ 9		įį	1	ర్జ		ğ	-82	ğ	夏	3	ğ	9		ğ	2	٤	3	į	2
1		ş	₹;	2		₹	Ž	3	Š	3	į	3	2	3		á	ă	3	3	3	3	3	3	3	١	1	ž
A S		¥	ξ:	7 C	4	Ę	5	2	ا و	20		Ž.	2	Š		Ĕ	ğ	ថ្ង	ថ្ក	1	Ĕ	Ĕ	į	į	į	į	ğ
	-6	3	Ęį	9 8	3 6	ğ	8	2	3 {	3E	Ì	9		ğ	٥	ğ	3	ğ	ğ	ğ	ğ	ğ	ğ	j	3 }	֝֟֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	ğ
	•	2	٤	2 6	2	2	ğ	E	2 }	žĚ	l	Ĕ		LAT	140	E	F	គ	ž	Z	Ē	7	TAT	Ě			ξ
		Š	8	טַ פַּ	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	့ မွ	8	9	3 8	3 6	Ì	ğ		2		g	8	Ř	ğ	Ë	g	K	٤	2	2	ξ	gg
iii g	_	Z.	ģ i	2 6	5	3	Ş	ğ	9	4	į	ğ	<u></u>	ž	_	È	Ĕ	ĝ	ត្ត	Ę.	È	Ĕ	Ĕ	Ē	į	١	Ě
	-05	2	ğ	<u> </u>	2	ğ	7	Z :	2	ğ	į	ğ		TA	130	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	Š		Ě
8		Š	g	3	ļ	ÿ	ថ្ង	۲	Š	ÿ	į	દુ	8	ğ		3	9	ğ	ğ	ž	ş	3	5	5			9
# Z		ğ	3	Š	4	3	3		3	Š	į			ĝ		ĝ	g	ĝ	8	ğ	ĝ	ĝ	ĝ	g	3	֓֞֝֓֓֓֓֓֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֡֝֡֓֡֓֡֝֡֓֡֓֡֝֡֡֡֝֡֡֓֓֡֡֡֡֡֡	18
	-20	5	ğ	ğ	٤	3 5	3		3	ğ	į	į		Ē	120	Ē	Y	Ē	Ē	Ē	SAT	ē	È	Ē	3	5 [1
Š		2	ğ	2	ć	į	3	į	ĺ	5	į			g	-	' ខ្ច	ខ្ច	Ē	Ę	ទូ	ğ	ខ្ច	ខ្ច	ទូ	Ş	3 8	រុទ្ធ
ž		Š	3	9	4	3	ã		Ź	ð	į	į	#	ð		ğ	3	3	ð	3	Š	ð	ð	ð	ð	5	33
# ×	_	ğ	Ĕ	Ĩ		į	Ĭ		ğ	1	į	į		ð	۔	, 3	3	ð	5	3	5	5	5	5	5	Š	33
EAC.	-	, ĝ	3	ี 5		9	ð		7	5 5	į	i	3	Ě	-	Ę	Ę	Ě	Ě	Ě	Ę	Ę	Ĕ	Ę	Ę	÷ !	5
3		3	ð	2	į	3 3	ð	į		33	į		9	Ş	İ	Ş	g	ß	ğ	Ē	ğ	Ş	g	ទូ	ទូរ	į	38
- 3		ğ	ğ	Ì		E	Ĭ		!	F	1	ì		E		Į	E	E	H	£	E	Ę	¥	Ę	Ę		E
• 1	•	•	٠.	•	•	. ب	, ,	•	'	, 64	•	•		ں ا	1	u	, U	U	J	«	J	-	-	-	E-4 (. (, 0
		ALG2A	RLG2B	FLG2C	K162U	RIGOR	320	RLG2H	RIGZI	RLG2K RLG2K	RLG2L	RLG2M				RI G2A	RLG2B	RIG2C	RLG2D	RIGZE	RI G2F	RLG2G	RI G2H	RIGZI	RLG23	RIG2K	RIG2M
		퓚	굺	2 2	Ż	2 2	ž	3	3	5 5	5	5				RI	₹	R	R	RIX	RK	RE	<u> </u>	K	2	2	₹ ⋛

	ANATOKONOTYAANANTOONOTYAANANTOONOTAANANTOONATAATAATAATAATAATAATAATAATAATAATAATAATA
	210 220 230 240 250 260 270 240 340
RLG2A	. AATTCIGGIGGIARGAAGATCCIAGICATACTCGACGATGTAIGGCAGTITGIGGATCTGAAIGATGATATTGGTTTAAGICCTTTACCAAATCAAG
RLG2B	
REGIC	
RIGZD	
RIGSE	
RIGOR	
100 Id	
RIGZI	
RIGZJ	GATGGAGGAAAGAATACATTCTTGTAATATTTGAGGATGTTTTGGATGTTTTGGATGTTGGTTTAAGTGCTTTTAAGTGCTTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTTAAGTGCTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTTAAGTGCTTTAAGGTGCTTTAAGTGCTTTAAGTGCTTTAAGTGCTTTAAGTGCTTTAAGTGCTTTAAGGTGCTTTAAGGTGTTTAAGGTGTTTAA
RLG2K	
RLG2L	
RLGZM	
	<u>GIGTCGACTTCAAGGTCTTGTTGACTTCACGAGACTCACATGTTGCACTGTGATGGGGGTTGAAGCTAATTCAATTCTTAATGTGGGACTTCTAATAGA</u>
	310 320 330 340 350 360 370 380 390 400
RLG2A	GTGTCGACTTCAAGGTGTTGTTGACATCACGAGACAAAGATGTTTGCACTGAGATGGGAGCTGAAGTTAATTCAAAGTTTAATGTGAAAATTTAAATGT
RLG28	GTGTCGACTTCAAGGTCTTGTTGACATCACGAGTCACAAGTTTGCACTATGATGGGGGTTGAAGCTAATTCAATTATTAAGGGGCTTCTAAACAGA 400
RLG2C	
RIG2D	
RIGZE	
RIG2F	
RLG2G	
RLG2H	
RLG2I	
RLG2J	
RI G2K	
RLG2L	
RLGZH	

	487	485	477	455		489	467	464	484	\$30	459				586	584	576	554	579		588	566	280	564			558		
Figure 1	410 420 430 450 450 460 450 460 490 800	•			ACCACAAGCACAAATTIGTICOCCAAATTITIGTAGAAAGTTTTIGACCCCAAGCTICCA-TIAAATAAGAAGAAGAAAGAAAGAAAGAAAGAAAGAAAGA		TOTAGA GALA CONTRICTO COCCA GTTTGC AAAAA TOCOO GATAATAGCOO GATAAAAA TOTAGA TOTAGA TAGA AAAA GATAATAAAAA TAGAAAAAA GATAAAAAAAA		TOTICARGGARANGTITOT-COCCONTITIOT-CAST TRANSPORT TO THE TOTICARD TO THE TOTICAR	AGAGAMGANITII II	HU FACE AND THE SECOND OF THE STATE OF THE SECOND OF THE S	RLG2H AGCAGAAGCICAAAGICIGIICCAAGAGGGGGGGGGGGG	(A) DEM (M) (M) (M) (M) (M) (M) (M) (M) (M) (M	TOTIO CONTOTACCATICACATICACATICACATICATICATICACA	510 510 530 530 530 530 530 530 530 530 530 53	TOTOG-GGGTCTACCCATACACACATACACACATACACACATACAT	TOTIG-CGGTCTACCTATTCCATAAAACCATGGATTATAAAACCATTTCAAAAACCATTTCAATTC	TGTTG-CGGTCTRCCATTGCCATCALAAACCATGCCATGCATGCATCATCATGCATGCATGCATGC	TGTTG-CGGTCTACCCATTGCCATTTACACTTCACTTGCTTGCTACTTTTAGACTTTCATTGCATTGCATTTTTAGACTATTAGACTATTAGACTATTAGACTACTATTAGACTATTA	TOTTE - TOTTTACCTATTOCCATTOA CONTINUADA IN THE CONTINUADA CONTINUA	TOTITI-COSTCICCANTICCIPALIDAMENTO IN TOTITION OF THE STATE AND ACCOUNTS AND ACCOUNT	TGTCAAGG-TTTGCCCATTGCATATAAAACAAAAAAAAAA	TOTCAAGG-TTIGCCCATICCATICCCATICCCATICCCATICCCATICATI	TOTCAAGG-TITICCCATICCCATICCTITICCTATICCTITICATICA	TOTOM COSTITUTE CATTOCCATTIC CONTINUE AND A CONTINUE AND A CONTINUE AND A CONTINUE C	TOTOG-16STCTROCKTINGCHAILPANANCH INC. TO TOTOG TOTOG TO OG TO OG TO OG TO TOTOG TO TOTOG TO TOTOG TO TOTOG TO TOTOG TO TOTOG TOTOG TOTOG TO TOTOG TO TOTOG TO TOTOG TOTOG TO TOTOG TO TOTOG TOTOG TOTOG TO TOTOG TOTOG TO TOTOG TOTOG TO TOTOG TO TOTOG T	TETTG-CGJICTRCLITACTITIC TO THE CONTROL OF THE CONT	HZZH TGTTG-CGATCTACCTATACTACTACTACTACTACTACTACTACTACT	

890 890 RLG2B RLG2C RLG2B RLG2C
		271		1071	1245	1264	1269	1282	0971	1274	0071	777	177	683				371	1375	1367	1345	1364	1369	785 1	1360	1374	1358	1374	1349	
Į,	1300															ğ	1400													
CTTIC						Crimo	CITIC							5		ATCC		ATGG	200	AGGG	NOCO	5	ACCA.	ATGG.	7100	200	5			
CTCAG	1290		3	2	CICAG	CITTAG										LAGAA	1390	PAGAT.		LACAN	AGAA	NCAN.	CACAA	AGAT	FAGAT	202	TAGAT	ACAT		
AAGTC		AAGIC		2	AAGIG	AAGIG	AAGIG	More	PAGIO	100			֓֞֝֞֜֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	5		COLY		CGTA	COTA	CCTA	CCTA	CCTA	CCTA	CCIA	Š	2	COTA	COL		
BURGERS SOME SOME SOME SERVICE TO BE SERVICE TO SERVICE TO BE SOME SERVICE TO SERVICE SERVICE SERVICE SERVICE TO SERVICE SERVICE TO SERVICE S	1280	ICTAG	ACCAACATTCGGGGCTTCATCTCACTGATTGTTCATTAAAGATGTTTGATTGCTTCTTCTTTCGGAATCTATCGAAGTCTGTCGA	ACCAACATTCGGGGGCTTCATCTCACGGAATGTTCATTAAAGATGTTTGATTGCTCGTGTATTGGAAATCTATCGAAATCTGGAAGTCGTGAAGTGCTGAACTTTGCTA	accaacattegggroctteateteactgaatgtteattaaagatgtttgatttga	<u>ATCAACCTTCGAGTGCTTCACCTCCATCGATGCTCATTAATGATTGAT</u>	accatecttegagtigetteatetecatgaatgtteattaaggatgtttgattigattteatteaateggtattettaeaekitgaagtgeteagetttigeta	accaogticgagiocticateteathacigticattaagaigtitgatichticatitgaaathaciaakaaaathacha	actaacsticgagiccticatciccattatigitcattaagatstitgaticcicticaatigstakictictaariiksaasigcicaestiikcia	accaacctrogagigctroatctocatgaatgtroattraggatgtttgattgattgotcttoaattgstaatctroagcatgaagigctragctitigcta	ACTA A CONTROL OF THE ATTAINED	ACCARCCTICATESTICATESTICATESTICATION CARISTITUTION INCLINATION INCINATION	ACCAACCTTCGAGTGCTTCATCTTCATCGCTGTTCATTACGGATGCTTGATTGCTCTTTTTTTT	accaacattogggtgcttcatctcactgaatgttcatttaaagatgtttgatttgattgctcattcat	《《《新》》, 1988年,1988	A THE TRICK THE ANTIGET TACET THE CALLED GRAND THE GRAND CHANGET ACT TEATTHE ACARATHET THE GRAND STAT THE GRAND THE GRAND STAT THE GRAND THE GRAND STAT THE CONTROL THE CONTRO	1380	ATTETECCATTOACCOGTTECCTTCCACAATCCGAAAGTTGAAGAAGCTAAGGCTACTGGATTTGACGAATTGTTATGGTGTTCGTATAGATAATGGTGT	ntteteacatteaatgottaccttecacagteagaaattaaagactaagettactteaagattifigteatgotececotatagaagatti	ntectigcaticagetraccticcacggeagateraaaagctraggetracteatiticagaterickiteteatectccstatagacagges	VITCTCGCATTGAATGGTTACCTTCCACAGTCAGAATTTAAAGAAGCTNAGGTTACTTGATCTGAGTTTTIGTGATGGTCTCCGTNTAGAACAGGGTTT	aatetggcattgaatggttaccttccacaataggaaatttaaagaagctaaggttacttgatctgagagattgitatggtcttcgtatagaaaaaggtgt	attetageattgaattgttacettecgtaattggaaatttgaagaagttgcggetgctagatttgacaaltttgacaaltgttatgeaattgstgatgaataagaatgt	attictaacattigaatigottaccatictacaattigaaaattigaagagctaaggictactagaattituacaaattigacaagtictitojatagataatustist	ntictaacatigaatggitaccatctacaatiggaaatitgaagagctaaggctactagattitgacaaatigtaaggicttcctatagataatggigi	V TTCTGGCATTGAATGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGCTACTGGATCTGACAGATTTGTGGAGGTCTTCATATAGATAATGGGG	attetaacatteaategttaceatetacaattegaaattteaagaagetaageetactagattteacaaattetacaageeteetegtatagataategtest	NTTCTGGTRITTGAGTGCCTTCCACAATCGGAAATTTGAAGGGCTAAGGGTACTAGATTTGACAAATTGTGACAATTGTGATGGTCTTCCTATAATTAAT	ATTOTOGOATTON GOGGATACCTTON GOATTOTOGOATTOTOTOTOTOTOTOTOTOTOTOTOTOTO	
TTCAA		TCGA		3	ICCAA	LICAN	5					3	5 C	4		TATE		TEATE	TCAT.	TATE	TCATC	TATE	TATE	TAAAC	TANK.	3100K	TARK	TGAT	TEAT	
UNITORIO ESSONO ESSONO ESTRETE ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA ESTRETA A CEAA COTTCA AGRETTE A TOTCCA TOA TOTTCA TA A A A TOTTCA TA CATOTA TA CAA A TOTTTA A A TOTA TA CAA A TOTA TA	1270	ATCIC			ATCTA	ATATO	ATCIT	ATCT	ATCIT	ATCTT		מינון אינון	91110	ATCTA		AAATT	1370	CAATT	ATTI	ATTGIN	ATTI	ACATR	MACE	AAATT	MATT	AGATT	MATT	MAATT		
TOCA		1GGA		3	CCCA	Tock	5	TCCTA	1551	TG5T	3	2		4		TICAC		TIGAC		TCAC	TGAG	300	T CAC		DE C	TGAC	TEAC	TCAC		
TCTAT	1260	rcra	ICIA	I SIA	TCTAT	TGTAT	1	TCAAT	3	TCAAT		ייי	1		が必要が	TTGAT	1360	TOCAT	TEC.	TICAL	TICAT	11001	TACAT	TAGAT	TAGAT	TOGAT	TAGAT	TAGAT		
		COLC		3		5				COLCI		5	2			CCTAC		CCTAC	STINC	OLLING	STTA		201120	כלאכ		GCTAC	SCTAC	200		3
# F	1250	FICAC	TIGAT		F		TCAT	TGAT	TCAT.	TCATT	ICAL		IGATI	TGATT		CTAAG	1350	CTAAG	CTANG	S S	ST.	3	1100	CTANO	CTANG	200	CT.MO	CTAAG		2
HOLA TOTAL		ATCE	ATGE	MIGH	F 101	MIGH	MTGT	ATCH	Y LOTA	ATGE	ATGI	A 151	ATCC	ATCIT		ACAAG		AGAAG	NCANG	MAG	AGAAG	AGAAG	ACAAG	AGAAG	AGANG	NONG	AGAAG	ACCAC		2
NATI	1240	FFAGR	TANK.	E SE	TARE .	FFRAT	TANC	TANG.	E E	TANG	ŽÝ.		TACC	TAAAC		TITICA	1340	57.72	WIT.	TTTA	ATT.	MET.	TTTCA	E E	DEF.	EDITE:	ATTENDED.	TITICA		5
# 52 kg		SCICC	Ž	Ž	Ě	ğ	3	ST.	2	Ž	LICA	5				CCAA		CGAN	NO.	200	HCAN.	GGF	CGAA	SCAN	SCAN	CCAN	COAR	200		5
TCAAT	1230	TAAA'N	TCAL	E A	TGAAT	TCGATA	TCAAT	TACH	HATE	TCANT	TATE	CAA	500	TGAAT		CAATK	13.5	GAR	S S S S S S	2000	CAGIC	CAATA	TAAT	CAAT	CAAT	CAAT	CCAAT	CAAT		2
		S.	200	ğ) J	ğ	200	Ď	ğ	200	20		Š	Į.		TICC		DOE:	90E	200	2001	9	HCC	NICT N	STATE OF	STCT.	NATOTA!	5		2
30	1220	TACATT	110		Š	Ď	TECH	TC.	5	TCAN	S		5	200		TTACK	1320	ě	TTAC	STTACC	TTACC	TTAC	TTACC	TTAC	TTACC	STTACC	TTACC	TTGCC	TATAC	3
		CGTGT	9	9	9	AGTGC	AGTOC	AGTOC	2000	AGTOC	AGTOC	10101	MOTOC	20100		MATO		SACCO	SAATO	S S	MATCA	PAATCK	TATE	HATC	SAATO	BAATCK	PAATG	AGTOR	SANCO	Ş
	1210	CTROG	ATTCC	200	ATTCO	CTTCG	20110	GTTCG	2015	CTTCC	2015		200	Affico		SCATT	13.0	10	AC TH	E S	CATT	Ě	CATT	ACATA	CATT	SCATT	ACATTA	TTATE	E	Š
		TCAAC	3	3	SEA	10,000	5	CCANO	CTARO	CCARC	CTANC	3	3	CCAAC		DICTO		TICIC	TCTC	FF	PICTO	MOTO	TICTA	FICT	HOLE	PICTO	TICTA	TCTC	DICE	
<i>≅</i> <	1	u,	<	<	æ	«	«	«	æ	Æ.	~	~	Ä,	Ā	×	*	ı	×	×	×	×	Z	*	×	×	×	×	×	Z X	<
		æ	æ	ບ	۵	ы	ČL.	c	¥	H	,	¥	s.	Σ				م.	æ	٠,		6.7		,,,		_	_	ų	. و	•
		RLG2A	RLG2B	RIGZC	RI G2D	RIGZE	RIGZF	RLG2 (EG2	RLG2I	RLG2	RLG2K	RG21,	RLG2M				RLG2A	RLG2B	RLG2C	RLG2L	RIGZE	RI G2E	RLG2C	RL02	RLG21	RLG2J	RLG2K	RLG2L	KLGZM

	417	475	417	1411	1432	1437	1466	1420	1442	1449	1423	1398	1441		5	25.	1500	175	32	38	1466	20	42	74	33	98	141	
1500	-	֡֝֝֡֜֝֡֜֝֜֜֝֡֜֝֡֜֝֜֜֜֝֡֜֜֝֡֡֜֜֜֝֡֡֝֜֜֜֝֡֡֝֡֡	-					• -							,	¥ ;	= =		Ť	14	Ξ	=	ž	Ξ	7	=	7	
-	CTTAAAAAATTIGGTCAAACTGGAGGAGCTCTATAT-GACAGTGGTTGATCGAGGTCGAAAGGCGA	CTTGAAAAGTTTTGTCAAACTTGAAGAATTTTATAGGAGATGCATCTGGGTTTATAGATGATAACTGCAATGGGATGGCAGAGGGTTTTTAGAACTT 1475		CTTGAAAAGTTTGGTCAAACTTGAAGAATTTTATATTGGAAATGCATATGGGTTTATAGATGTAATAATAA		CHIRDADADTHINE INDIANCHINE AND THE THINTED AND THE CONTRACTOR TO THE CAST CONTRACTOR TO THE	i			CTIMANANATITICATCANACTITICAGAGCITITATATOCOTGTTA-ATCGTCCGTATGGACAGGCCGTTAGCTTGACAGATGAAAACTGGCM	CCITARGARATICOTGARACTICARGARCTITATAT	LI INNANALI I I KANIKANCI IVAKKAMCITI ITATATI KSANITOSA INTOKATITA KANIKA ITATA KANIKA KANIKA KANIKA KANIKA KA CHILINANA KINITATI I KANIKANA	ပ္ပ် S															
	7	Ş		į			•			į		i	Ē															
149	į			į		Ė	AAA			*	į	Į	Ş															
1470 1480 1490	9	ğ		-	4	8	ST.			Ę		4	A															
.8	G	3		;	GTA-	Ş	S	!		Ş	3		3															
Ă	000	5		:	A-Ac	11-	E		Ę	E	Ĕ	2 4	5															
_	8	ğ		¥.	¥.	1	Š		ģ	TAG	ğ	Ž	3															
1470	1	5		-	:	ð	Ė		ģ	Ė	i	38	3															
	-	TARC:					ğ	_	9	ğ		֝֝֟֓֞֝֟֓֓֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֡֓֡֓֡֓	5															
.0	AT-TA	ğ		ģ		į	ğ	Ş	SE	Š		Ė	3															
7	9	LTAG		TAG	TAG	ڹۣ	TATE	TAT	E	TAT.	ð	3																
1410 1420 1430 1440 1450 1460	Ė	E		E	E		Š	ğ	FE	ğ		Ė																
1450	Ī	8	g	100	TAT	Ĭ	Ĭ]	Ĭ	Ĭ		2	3															
	į	ă	ă	ğ	CAG	[- A 7	-ATK	TA-	- ATC		Ş,	֝֝֝֝֡֝֝֝֝֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֓֓֓֓֡֓֡֓֡֓֡֡֡֡֡֡		14	٥.	۰۵		_	۱.				ſ	`	۸_		
₽.	5	Š	AAT	A TAN	FAGAC	NAT.	E	È	Ď	Ē		744	5		2	10	111	. × .		2			1/2	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֓֓֓֓֡֓֓֡	ر ا د	لم	39	-
7	3	5	E	B	100	ž	5	500	5	Ş			3		8	?	(₹	3	₹.	₹			7	\	ο, ξ.	E	3	
	FATA	IATA:	FATA	FATA	PATA	N.I.V.	TATA	ATA	'ATA1	ATA	ATA	ATA			ľ	Ĺ	10	L	4	7			7	7	- Seo TD NO: 31	ŭ	\mathcal{B}	
1430	Š	E	E	Ē	5	Ë	Ę	Ę	Ę	Ę	E				É	3	100	80	200	Ğ			1	3 1	000	S,	3	
	ğ	AGE	3	200	AGA	MEN	AGAG	AGAG	AGAG	AG AG	S S	A SEA	Ş	ᇒᅿ	5	,	, 1	,	•	•			`	?	,	,	2	
2	Ď	É	Ē	E	E C	Ē	125	Ĕ	É	É		400 100 100 100 100 100 100 100 100 100	5	000	j L			£		TA - SEB				5				
7	ZYY.	MAG	AAAC	AAAC	AAA	MARC	AAAC	MAG	AAAC	3	AAAC	֓֞֝֝֞֝֝֞֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	5		1520	Ì	5	į		į				E				
	5	Ĕ	ğ	g	8	E	g	g	25	Š				0000	į	Ì	5	į		į				Ş	ß			
410	Z	E	Ę	E	ATT	Ē	Ę	H	E		5		:		1510	2	§	į		į		١		5	3			
_	Ž	\$	3	Ž	AAAA	2	¥	A B	3	3	2	AAA			7	ATT A				i	73	7	1	2	Ş			
	Ě	Ę	CTTCAAAAGTTTGGTCAAACTTGAAGAATTTTATATTGGAAATGCATATG	Ę	ci'igaaaaatitogtgaaaatigaaggriitatatiggtagagggggatat-titatagataga-agta-a	=	ci'faaaaatttogtcaaacttgaaggctttatatggtgtta-atcgrecgtatgggcgttagcttgagaa	CTTAAAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGTGTTA-ATCATCCGTATGGACT	CITAAAAAATTIGGICAAACTIGAAGGCITTATATGGGIGCIA-AICGICIGITIGGAAAGTGCCATT		₹ ;	CHILIANAACHIITEECA CHICAAACHIITATATTICCACAATCCATTCCATTAACAATCCATCCAGAA CHILIANAACHIITEECA CHICAAATTATTICCACAATCCATTCCATTAACAATCCATCAATCCAGAAATCCATTAAAACHIITAAAACHIITAAAAATAAAAAAAAAA	!			7	92:00 GT P35 "	;		1	5.5 5.5	5		TOGRAMICSCAGANCCITITICACA - 5 F O F C/WO 3 S	TCGATATCAAAAGC		PEULD NO:39	
	-,		_	-	_	-	_	_	_	٠ ر		پ ر	•	a ×i	•	t	•	١		'i	i.	ŭ		F i	F		ı	
																				1	RG2G - SEG TO NO: 33	RIGSH - SE						
	RI G2A	RLG2B	RG2C	RI G2D	HG2E	71.12F	E 4.2G	RLG2H	NG2I	KI G 23	74.62R	NG2H			RG2A	RI GOB	RIGSC	RIGZD	RIGZE	RIGZF	330	H7:	175	777	K 62.	1707	rito2m	
	Z	컾	Z	Z	Ξ	Ξ	Ξ	굺	2	₹ 2	2 8	2	į		¥	ž	E	RΙ	ž	ž	ž.	ž	ž	ž	₹ }	2 2	₹	

1 VERWOLLANDS NORTH WELLEN WITH THE STATE OF T ESTITATION OF THE STATE OF THE

protein in-varverisyning gesensite acid pediniteranite In I FM--1 UNGVERHSYTH QURETKETET I CERPTEDEDI LEFENIYONGNET RI FRKVYTI GEANTHI AYCT FHLLIFIRI J MEVIYORGI KHIIIN URAFVI. DEETHSIFIMCGLFPEDFDIPTEELMYYGMGIAGLPRYYTIREARNRLATCIERLVQTNILIESDDAGCVRAADLVRAF RLG2C RLG2D RLG2E RLG2F RLG2H RLG2H RLG2U RLG2U RLG2U RLG2U RLG2U

390 391 389 381 389 394 391 CONTRIBUTION OF THE PROPERTY O A protein DHYSKVBIASIANISH—TIZHARIN—JUGGGGLGIJTYCGHER PULLER PRITILIZAHEDISI AF PYAY YEDHEZLAI SYDGAYYPLIPSSPQYS

protein GHYSKVBIASIVNISH—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA HYSYDGAYYPLIPRAPCS

protein GHYSEVBIASI VNIGN—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA JUSTSTGAYYPLIPRAPCS

protein GHYSEVBIASI VNIGN—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA JUSTSTGAYYPLIPRAPCS

protein GHYSEVBIASI VNIGN—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA JUSTSTGAYYPLIPRAPCS

protein GHYSEVBIASI VNIGN—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA JUSTSTGAYYPLIPSILPCS

protein GHYSEVBIASI VNIGN—HTGAPDRINHTVISCKRISIJTYCGHER PVOLFFRATILIZAHIGDKSI AF POPYBEAELA JUSTSTGAYYPLIPSILPCS

protein HTFSEVQUASI VNIGN—HSBAPBNO—TSSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKLAMYPLIPSILECS

protein HTFSEVQUASI VNIGN—HSBAPBNO—TSSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKLAMYPLIPSILECS

protein GAFSEVBIASI VNIGN—HSBAPBNO—TSSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKLAMYPLIPSISLECS

protein GAFSEVBIASI VNIGN—HSBAPBNO—TSSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKLAMYPLIPSISLECS

protein GAFSEVBIASI VNIGN—HSBAPBNO—TSSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKAMYPLIPSISCES

protein GAFSEVBIASI VNIGN—HSBAPBNO—HNOSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKAMYPLIPSISCES

protein GAFSEVBIASI VNIGN—HRGATRUD—HNOSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKAMYPLIPSISCES

protein GAFSEVBIASI VNIGN—HRGATRUD—HNOSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKAMYPLIPSISCES

protein GAFSEVBIASI NNIGN—HRGATRUD—HNOSCARISIJTYCGHSEFPROLFFRATILIZAHIGDKSI AF POPYBEACAQVI SYDKAMYPLIPSINGS

protein GAFSEVBIASI NNIGN—HRGATRUD—HNOSCARISIJTYCGHSEFPROLFFRATICA AF POPYBEACAGA NIGNATA POPYBEACAGA RLG2B RLG2B RLG2C
	479	472	471	411	488	472	480	479	478	465	480
「中央語彙の音を表現を必要を表現を表現を表現を表現を表現を表現を表現を表現を表現を表現を表現を表現を表現を	HIGSA PROFESIA VHILIVEHI JIKCSI ZAHENI EVIZSENIENI EVIZSENISH IBRI JERITARA VORI I INSULKKLUKI EELYMIVU ····DRGRKAI. RICSA PROFESIA TATRICI JI TECSI KHEDOSSI GALSALSI SAANSH EBIR SIVRALKI ALLDI RECDGLAL BOGVIKSEVIL EEFYIGDASG-FIDDAC	RIGGC protein Thirvilhitecsikhedcscignismlevispanscibilpstynnikkalidislickgulrieggvikslyklestytgray	HUZE D FOREIT ININVIALIZEZIANEDESCIONALMIZZEZIANE DESSINALMIZZEZIANE PROPERTIENE SINALMIZZEZIANE DESSINALMIZZEZIANE DESSINALMIZZEZIANE DESSINALMIZZEZIANE DESSINALMIZZEZIANE DESSINALMIZZEZIANE PROPERTIENE SINALMIZZEZIANE DESSINALMIZZEZIANE DE	RIGIS PROCEED TILAVIILIECSIANFDCSSIGNIANEVISFANSSIELLPSVIGNIAGGALDLINCYGVRIEGDVIANIVAGEELYIANGLPVYRG	RIGGG procein tnyrvlighycslrhfdcssighilmevlsfansniewlfsthgriagalldinykgleridnyrighinykgeelykg-vnrpygQavslyde	RIG2H Drotein TNVRVIIIINYCSILRHFDCSSIGHILAMEVLSFANSNIEMIPSTIGHIAGARILDIANKKGIRIDNGVIANILVIAEEI.YMG-VNHPYG	RIGSI DIOLEAN THE AVIALIFICSE ARE DESSIGNED AREVES FEARS GENEVET GOT AND AUGULD DESCRIPTION FOR AVIALIFIC SELVED ANNUF GENEVACE ANNUF GENEVACE ANNUF FEARS OF THE PROPERTY OF	RIG31 DECE IN TRIVILLIFICSI REFDCSSICELLIMEVLSFANSNI EMLPSTICHLINGALI DLINCKGI RICKOLIOLICHKA EELYNG-VARPYGQAVSLID	RIGE BEACH THIRVILLHOCSL-MEDCSSIGNIALISENSGIENTPSTIGNIAGENVIDIANCOGRIDNSVIRGAVAGENTHESPER	RIGHT DE DE DE DE DE STEINTE DE SET GALLANDE SET DES L'OAL AGLE LA GREVEL E GOVERNINE DE LES L'Y GAR-SAFROYNCABA	FLG2M protein thirvihitecslanfdcssignlenlyfansxiewxpspvgalkkirildikk-cdxlpxeqgaviktfvhkxnixm-rpsg-fykenchrardlst

 $W_{\rm L}(t)$

٠.
C
≈
_
\mathcal{O}
∵~
ч
\sim
٧.4
16.
B
S
·

	TOTAL CONTINUES OF A SECRETARIA S
	_
AC15-2A	
AC15-2B	
AC15-2C	
AC15-2D	
AC15-2E	
AC15-2G	
AC15-2H	
AC15-21	
AC15-2J	
AC15-2L	
AC15-2N	
AC15-20	ATGTACAGACTGATATTTTGTCAGAGGGAAGTGAAATTACAAGAAGTCACTGATACTATITCTAATGTTGTATTCACATCGTGTCTCATACA 455
	CHARLE AND A CHARLE A CHARLE A CHARLE A CHARLE CHAR
	المراقب
46.3104	
AC13-20	
AC13-40	
AC13-60	
AC13-40	CONTRACTOR OF THE STATE OF THE
AC13-4E	
AC13-20	CITITIES IN THE CONTRACTOR OF THE PROPERTY OF THE STATE AND THE STATE OF THE STATE OF THE STATE
AC13-48	CITETITICAL MACCARACTE INCOME SECRETARIA SECRETARIA SETEMBERA SETEMBERA SETEMBERA SECRETARIA SECRETARIA SE SE SECRETARIA SE SE SECRETARIA SE
AC15-21	
AC15-23	
AC15-2L	
AC15-2N	
AC15-20	CHOTTER TRACEA COLOCOTRADA CITOLA CITOLA CITOLA GOA GOA GOA GOA GOA GOA GOA GOA GOA GO

FO ID NO:

TMGTACTIGITITICACCICICAGGS - 66
TMGTACTIGITITICACCICICAGGS - 67
TMGGTACTIGITITICACCICICAGGS - 57
TMGTACTIGITITICACCICICAGGS - 67
TMGTACTIGITITICACCICICAGGS - 6/
TMGTACTIGITICAGGS - 6/
TMGTACTICAGGS - 6/
TMGTACTIGITICAGGS - 6/
TMGTACTICAGGS - 6/
TMG

SEQ ID NO:68

RIG3 (real RIG3) [Strand]

	AATGGCAAAA		~	COMPCICEN	COLD DEPOTO A CO	TO A CONTRACTOR	CCTACATOTC
1							
71	ACTCAAGCAC						
141	AGAGCTTGTT						
211	AGACGATATA						
281	GGCTGCAAAA						
351	AAATACGAGA	AATGCCACTG	AATGAAGCAT	GGCTTCTTTT	CGAAAGAACA	GCTAAAAAAG	CTCCGAATCT
421	CONTRACTO	CCANCACATA	TOCTOGACGA	CHARTCHART	C		

RLG4 SEQ ID NO:69

1	GAATTCGGTG	TTGGTAAGAC	AACTCTTGCC	TCTTCTGTTT	ATGATGAAAT	CTCTAGCAAG	THESTERATOR
71	CCICCTITCT	AAAAATATCT	GGGAGGAATC	AAGTAATAAA	GACCGTATAG	AAAGATTCCA	ACAAAAAA
141	ATTTGTGATG	TTTTGAAACA	AGAGCAAGTG	GGCGTAGGGA	GAGTTGAAGA	ACCARACTO	ATTENTABACT
211	ATAGGTTACA	ACATAGAAAG	GTATTGATTG	TGCTTGATGA	TGTCGACAAC	CLICACCACC	TACCOTACAAC
281	AGTTGGCTGG	ATCACATGAT	TGGTTTCGTG	AAGGTAGCCG	CATAATAATC	ACABCTRORAG	TACCTUMENT
351	ATTAATTGCA	CACAAAGTAG	ATGTGATACA	CAATATAACC	THE PARTY AND A	ACCAMENACE	WIGHNEYIGI
421	TTCTGCAAGC	AAGCACCACG	GGGTCACAAA	CGTATACAAG	ATTATCACCA	VCGUTOWAGE	CATCATCTC
491	CTTATGCTGG	TGGGCTTCCA	CTAGCACTGT	CGAC	ATTATIONUCA	ACTITIAAAA	CATGIGGTTF

SEQ. IO NO: 70
[Strand]

L	ATCCTAACCC	TTCGTACGAG	ANCGCTGTCC	CTCCTTCATC	TTTTGTCATA '	ICICATATIC '	TCATNINATTS
71	TGCCACATET						
141	TTTATTGAGT						
211	CATATAATAT	ATAGATTAAA	ATCATATAAT	ACATAGGTTA	LACTCATATA	ATACATATGT '	TCATCCCCAG
281	TTTATTTATA	TGTCTCATCC	TTAATTTATT	TATTATTAT	TTATTAGAGT	AGATGATCIT '	TGTGATATTA
351	AAAATTTAAA	TTGTTCAAAA	TTTAAAATTA	TTAATAATCC	CACAATITGA	ATTAAAATTAA .	AAAAAATGGN
421					TGAGTATTCT		
491					ATTTGCGTTC		
561					ATGAAAGGTG		
631					TGTACCACCA		
701					TCCTCATGGG		
771					GAATTTTTAC		
					TICGITGAAA		
B41					ATTTAATCCA		
911							
981					TIGATAATIG		
1051					ATTAAACGAT		
1121					CTTGAAGAAG		
1191					ATCCAAGATC		
1261					ATCTCCAACA		
1331	ACCTACTICA	TGATYTTGCA	ACTGAAGCTG	TICAWCGIGA	GTTGACCGAG	GAGGGTGGAG	CCTCCTCCAG
1401	TATGGTAAGA	AAACTAATCC	CAAGTTGTTG	CACAAGTTTC	TCACAAAGTA	ATAGGATGCA	TGCCAAGTTA
1471	GATGATATTG	CCACCAGGTT	ACAAGAACTG	GTAGAGGCAA	AAAATAATCT	TGGTTTAAGT	GTGATAACAT
1541	ATGAAAAGCC	AAAAATTGAA	AGGTATGAGG	CCTCTTTCCT	AGATGAAAGC	CCTACTCTCC	GACCTGAAGA
1611	TGATAAGAAA	AAATTGCTGG	AGAAGCTGTT	GGGGGATAAA	GATGAATCAG	GGAGTCAAAA	CTTCAGCATC
1681	GTGCCCATAG	TTGGTATGGG	TGGAGTTGGT	AAAACAACTC	TAGCTAGACT	TITGTATGAT	GAAAAGAAAG
1751					TGATGAGTTC		
1821					GAAGACTTAA		
1891					ATGATGTGTG		
1961					AAGTAGAATA		
2031					CIGGAGGGTC		
2101					ATTCACATCC		
2171					AAGAACACTT		
2241					ATATGGAGGT		
2311					CITICAACCI		
2381					TCTATIGIGG		
2451					GAATATTTT		
2521					TGCATGACCT		
					r GAAGAAGGAA		
2591							
2661					A GGTTACAAAA		
2731					G TOGTAGAAGA		
2801					r GTTAAGGGT		
2871					C TTGCGGTATY		
2941					T TACARACCC		
3011					A TTTGCASCAT		
3081					a artetacaai		
315					g ggaaartti		
322	l TGGAAAATG	C MOTTICGATC	C ACCITAAGO	G AACTTGTCT	C A: AAAAAGG	r twaatgarti	r anaaactggr
329	WTKGGGGGT	G ATRAATTTA	A TOTTTTCCG	A AATGGGAAC	a citgaaaaa	A NAAGGTCCTC	: AATGAATTGA
336	ATGCCTCAT	A ATGGTAYTC	Y AAMWAARRR	y yywtarwwa	T TWMGKAWRR	K GKGTTYATRI	R TKTTMYRAAW
343	WAGRGTKIT	R KARGTAGGT	T TCATCCAAT	C ACCCAAGTG	G GAAAATAGA'	r gatatitic	a gggcytactg
350	1 ATGAGATGT	G GAGAGGTAT	G ATAGGGTNT	C TTGGGGCGG	T AGAAGAAAT	A AGCATCCAT	r chigiaatga
357							A GITGGATITA
364							T AGTGGGAGCA
371							T GTCCAGATAG
378							G AGGAGGACAG
385							A CGAGAGAGGA
392							C CAAATCTGAA
392							C GAGTRIGGAG
406							G CGATTTTCGT
-00		- were and	" accumustry		m -vantemm	- anamarica	

RIGI-E169 [Strand]

4131 ACGAACGGTT ACGATTCGAC TGGCCGTCGT TTT

Further Characterization of RG2 Family Members:

5

10

15

20

25

30

Further sequencing of cloned RG2 polynucleotide sequences, as discussed above, identified additional RG2 species, listed below. Additionally, further sequencing of the 5' sections of RG2 sequences listed above resulted in modified and/or new sequence information, also listed below. The AC15 sequences found in the 3' sections of RG2 family have not changed.

Listed below are: four full length species, RG2A, RG2B, RG2C and RG2S; two near complete, but with a gap in the largest intron, RG2D and RG2J; three nearly complete RG2 gene sequences, RG2K, RG2N, and RG2O. The deduced translation products (polypeptides) encoded by these RG2 species are listed below. The polynucleotide sequences do not contain any gaps (as with some of the polynucleotide sequences), because all of the gaps in the sequences are in introns, *i.e.*, there are no gaps in exon, or coding, sequences.

They include: an RG2A polynucleotide sequence (SEQ ID NO:87) and its deduced polypeptide sequence (SEQ ID NO:88); an RG2B polynucleotide sequence (SEQ ID NO:89) and its deduced polypeptide sequence (SEQ ID NO:90); an RG2C polynucleotide sequence (SEQ ID NO:91) and its deduced polypeptide sequence (SEQ ID NO:92); an RG2D polynucleotide sequence (SEQ ID NO:93) and (SEQ ID NO:94), and its deduced polypeptide sequence (SEQ ID NO:95); an RG2E polynucleotide sequence (SEQ ID NO:96) and its deduced polypeptide sequence (SEQ ID NO:97); an RG2F polynucleotide sequence (SEQ ID NO:98) and its deduced polypeptide sequence (SEQ ID NO:99); an RG2G polynucleotide sequence (SEQ ID NO:100) and its deduced polypeptide sequence (SEQ ID NO:101); an RG2H polynucleotide sequence (SEQ ID NO:102) and its deduced polypeptide sequence (SEO ID NO:103); an RG2I polynucleotide sequence (SEQ ID NO:104) and its deduced polypeptide sequence (SEQ ID NO:105); an RG2J polynucleotide sequence (SEQ ID NO:106) and (SEQ ID NO:107), and its deduced polypeptide sequence (SEQ ID NO:108); an RG2K polynucleotide sequence (SEQ ID NO:109) and (SEQ ID NO:110), and its deduced polypeptide sequence (SEQ ID NO:111); an RG2L polynucleotide sequence (SEQ ID NO:112) and its deduced polypeptide sequence (SEO ID NO:113); an RG2M polynucleotide sequence (SEQ ID NO:114) and its deduced polypeptide sequence (SEQ ID NO:115); an RG2N polynucleotide sequence (SEQ ID NO:116) and its deduced polypeptide sequence (SEQ ID NO:117); an RG2O

polynucleotide sequence (SEQ ID NO:118) and its deduced polypeptide sequence (SEQ ID NO:119); an RG2P polynucleotide sequence (SEQ ID NO:120) and its deduced polypeptide sequence (SEQ ID NO:121); an RG2Q polynucleotide sequence (SEQ ID NO:122) and its deduced polypeptide sequence (SEQ ID NO:123); RG2S polynucleotide sequence (SEQ ID NO:124) and its deduced polypeptide sequence (SEQ ID NO:125); an RG2T polynucleotide sequence (SEQ ID NO:126) and its deduced polypeptide sequence (SEQ ID NO:127); an RG2U polynucleotide sequence (SEQ ID NO:128) and its deduced polypeptide sequence (SEQ ID NO:130) and its deduced polypeptide sequence (SEQ ID NO:131); and, an RG2W polynucleotide sequence (SEQ ID NO:132) and its deduced polypeptide sequence (SEQ ID NO:133).

Characterization of New RG Family Groups and RG Species:

Further BAC insert characterization and sequencing, as discussed above, identified new RG polynucleotide sequences. The new sequences were characterized as belonging to new RG families; designated RG5 and RG7. These RG polynucleotides sequences, and their predicted translation products (the polypeptides which are encoded by these sequences) are summarized and listed below.

Identified and listed below is an RG5 family member, designated as the RG5 polynucleotide sequence set forth in SEQ ID NO:134, and its deduced polypeptide sequence (SEQ ID NO:135). This sequence contains an NBS region sequence.

Also identified and listed below is an RG7 family member, designated as the RG7 polynucleotide sequence set forth in SEQ ID NO:136. No deduced polypeptide sequence is given for the new RG7 family member as this sequence appears to be a pseudogene.

RG2A polynucleotide sequence (SEQ ID NO:87)

5

10

15

20

25

AAAGTTCATATCCAAGCTTGCCCTCCAACTCTAGCTCCTTCAATGGCACC
TCCTTCTCTCAAAAGCACACAAGAACACTTTCAAGCTCAACCACACTCA

30 CACAAGCTCTAGAACGAGGGTTAGGGCACATTTAGGGTTTTGCTCTCTGG
AAATGGTGTCTAAAAGTGAGGCCATAATGTTCCTTATATAAGGCTCACTC
CCACAATTAGGCTTTCAATCTGAACGTANTACGCCCAGTGTACACTATGG
TACGCCCAACGTACTCGGTAGTCTCCGCGTCAANAATACACTCATGAGTA

CGCGCAACGTACTTTCCCTTACGCCCAGCGTACTCAAAAGCCAAACATTC TTTTCAAGGACTAATTTTGACAACTTGAGGAAAGAAAAGGATCAAAGANA TATACTTGAATTCCGGGATGTTACAATGAAGTTGANACCTTGGCTAAAAA ATTAAATTGGTTGTGGAAGCCGTTGGCTGAGCAAGCAACAAGGGTAAAAT TCGTAATCTACAAATGGTGTTATTTTCTATTTCTTATTATTTTACTT 5 GATTTACGGGTAGTTTTTTTTTTTTCTTACAAAAAATATTAAAGTTGATAAAG TATAGCCACTAAAATTGACTTTTTCCAAAACATAATGTCAAATGGTGCGT ATATGTATCATGTTGTATTANATAATGAATATGATGATNCTGTTCTATTT AANCCGAAAAAATTATCTAATGATTTTATATTGGAAAACAAAGTTGTGAT TTTTNGCATAATATAATCAAATCCNCTTTTGTNTGGGAGGTGGATAAATG 10 TGGTAAATTTANAACAAGTGTTTTNACNTTGAAGGGTNTGGAAAGGTTGA AAAAAGTTAAAATGATAAAATGTTTACACAAATGTTGTATCCGACTGAAT ATNATGTTTAAGGATNATTGTATTAAATTGTTGATATATAGTAAGCATAA ATATTTAGAATTGTGACTTAAATTTATAAGTTATNCNAACTGGATTGAAA CATTTTTGATATANATTAGGAATGAAAATGAGCAACCCTAACATACTTAT 15 CTTTGGTAGTTTGGTTATTATATTTTTATTANAATATAGAANCATCCCTT TATTTTAAACCCATATTGTGGACGGACTTGAATAAATGGGAAAAATGTAC CTTGCTATTTAGCACAAAAAAATTATAAAAATGTACATTGCTATTTAGCA CAAACAAAAAAAAAAACTTATCCTTTTTGCATTAGGTCACAAAGAAATA TAAAATGGGAAATGTGTTGCTATTTAATGCACTAAAAGAAACTATTTTGC 20 CTTTATTAAACCGGGTAAACCAATAGAAAAATGGAAGTACATTGTCATTT AGCATGAAAAAAAAAATAACTTTCCATTTTTTGCATCCGGTCACAATAATAG AAAAATGAAAGTACGTTGCTATTTAGCGAAACTAACTTCCTTTTTTCTTT TTGGCATCGTATCATAAAATATAGACTAAAATACGTTAGTTTTACATTTT TAATACATTGAAATGTCTAATCCACATGTTATTCTATAAAAAGGGAAATG 25 TAATTTACTTATTCTTTGATTCTTTGGCTTCTTTTTAGTACCCAAAACAT TTGTAGGGATGTTATAAATTTTGTAATTGTTTTTATGCAAAAAAGTGTTT TTTGTTAACTAGATTAACGAGATTCATTTTTCAGCATTTTAGGAGAAGTT CATCCATCTTTTGGATATGAAGTGCAAGCCAAGTTCTTTAACATGGAATA 30 TGAGGTCCCTATATGCTCAAAAAATAGCAAATGAGAAATTTTTTAAATTG GATCCCCATAAAAGAAAATTTGTTAATGGTTGTTTTAATATTGGTCAATG TGTCCACCGGATGAGCATAATACTAGTTTATAAGGGGTAAAGGTGGGTTT GGTGGGCCCATTTATCTTATTATTTCTAAAAGTCAGAATTAAGTAAAAA AAATTATAAGATAAATACCATAAGGATAAAAAATCATTTTATTTGGACCA 35 AAGACCAAAGTTGTTAAGGGGCTGTTTGTTTTTTTTTTGTGAAGAGCTGTGC AACCACTTTTGTCTGCGCCGCACAGACAACGTGCAGACATATGCCCTCGC AGAGTGTTTTTTTGAAAGTGCGCAGACCAAAAAAACGTCTGCGCGAG GTCATCCTGGCGCATATATGTGTCACTGTCTTCAAAGGTCTTCAGACCTC 40 TTTCTCTTGTAGCTGAAAATGCATTTTTAATCTTTATGACATGAAATTAA TCTTCTTGTTGCAGACTGTGGACATTTGGTCCACCTCTTCTACCGCAGAG

ACTTGCAGATGTGGTCCGCAGACTGCAGACATTTTGGCTTCAAATAAACA AACATCACCTAATTTGACTACACCACACGGACCTCCAATGTAACAAAAAA AAGGTTGAAACAAAGTTGCCTATTTCTCCATATCCAGGGGCCATTTATGT AAGAGTTATCTAAATTTTAGTTCGGTAGATCAGTTCTCACATTTTAACCG GGTAAAGTGTATGTGTGCGCGCGCACCTGAAAGGTTTGAANGTAACTT 5 CCAAACTGAANCAANAATCGATATGAAGTATCAAGTTAGAGGTTCAATTG GTGAAGGAATCAGCTGGAGGTTGGGGAATCGAGCTTCCACTATTAAGGTA **AAATCCATAACCCTAAATGTTGGTACGCTCATATATCAAATTGCGTGTTT** TGTTGAATGAAAAAGCATGCTCAAAAAACCAGTGTAAGGCACGGTATAT GACATATTTATAGTTACTGATAACAAATTATGATAATTTTGGGTTTACGT 10 AAGTTAGGATTCGTACTTCAACCAAATGTAATAGTTTTTGTGAGTCTATC TATGTATTTGGGGAATCACATTAGCAACGGGATTGTACTAGTAATTCGAA AAAGTCTTTTAAATAATTTTCTGTTTATAATTTATGAATAGTTTTAGCG ACATCTAATATTAAATAGAATGTATCTGATATTGAATTAATGTCCTTAAT 15 GTG.AACATAGACCTTTTCCATTTACTAATGCCTAATTATTAGTTTCTAAT CAATAAATTTAATTTCTGTTTTATGCTTCTAAGACAATAAAAATCCATG GATACCAAACCCCCCCCCCATGCCCAATGTCTAAATATTCTTGATGCTTT TGCTTTTCCCTCTTTTCCTTGTTAGTCTATTATTCTGGAGAGTTTGAGAG 20 AGTTTCATACAAGAAATTTCAAGAAGAAAGCAAAGGTCCAGGTATTCTC TTTTCTTAATTATGTATTAACTTACAAGCATTTTTTACACGATCCATGGT TTTTTGTGTATGTTTTCAAATTGAAACTAGATTGGGACTTTTGCCCTTG ATGATTCATAAGATATTGCATGGAGTTGAGATTGTGTAAGAAAAGTGGTG AATAGAAAGAGCAAGTGAATCCAGATATAGTATTGGTAATATATGATGAT 25 GAGATAGAGATATGTTAAAACTGGCTAGAAAATTGTTTTAATTTGAAATT TAGGTTGTTGAATTTGAAAGATACCAAGCTAATAACTAATTAGTTATGCT AAATAGTTATAAAGAACAACAAACTCGTAGTTTTTTTTTCATGATTTTCA ACCTCTTCGTACCAAACTAAATTATAACAAAATTGAATATCATTCTCTGC AATCAATTTTAACTTTTGTTATTATCATCATGTCTAAAATTGCCACAAGT 30 TTATTTCATAGTCATATTGGATTATGAAAGGACTATTTTTACCAATTAC ATCTTTACTTTATGGCCAAAGCTAATACAATCCGACTAAACTAAAGGATT CTATTGTACTAATTTAGGTGCCACCACAAGTAAATTCCTGAAATGGATGT CGTTAATGCCATTCTTAAACCAGTTGTCGAGACTCTCATGGTACCCGTTA 35 AGA.AACACATAGGGTACCTCATTTCCTGCAGGCAATATATGAGGGAAATG GGTATCAAAATGAGGGGATTGAATGCTACAAGACTTGGTGTCGAAGAGCA CGTGAACCGGAACATAAGCAACCAGCTTGAGGTTCCAGCCCAAGTCAGGG GTTGGTTTGAAGAAGTAGGAAAGATCAATGCAAAAGTGGAAAATTTCCCT AGCGATGTTGGCAGTTGTTTCAATCTTAAGGTTAGACACGGGGTCGGAAA 40 GAGAGCCTCCAAGATAATTGAGGACATCGACAGTGTCATGAGAGAACACT CTATCATCATTGGAATGATCATTCCATTCCTTTAGGAAGAATTGATTCC ACGAAAGCATCCACCTCAATACCATCAACCGATCATCATGATGAGTTCCA

GTC.AAGAGAGCAAACTTTCACAGAAGCACTAAACGCACTCGATCCTAACC

ACAAATCCCACATGATAGCCTTATGGGGAATGGGCGGAGTGGGGAAGACG ACAATGATGCATCGGCTCAAAAAGGTTGTGAAAGAAAAGAAAATGTTTAA TTTTATAATTGAGGCGGTTGTAGGGGAAAAAACAGACCCCATTGCTATTC AATCAGCTGTAGCAGATTACCTAGGTATAGAGCTCAATGAAAAAACTAAA CCAGCAAGAACTGAGAAGCTTCGGAAATGGTTTGTGGACAATTCTGGTGG 5 TAAGAAGATCCTAGTCATACTCGACGATGTATGGCAGTTTGTGGATCTGA ATGATATTGGTTTAAGTCCTTTACCAAATCAAGGTGTCGACTTCAAGGTG TTGTTGACATCACGAGACAAAGATGTTTGCACTGAGATGGGAGCTGAAGT TAATTCAACTTTTAATGTGAAAATGTTAATAGAAACAGAAGCACAAAGTT TATTCCACCAATTTATAGAAATTTCGGATGATGTTGATCCTGAGCTCCAT 10 AATATAGGAGTGAATATTGTAAGGAAGTGTGGGGGTCTACCCATTGCCAT AAAAACCATGGCGTGTACTCTTAGAGGAAAAAGCAAGGATGCATGGAAGA ATGCACTTCTTCGTTTAGAGCACTATGACATTGAAAATATTGTTAATGGA GTTTTTAAAATGAGTTACGACAATCTCCAAGATGAGGAGACTAAATCCAC CTTTTTGCTTTGTGGAATGTATCCCGAAGACTTTGATATTCTTACCGAGG 15 ATAGGAGAAGCAAGAACCAGGCTCAACACATGCATTGAGCGGCTCATTCA TACAAATTTGTTGATGGAAGTTGATGATGTTAGGTGCATCAAGATGCATG ATCTTGTTCGTGCTTTTGTTTTGGATATGTATTCTAAAGTCGAGCATGCT TCCATTGTCAACCATAGTAATACACTAGAGTGGCATGCAGATAATATGCA 20 CGACTCTTGTAAAAGACTTTCATTAACATGCAAGGGTATGTCTAAGTTTC CTACAGACCTGAAGTTTCCAAACCTCTCCATTTTGAAACTTATGCATGAA GATATATCATTGAGGTTTCCCAAAAACTTTTATGAAGAAATGGAGAAGCT TGAGGTTATATCCTATGATAAAATGAAATATCCATTGCTTCCCTCATCAC CTC.AATGTTCCGTCAACCTTCGCGTGTTTCATCTACATAAATGCTCGTTA 25 GTGATGTTTGACTGCTCTTGTATTGGAAATCTGTCGAATCTAGAAGTGCT TAGCTTTGCTGATTCTGCCATTGACCGGTTGCCTTCCACAATCGGAAAGT TGAAGAAGCTAAGGCTACTGGATTTGACGAATTGTTATGGTGTTCGTATA GATAATGGTGTCTTAAAAAAATTGGTCAAACTGGAGGAGCTCTATATGAC AGTGGTTGATCGAGGTCGAAAGGCGATTAGCCTCACAGATGATAACTGCA 30 AGGAGATGGCAGAGCGTTCAAAAGATATTTATGCATTAGAACTTGAGTTC TTTGAAAACGATGCTCAACCAAAGAATATGTCATTTGAGAAGCTACAACG ATTCCAGATCTCAGTGGGGCGCTATTTATATGGAGATTCCATAAAGAGTA GGCACTCGTATGAAAACACATTGAAGTTGGTTCTTGAAAAAGGTGAATTA TTGGAAGCTCGAATGAACGAGTTGTTTAAGAAAACAGAGGTGTTATGTTT 35 AAGTGTGGGAGATATGAATGATCTTGAAGATATTGAGGTTAAGTCATCCT CACAACTTCTTCAATCTTCTTCGTTCAACAATTTAAGAGTCCTTGTCGTT TCAAAGTGTGCAGAGTTGAAACACTTCTTCACACCTGGTGTTGCAAACAC TTT.AAAAAAGCTTGAGCATCTTGAAGTTTACAAATGTGATAATATGGAAG AACTCATACGTAGCAGGGGTAGTGAAGAAGAGACGATTACATTCCCCAAG 40 CTGAAGTTTTTATCTTTGTGTGGGCTACCAAAGCTATCGGGTTTGTGCGA TAATGTCAAAATAATTGAGCTACCACAACTCATGGAGTTGGAACTTGACG ACATTCCAGGTTTCACAAGCATATATCCCATGAAAAAGTTTGAAACATTT

AGTTTGTTGAAGGAAGAGGTAAATATAAATTTTTAATGCTAATACATTAC AAAGGATCTTTCAGTTAAATCTTTCAAAATATATTGTAATTTGATTGTA TGGGGTATTATTGTTGGATGGGACTATTAATAAATGATTATCTTGCAGGT TCTGATTCCTAAGTTAGAGAAACTGCATGTTAGTAGTATGTGGAATCTGA AGGAGATATGGCCTTGCGAATTTAATATGAGTGAGGAAGTTAAGTTCAGA 5 GAGATTAAAGTGAGTAACTGTGATAAGCTTGTGAATTTGTTTCCGCACAA GCCCATATCTCTGCTGCATCATCTTGAAGAGCTTAAAGTCAAGAATTGTG GTTCCATTGAATCGTTATTCAACATCCATTTGGATTGTTGGTGCAACT GGAGATGAATACAACAACAGTGGTGTAAGAATTATTAAAGTGATCAGTTG TGATAAGCTTGTGAATCTCTTTCCACACAATCCCATGTCTATACTGCATC 10 ATCTTGAAGAGCTTGAAGTCGAGAATTGTGGTTCCATTGAATCGTTATTC AACATTGACTTGGATTGTGCTGGTGCAATTGGGCAAGAAGACAACAGCAT CAGCTTAAGAAACATCAAAGTGGAGAATTTAGGGAAGCTAAGAGAGGTGT GGAGGATAAAAGGTGGAGATAACTCTCGTCCCCTTGTTCATGGCTTTCAA TCTGTTGAAAGCATAAGGGTTACAAAATGTAAGAAGTTTAGAAATGTATT 15 CACACCTACCACCACAAATTTTAATCTGGGGGCACTTTTGGAGATTTCAA TAGATGACTGCGGAGAAAACAGGGGAAATGACGAATCGGAAGAGAGTAGC TAAGCTCCTGCTTTTTGAATAAAAAAGGGACAAACCATTTCATGACTTAA 20 TGTAGCAATACAAGTCATGTATAAGAGTGACCAACTCTTTTTTATTATA AAATGACTACAAAATATTTTTTTTCATTAGAGATCATGTATAAATGTGAC TAATTTTCATCACCTAACTTTAGTTGATAAATCTTTATAAATGTCACTA GTTACTTTCAGTAAAATAACAAATTTAATAAATTATCAACAAAAAGCAT CAACTAAAAAATCCCACAACCCGTAATAATTTAAAATAAAAGGATTTAA 25 CATCTAATACGAACAATTTTTTTTTTTAAACATGATTTGGACCAAATATCA CCAGCAACTCAAGTTTGGAATCGATTCAGCTTAAAACTTGACCAGCATAA TTAGATAGATGAGAGTTGAAGCTAAAGTGCCTATATAAGTTCGTTTCATC TTTTTTCTTGATCTTGATAGCAAGTTGAATGATTTTCTTCTTCAAAATTG GGGTCTTGGGTTCTGGTAGATGAAGATGGAAGGGGAGAGTAGATTTCAAA 30 ATATCTTGCTCATATTTGTTACAGATATGTGAGGTCTATTAATCTTTTTA ATTAATAAGGCACAATAGTCTTTTTAGGTAAGACAAGGACCAAACACGC 35 CCAAAAACATAAATTCCCCCAAACCATAGGGACCATTCATGTAATTTACT CTAGGTAACGAACTTGTTGAAGTGTTCCCATTTAGGATGTGACCTACTAC AACCGATCATAATAGTCATATGTGAACACTTCCAACAACTTTATTACTTA 40 GGTGTGTACAAAAAAACAATAGTTACCATGATGTGAACATACTGAAAAAT TAATTACCTTAGCAAGTTATTTTCCCATTTAGGTTGTATGGAAACAGTTC CGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAACCTTAACCCTTC

AATTAACCTACCTTTTTCTTATTAACTCAATTTCAACCTAAATTCTGATT

CTTGTTTGAAAGTAAGTTGCATCTTTATTTTTGTATTATCTTGTTGCATA GGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATCCAACTA TTTTTAATCTGTTGGCATTTTCCATCATTTGCAACTGTTTCTTGAAAAAA AAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGAG 5 AATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAGTAAACA AGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAAA GAGACATTACAAGAAGCCACTGACAGTATTTCTAATGTTGTATTCCCATC CTGTCTCATGCACTCTTTTCATAACCTCCAGAAACTTATATTGAACAGAG TTA.AAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAGT AGAGAATTGGTAACAACTCACCATAACCAACAACAACCTATTATACTTCC 10 CAACCTCCAGGAATTGATTCTATGGAATATGGACAACATGAGTCATGTGT GGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATCA GAATCCCCATTCCACAACCTCACAACCATAAAAATTATGTATTGCAAAAG CATTAAGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCAACCTAA AGCATATCAAGATAAGAGAGTGTGATGGTATTGGAGAAGTTGTTTCAAAC 15 AGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCACACAAC CACCACTTTGTTCCCTAGTCTTGATTCTCACTCTAAGTTTCCTGGAGA ATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGCAATGAA ATATCTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCAATTTGA **GGTATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTTTATTTG** 20 CAATATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAAT TACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGAAACTCT AGT.AGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGAT GGGTAATATAGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGCA 25 AGTACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGTC ATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATCAGGGGTCAT CAGGTGACAGATATTGTAGAATAGAACAATATATAATATCACCCAAAACT ATTTTTCTAAGGTTATTCTGTTAAATATGTGCTTTCTTGTTTTCATNGA ATTNGCATTCGTATATTTTAGGTGTTAAAGTGATTTTNTCTTCAATAAAT 30 CCCGAAATTAATTAAAAAAAAAAAAAAAAAGTACATTTTTGATGTGGAG AGCACTGGTATCACTTAGTATATAAAAAGCTTGATTTTGAATTAACTTTC TTATACAAAAGTTGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCA TGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATGCC AATACGCTAGAGAGATGAGAATAGAATTCTGCAATGCATTGTCAAGTGTA 35 ATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGACAGT AAGTGATTGCAAAGGGATGAAGGAGGTATTTGAAACTCAATTAAGGAGGA GTAAATAACAATGTTATTATGCTTTCTGGTCTGAAGATATTGGAAATCAG CTTTTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGAAAGCC 40 TGAGACAGCTCCAAGAGTTAAAGATAACATTTTGCTACGGAATGAAAGTG ATTGTGAAGAAGAAGAAGATGAATATGGAGAGCAGTAAACAACAACAAC AACAACAATAACGAAGGGGCATCATCATCATCATCTTCTTCATCTTCTA

AGGAGGTTGTGGTCTTTCCTCGTCTCAAATCCATTGAACTAAATGATGTA

CCAGAGCTGGTAGGATTCTTCTTGGGGAAGAATGAGTTCCGGTTGCCTTC ATTGGAAGAAGTTACCATCAAGTATTGCTCAAAAATGATGGTGTTTGCAG CTGGTGGGTCCACAGCTCCCCAACTCAAGTATATACACACAGAATTAGGC AGACATGCTCTTGATCAAGAATCTGGCCTTAACTTTCATCAGGTATATAT ATTTCTTTAATTGGCATCATCTAATTAAGAAAGATATCATTCCTGCCAAG 5 TAAATTTACTTCAAACACATTCACACTGGTTTCAGTCTAAGTTTATGTTG TTCTAGGAAGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTT CAGTGGAAAGGGTATTTTAGGTATTTTCTGTCAAAAGTTGTTATTGCAGG CTTTTTAGTACCTGGAATCGTGTGTGGGAGGAGCATTATTATTCTGATTT 10 GCTTGTTTCTTATCATTTTTCTTAGCCTCTGGAACAGCTAGAAACCCT TTT-AATCTTTTGATTTTCAATGACAAAATTTTTCCTGTTACTACATTTGA TTGTTGTTCTTCATGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCT TTTGATTGTTATTTCATATCATGTTAGTCACTTGAATCAAGCTTTTCTA TTTTCAACCAGGGCAAAAGGTCAAAAGTAACCTACTTTATGAGATCAAAA ACAGCAACCCATCGGATAACTTTTAGTTGGAGTTAATAGTTACAATTACC 15 ATTGTGATTAATAATTATAATATCTTGTATTAATTCATAAAAATTGGTAC GGCGTTTTCTTTATTGGACATGCAGACCTCATTCCAAAGTTTATACGGTG ACACCTTGGGCCCTGTAACTTCAGAAGGGACAACTTGTTCTTTTCATAAC TTGATCGAATTATATATGGAATTTAATGATGCTGTTAAAAAGATTATTCC 20 ATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAGATTCATGTGACTT ATTGTAATTGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGG CACTACTCTTGTCAATCTTCCAAACCTCAGAGAAATGAAGTTATGGTATC 25 TAA.ATTGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG TTTCCAAACCTAACAAGAGTCGATATATGGGGATGTGATAGGTTAGAACA TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAC GCATATGGAACTGCAGTCAGATAGAGGTCGTGATTGTTCAGGATGCAGAT GTTTGTGTAGAAGAAGACAAAGAAGAATCTGATGGCAAGACGAATAA GGAGATACTTGTGTTACCTCGTCTAAAGTCCTTGATATTAAAACACCTTC 30 CAWGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA TTGGATACYTTGGAAATCTACRAATGCCCAGCAATAACCACCTTCACCAA GGGAAATTCCRCTACTCCACAGCTAAAAGAAATTGAAACAMATTTTGGCT TCTTTTATGCTGCAGGGGAAAAAGACATCAACTCCTCTATTATAAAGATC 35 AAACAACAGGTAAACCAGATCTTTGTTGCTTNNATAATTCTTAAACNACA TNTGAAAAGCTTCATGCAAGTTTTTTTTTTTATATNGTCAAAAACCGCAA CCTACATTTCAGCTTTANATTTATGTACTTTATGCAGGATTTCAAACAA GACTCTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTTCATGT TCCTAGTNGCCTATTAATTAAAGGCCTTTTAGTTCGNGATTTTTGGATGT 40 AATGTTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCA

TATGAAGGACATTAAAGAACATGGATGCTCTGAAGATGTTGGGAACACA

RG2A deduced polypeptide sequence (SEQ ID NO:88)

MDVVNAILKPVVETLMVPVKKHIGYLISCRQYMREMGIKMRGLNATRLGVEEHVN RNISNOLEVPAOVRGWFEEVGKINAKVENFPSDVGSCFNLKVRHGVGKRASKIIEDI DSVMREHSIIIWNDHSIPLGRIDSTKASTSIPSTDHHDEFQSREQTFTEALNALDPNHK SHMIALWGMGGVGKTTMMHRLKKVVKEKKMFNFIIEAVVGEKTDPIAIQSAVADY 5 LGIELNEKTKPARTEKLRKWFVDNSGGKKILVILDDVWQFVDLNDIGLSPLPNQGV DFKVLLTSRDKDVCTEMGAEVNSTFNVKMLIETEAQSLFHQFIEISDDVDPELHNIG VNIVRKCGGLPIAIKTMACTLRGKSKDAWKNALLRLEHYDIENIVNGVFKMSYDNL **QDEETKSTFLLCGMYPEDFDILTEELVRYGWGLKLFKKVYTIGEARTRLNTCIERLI** HTNLLMEVDDVRCIKMHDLVRAFVLDMYSKVEHASIVNHSNTLEWHADNMHDSC 10 KRLSLTCKGMSKFPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLEVISYDKMKY PLLPSSPOCSVNLRVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDRLPSTIGKLK KLRLLDLTNCYGVRIDNGVLKKLVKLEELYMTVVDRGRKAISLTDDNCKEMAERS KDIYALELEFFENDAQPKNMSFEKLQRFQISVGRYLYGDSIKSRHSYENTLKLVLEK 15 GELLEARMNELFKKTEVLCLSVGDMNDLEDIEVKSSSQLLQSSSFNNLRVLVVSKC AELKHFFTPGVANTLKKLEHLEVYKCDNMEELIRSRGSEEETITFPKLKFLSLCGLP KLSGLCDNVKIIELPQLMELELDDIPGFTSIYPMKKFETFSLLKEEVLIPKLEKLHVSS MWNLKEIWPCEFNMSEEVKFREIKVSNCDKLVNLFPHKPISLLHHLEELKVKNCGSI ESLFNIHLDCVGATGDEYNNSGVRIIKVISCDKLVNLFPHNPMSILHHLEELEVENC 20 GSIESLFNIDLDCAGAIGOEDNSISLRNIKVENLGKLREVWRIKGGDNSRPLVHGFQS. VESIRVTKCKKFRNVFTPTTTNFNLGALLEISIDDCGENRGNDESEESSHEQEQIEILS EKETLQEATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTSRELVTT HHNQQQPIILPNLQELILWNMDNMSHVWKCSNWNKFFTLPKQQSESPFHNLTTIKI MYCKSIKYLFSPLMAELLSNLKHIKIRECDGIGEVVSNRDDEDEEMTTFTSTHTTTT 25 LFPSLDSLTLSFLENLKCIGGGGAKDEGSNEISFNNTTATTAVLDOFELSEAGGVSW SLCQYAREMRIEFCNALSSVIPCYAAGQMQKLQVLTVSDCKGMKEVFETQLRRSSN KNNKSGAGEEGIPRVNNNVIMLSGLKILEISFCGGLEHIFTFSALESLRQLQELKITFC YGNIKVIVKKEEDEYGEQ.TTTTTTITKGASSSSSSSSKEVVVFPRLKSIELNDVPELV GFFLGKNEFRLPSLEEVTIKYCSKMMVFAAGGSTAPOLKYIHTELGRHALDQESGL 30 NFHQTSFQSLYGDTLGPVTSEGTTCSFHNLIELYMEFNDAVKKIIPSSELLQLQKLEK IHVTYCNWVEEVFETALEAAGRNGNSGIGFDESSOTTTTTLVNLPNLREMKLWYL NCLRYIWKSNQWTAFEFPNLTRVDIWGCDRLEHVFTSSMVGSLLQLQELRIWNCSQ IEV\TVQDADVCVEEDKEKESDGKTNKEILVLPRLKSLILKHLPCLKGFSLGKEDFSF PLLDTLEIYKCPAITTFTKGNSTTPQLKEIETHFGFFYAAGEKDINSSIIKIKQQDFKQ 35 DSD.CEVNIK

RG2B polynucleotide sequence (SEQ ID NO:89)

GAACGGAATTGAATTATGTAAGATTCCTTCAAAATCCATGTTTAGGTATA TCGTTGTTTCTTGGGATGGATGGTAAAGAACGGAATTTCTCCTGTTCATT TTTTAATGAAAGACCAAATTGACCTTATAAACCTGTTAAAAAAATTACAT TCCAGTTTTCTTAACAAACTGAAAATGGTAAAGGAGTGTGATTGAATTCC 5 AATCTGTTTCCTGTCCAAAACACGTGACGGAATATTACAATTCCTTCAAA TTTCATTTCTTAAATTGTTATTCCCTTTCTTACAAAAACAAGGTAAACG AAACACCCGCTTACTTAATCATACTCCTACATGATGTAAATGAAAAGGGT ATAAATGGTATTTTATTCACAGGGATGAGTCACCATGGTCATGAAAGAAT CATTAACCGCCCTTACCCAATTCATGTTTGCCCCTAAAATATGATTTAAA 10 GTAATATTGGCTTATGGGATTCAAGTTGACTTTTTTGTGGCGAAGAAATA ATGAAAATCTTCATTTCTAAAGTGTCTTCTACCACTGACATTTTCTAAGA AAGAACTTGCTAGAAGAAGGTGGGTTGTTTAGTCTTTTACTCTTTAAAT GTGAAGACTGTTGAGTTATTATTATTTTTGCCAACTATGGACAACTTG AATAATTTTATCAAAACGCAGGAAACAATGTAGAATAATACTGGTATAAT 15 TAATTATATAAAGTTATTAGGCTGAAATCTTGAGGCTACTATAATTTAAT TATCATAATTTGAAAATCATCAAATTGTATTCCATGTATATTTATGTTAT CAGATAATTAATATGTGAGCCACACAAATCCACATCATCAGACACCC CACCTTATTGTCGGCTACCTCACCACTTGCATGATCCCGACATCTTCCCA 20 ACCCCACCGACGACTTGGGGTCTCCTTAATATATCAATTATTTTCTGTAA GTATTTATTTGTGTAAATGTGTAATGTCATTTTACCTTTTTTCTAATATA TACAGAAACATAAATTTAAATGAAATTCAACTGCGTTTCATTCTTGCAT TAAAAAAAAAGACTGTACTGTTGTCAATATTTTACTTATAACCTGATTAA TTAATTAAAGCGTAATTGCATAATTTGCATTAGGTTGTAATTTTGTGTTT 25 TATAGGGAGGGTGAGGGTCACCGGGAATCAAAGCACTTATGTAAAAGCAG GGAAATACAAAAATTTACTCGAAACAAATTTTATTCAATTTAAGTGAGA TAATAATGTTCTGATTAGATTATGAGAACTAGGAGATTTAAGTGATATAT CCCATTTAAAAGAAATTGCATTATTAATTTTGGATCTCTTGATGATGACA AAATTAACTCGTGACAGGTTATATATCATATACAAAATGAGTGGCTATGC 30 TTTCGCTTTCCAAAAAGCAATTATAGTTATACTACACCTACAAATTTTAA AAGGGGTTAAACATATCAAAATACTTGATAAGTAATTATATAAATATGCA TTT.AACCCTCTAAAGAAAATGCTACTAAGCTTGGACCATCTCAGAATTAC AATCATACCCTTCCCCTCAAAAAAGATTCGTATATATCATGTCATTTGGC ATTCATTTCTTTTCACAATTCATAGTTCTATTCTCAAAAAATTCGAGTT CTCGTATTTGTAAGGAAGATCAGAAGAGACTGTTCACACAGGTACTCTCT 35 TTTATTATTGATTCACATTCATATATGTTATTGTTTTCTTGCTTAATGG TTTCGTCAGTCTAACTGCGCTTGCTGATTTAAATTTCTTCACTTTCTTCC ACGGATTTTTTAAATATTAGTTTTGTGAATGAACAATTGGTGAAGGAAAG AAACATGGGAGTCTTTTCTAAAGTAAACCTAGATACTTAGGTTATAAGGG 40 TATATGCTAAAATGAACTATGCCCATTCACCTTTGCCTTTTCTTTACTT TTTAGTTTTTAGAATCCAAGTTTTCATATGTATCTCGATGTGTGAGAAGA

TGTTCTTTGATATCATTATTTTTACTCTCATAAAAAGCATATAGATCAAA

CACAAATTGCTACTTGTTAGTGTAACAACTTCGACTTAATAATGTTAATA ATCAAGATTCTCTTGATTTCAACTATTTTCTAACCGAACAAGCTCACTAA AAACTCATATTGCTTTGAGTCTGAGTGGTTTATATTTTGGGGTTTTACATT TAATTTTTTGTGCATGAATGTGAAAATAGACTGCTTATTGATTCTTTGTG TTTCATTGAGTTGATTTTCATTATTACTACCTTACAAATTGCTCAGTGAT 5 AGATTTCCATTAATTTGCTAATTCGGTTGCTTCTAAATATGTAGGAGCTA CTAAAAGCAAAAATATCGAGCAATGTCGGACCCAACGGGGATTGCTGGTG CCATTATTAACCCAATTGCTCAGACGGCCTTGGTTCCCGTTACGGACCAT GTAGGCTACATGATTTCCTGCAGAAAATATGTGAGGGTCATGCAGATGAA AATGACAGAGTTGAATACCTCAAGAATCAGTGTAGAGGAACACATTAGCC 10 GGAACACAAGAAATCATCTTCAGATTCCATCTCAAACTAAGGAATGGTTG GACCAAGTAGAAGGGATCAGAGCAAATGTGGAAAACTTTCCGATTGATGT CATCACTTGTTGTAGTCTCAGGATCAGGCACAAGCTTGGACAGAAAGCCT TCAAGATAACTGAGCAGATTGAAAGTCTAACGAGACAACTCTCCCTGATC AGTTGGACTGATGATCCAGTTCCTCTAGGAAGAGTTGGTTCCATGAATGC 15 ATCCACCTCTGCATCATTAAGTGATGATTTCCCATCAAGAGAGAAAACTT TTACACAAGCACTAAAAGCACTCGAACCCAACCAAAAATTCCACATGGTA GCCTTGTGTGGGATGGGTGGAGTGGGGAAGACTAGAATGATGCAAAGGCT GAAGAAGGCTGCTGAAGAAAAGAAATTGTTTAATTATATTGTTGGGGCAG TTATAGGGGAAAAGACGGACCCCTTTGCCATTCAAGAAGCTATAGCAGAT 20 TACCTCGGTATACAACTCAATGAAAAAACTAAGCCAGCAAGAGCTGATAA GCTTCGTGAATGGTTCAAAAAGAATTCAGATGGAGGTAAGACTAAGTTCC TCATAGTACTTGACGATGTTTGGCAATTAGTTGATCTTGAAGATATTGGG TTAAGTCCTTTTCCAAATCAAGGTGTCGACTTCAAGGTCTTGTTGACATC ACG.AGACTCACAAGTTTGCACTATGATGGGGGTTGAAGCTAATTCAATTA 25 TTAACGTGGGCCTTCTAACTGAAGCAGAAGCTCAAAGTCTGTTCCAACAA TTTGTAGAAACTTCTGAGCCCGAGCTCCAGAAGATAGGAGAGATATCGT AAGGAAGTGTTGCGGTCTACCTATTGCCATAAAAACCATGGCATGTACTC TTAGAAATAAAGAAAGGATGCATGGAAGGATGCACTTTCGCGCATAGAG CACTATGACATTCACAATGTTGCGCCCAAAGTCTTTGAAACGAGCTACCA 30 CAATCTCCAAGAAGAGGAGACTAAATCCACTTTTTTAATGTGTGGTTTGT GGCTTGAAGCTATTTGATAGAGTTTATACGATTAGAGAAGCAAGAACCAG GCTCAACACCTGCATTGAGCGACTGGTGCAGACAAATTTGTTAATTGAAA GTGATGATGTTGGGTGTCAAGATGCATGATCTGGTCCGTGCTTTTGTT 35 TTGGGTATGTTTTCTGAAGTCGAGCATGCTTCTATTGTCAACCATGGTAA TATGCCTGGGTGGCCTGATGAAAATGATATGATCGTGCACTCTTGCAAAA GAATTTCATTAACATGCAAGGGTATGATTGAGATTCCAGTAGACCTCAAG TTTCCTAAACTAACGATTTTGAAACTTATGCATGGAGATAAGTCGCTAAG GTTTCCTCAAGACTTTTATGAAGGAATGGAAAAGCTCCATGTTATATCAT 40 ACGATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTCGATGCTCCACC AACATTCGGGTGCTTCATCTCACTGAATGTTCATTAAAGATGTTTGATTG CTCTTCTATCGGAAATCTATCGAATCTGGAAGTGCTGAGCTTTGCAAATT

CTCACATTGAATGGTTACCTTCCACAGTCAGAAATTTAAAGAAGCTAAGG TTACTTGATCTGAGATTTTGTGATGGTCTCCGTATAGAACAGGGTGTCTT GAAAAGTTTTGTCAAACTTGAAGAATTTTATATTGGAGATGCATCTGGGT TTATAGATGATAACTGCAATGAGATGGCAGAGCGTTCTTACAACCTTTCT 5 GCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTGAAAAATATGTC ATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGATGCTCTTTTGATG AAAATATCAATATGAGTAGCCACTCATACGAAAACATGTTGCAATTGGTG ACCAACAAGGTGATGTATTAGACTCTAAACTTAATGGGTTATTTTTGAA AACAGAGGTGCTTTTTTTAAGTGTGCATGGCATGAATGATCTTGAAGATG TTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCATTCTGCAATTTA 10 AAAGTTCTTATTATTTCAAAGTGTGTAGAGTTGAGATACCTTTTCAAACT CAATCTTGCAAACACTTTGTCAAGACTTGAGCATCTAGAAGTTTGTGAAT GTGAGAATATGGAAGAACTCATACATACTGGAATTGGGGGTTGTGGAGAA GAGACAATTACTTTCCCTAAGCTGAAGTTTTTATCTTTGAGTCAACTACC 15 GAAGTTATCAAGTTTGTGCCATAATGTCAACATAATTGGGCTACCACATC TCGTAGACTTGATACTTAAGGGCATTCCAGGTTTCACAGTCATTTATCCG CAGAACAAGTTGCGAACATCTAGTTTGTTGAAGGAAGGGGTAGATATATG TTCTTTATGTTAATACAATTTAAATXATATTTTCAACCAAATTTTCATAA TATATCTGTAATTTGATTGTATGATGTGTTATTGTTTATATGTGGCTATT AAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGACACTTCAA 20 ATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTTAGTGG AGGTGAGAAAGTTAAGTTGAGAGCGATTAAAGTGAGTAGCTGTGATAAGC TTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATCTTGAA GAGCTTACAGTCGAGAATTGCGGTTCCATTGAGTCGTTATTCAACATTGA 25 CTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCTCTTAA GAAGCATCAACGTGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGAGGATA AAAGGTGCAGATAACTCTCATCTCATCAACGGTTTTCAAGCTGTTGAAAG CATAAAGATTGAAAAATGTAAGAGGTTTAGAAATATATTCACACCTATCA CCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAGGTTGC 30 GGAGGAAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTCACTTTC TTAATTAATTAAGGACTAAGCTCCTGTTTTTTGAATAATAAAGAGGTGGG ATGACTAAACTTGGGCATCACAATTGCAACAAAATGTTACAAACCATGAA ACGTTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTTAAAAA TATGGCTTAAATTTTTTTATATTTATGTATCAACATGATTTTTCATTAG 35 AGATCATTATAATAGTAAGTTTAAAGCAATTTAAATCAGAACTAATT CTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTTAGTG AAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCCTAAC AAAAAAACTATTTGGTTCAGAAAAACCGTAATTCAAGATAACTAAAATA AAAATATTTGACATTCACTAAGAGCATTTTTTTTTTCTAAATATGATTGCA 40 AATGAATAAAACTTAAATTTATACAGAAAATTCTTTTATATATGTTATAC **AAAATTTACAAATTGAAATTGGATATGTTAATTAACGGTTTATAATTCTG** GTATCACAAAGGGATATATAATAAAAATATTATTTTCTGTAGTCATTTGTA

ATTGTACTAGTTTATAACCCGTGGGAACCATGAGTTCTAAAATTAGTTAA

ATTAAGAGATATATCAAAAATTTAAAGTTATTATAACTTCAAATTTAACA TATAATTAGAAAATATATGATCATAACTTTCTGCAACTCTTCTTTTGTAT TAAAATGACCAGAGAAGCTCTTAGTATATTTCTAATCAAAGTCTCAAAMC TAATGAAGCATATAATTTGTGAAAATCAATTAGCATTAGGTTTTAAGAGT 5 CACCAAATTCAAAGAATAATCCAATGCTTTCATTACCACTATGGAGAAAA TATTTCTTAGTTTAAATGAAATGAAAACAAACATTCAAACTAATTGTTG TTACATTCATGTATCATTATTCATGACTAGATATATATGAACATGAAGGG AGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTCAGGGAAT 10 TCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCAACCAAAG AGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAACTAAAATAAGGATTAG AAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTTGTTCTTG ATGTTCTTCTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAATGCAAAGG AGAGCCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCACCAACCT 15 CCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTGAAGGACC CTATGTGGGTGCCTTGCGCGGGTGGAGCTGCATACGAAAGGTCTTTGGTC TTTGTGAGGGTGATGTTGTGCGGGATAGCTTGTCGCATGCTTCCGCGCGG TTCACGCACATGTGCACAGGTGATGCATGGTGTGTGCGTTCTTGAGTTTT GAGCCTCCGATGCTTAGTCCACTTGGCCCAATTCGAGTCCAATCAGCTTA 20 TAACCCATTTTCTTCAAGTTATCTTCAAGTTAAGCCCAATTTGCCTTCT CCAAATCATCCATAACTTCACAGAATCGCCCGTTCATCTTAATCCCGGAT GCACAATTATTCTCCCGTCTTCATTTTAAGCAAGATACCACCTTCTTCAT GCTTCATCCATCAATAGTACACTTCATGTATCATCTCTACTAGTTATTTA GTCCACAATCCTTGTTGTCCTCCAAATTTAATTATCTCATTTAGTTCCCG 25 TTCCGCTAGTTTCCTTAAAATTTGCAATTAAGCTCAGAGAAATATTAAGT ACCCGAAATGGTCATAAAATAACAAAAAGGAAAATATGCATGAAGATTAA CTAAATGATGAACGAAATATGCTAAAATAGACTATAAAATGAAGTAAATA AAATGAAATTATCGCACTCCGACCACCCTTATAGGCTTGTAGTCCACCCA 30 AAAAGCTAACATATAAGGGTTTAGTGACAAAGGTAAGTACTAAAGATGAA AATAATCCATTTTCTTGTATATACACAACACACACATAGGGGCAGACGT AGGATTTCAAAGTACAGATTGTTGGTGGCACATAAGTGTTGCTGGTGACA TTTTTTTTTTTTTACGTAGTGGCACAACAGTAGGAAAAACGAAAAAT TCGAAATTTTTTACAATTTGTCTAAAAAAAAAACAGTGGTTGTTGGTGCCAC 35 GAGAGTTTGGGATGTGATACTTCTTTTAGGAAAATGGAGTTATATCTTTG ATATTGTATTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATA AGTTTTATTTATTTTGATATGAAAAAAAAAGTCTTTTATACATTGGATTT 40 AACATAAAAATCCAACAATATTAATCAAAAAGACCAMACATGTGGACAMW TATGTATATAAWTAATTCACAATAGTCTTTAGGAATAGNATTATATATAT AATTAATTCTCAATGGTCTTAGGAATAGTAAGTTCTTATATTTCAAACTT

TNGCCACAATTCTTTGKTTACTTWGACACTTYCCTCTCTAATTATATA ATGTGTGCCCGCGCAAAGCAGTGACGTNNNGGAGAANACTTTCTTAAGCA CTTTTAAATAAAATATTTATGTTTATACTTTATATTTATATTGCTTGTAT 5 ACTATTAATATAATAATTAATATTTATGTCTAATTTATGAAATGTAAAT TAATTTAAATACATGAATTTAATATTTTTAAAATTTTCAGTTTGCTTCAA ATTGAGTTTCTTAATTATTTTTTTAATTCANGTATTCAAACTTTTGGTA AGTATTAAAGAATTATTTATGCATAATTGATTTATACAAAAAACTTTGTA ACTTATACATCTTAAAATTCAAGATATAACTAACATGTTTTACAATATAT 10 TAAAGCGCAAAGGTCATAGGAATAGAATATTTTCTATTATTCTACGTTTT GCCACAAAAGTTTGAACACTTTGCCACTTTTTGTCCCTCCTTAACCTTTT CAATGTTTTGCGACAAAAGTTCCAAAACTTTGCCACTTTGATCATTCCTC AACTTTTCACCGCAATTAGTTTGTGGAGTTGGCAGTTTTGATCCCCCTAA 15 CTTCGATATTCTCTACTGCTAGCCAAAAAGGGTTCCAGAGTTTCACACTT TTGGTCCCTGACAGTAACCAAATGTGAGATGTCAAATTTTTGCCACATTA GTTTGTGGAGTTGTCCCTTTTGGTCCCCCCACATTCGATATTCTANTATA CGACCTTATTTTTTTCAAATAACAACACGTATATTTAATTACCAATTATA GAAATAGATATCAAATAAAGTATTTGTAACACTGTGTAAGAACGGTGCTA 20 CTATAGGTAAAAATAAACATTTCAAAGTACGATATCCTAATTGGAAAAAG AGTTTTAAAAAAATAACGACTAGGGGCGAGTTTTTTTTACAAGTTTGTAT CAAATCATATCAAAATTTAAGGTGGAACGGTGACCACATTAACCAGAAAT GTAATTTATTCTTTGATTTTTGATAATTTTTTAATATTTTTGTTGTGATCTAT 25 GTATTTAAAAGTAAACAACAAGAACATAATCCAAAACCCTAAATTGCAA GTCTCGCCCAATTTCTCTATCACTAGTCCTCACTTACGATGGCGTTACGT CGCTCTCACTGCTTACAACCCTTTGTTGCTACTCATTACAATAACGAA AAGTTGAATATCCATATATTTATTTGGATGTGGAATTGAACGAATCTCGT CAAAATTTTGATTTGATGGATTTGAGTAGAAGTTTGGGCAGAACGG 30 GAATGATGGTCTGCAAGTGGTTATAAACTTGATTCTGAGTTATTACTATA TATGTAGCCTCTTTACAACGACCAAGGTTTCTTCCAGGTACCATTTGATC TTTTTAGAACTTAGTTTTCTGAAACACCCTGATTTGGATCAAATATCACC AACAACTCTTAAAAACTTGATTAATCAATTGTTTTCTTCATCTTGATAAC AAGTGGAATGATTTCTACTTAGATTAACTTGAAAAAAAAGGTCCATGTG CGTCTGGTGGATCTGGTAAATGAAGATGGAAGGGAGAGCTGACTTTAAAG 35 ACACAAACACGTCACCATATCTCTTATTTTATTTTAAATTTGCTTTTGGT GTATTTCTTTTCCTATTTCTTTCTTTGATCTCCAGATGGTATGT GGTGTGGATAATTTACACCTAGAGATTGGGAACGATGGGAAGGGGTCTGT GATTTATGGCTGGCCGAGTTTTACTTATTAACTCAATTTCAACCTAAATT 40 CTGATTCTTGTATAAAATAAGTTGCATCTTTATTTTTGTATTATCTTGT TGCATAGGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATC CAACTATTTTTAGCTGTTGGCATTTTCCATCATTTGCAACTGTTTCTTG

AAAAAAAATACCTAAAATAAAAATAACCATTTTCAAATCCAAAATTATA

AGAGAGAATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAG TAAACAAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCA GAGAAAGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATCTTGTATT CCCATCCTGTCTCATGCACTCTTTTCATAACCTCCGTGTGCTTACATTGG ATAATTATGAAGGAGTGGAGGTGGTATTTGAGATAGAGAGTGAGAGTCCA 5 ACATGTAGAGAATTGGTAACAACTCGCAATAACCAACAACAGCCTATTAT ACTTCCCTACCTCCAGGATTTGTATCTAAGGAATATGGACAACACGAGTC ATGTGTGGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAA CAATCAGAATCCCCATTCCACAACCTCACAACCATAAATATTCTTAAATG CAAAAGCATTAAGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCA 10 ACCTAAAGGATATCCGGATAAGTGAGTGTGATGGTATTAAAGAAGTTGTT TCAAACAGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCA CACAACCACCACTTTGTTCCCTAGTCTTGATTCTCTCACTCTAAGTTTCC TGGAGAATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGC AATGAAATATCTTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCA 15 ATTTGAGGTATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTT TATTTGCAATATTCTATAAATAATACATTTTATACCCACTATACTAAGAT AATAATTACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGA AACTCTAGTAAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCT TTTGATGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTAT 20 TTAGCAAGTACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAAT CTGGTCATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGG GGACATCAGGTGACAGATATTGTAGAATAGAACAATATATAATATTACCC AAAACTATTTTTCTAAGGTTATTCTGTTAAATATGTGCTTTCTTGATTT CATTGAATTTGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCA 25 TATGGAGAGCACTGGTATCATTTAGTATATAAAAAAACTAGATTTTGAAT TAAGTTTCTTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCA TTTTTCCATGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAG TTT.ATGCCAATACGCTAGAGAGATARAAATAGKTGGATGCTATGCATTGT 30 CAAGTGTGATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTG CTGAGAATAGAGTCTTGTGATGGCATGAAGGAGGTATTTGAAACTCAATT TTCCAAGAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTA AGTATTGGAAATTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACT 35 TGAAAGCCTGAGACAGCTCCAAGAGTTAAAGATAAAATTTTGCTACGGAA TGAAAGTGATTGTGAAGAAGGAAGAAGATGAATATGGAGAGCAGCAAACA ACAACAACAACAACGAAGGGGGCATCTTCTTCTTCTTCTTCTTCTTC TTCTTCTTCTAAGAAGGTTGTGGTCTTTCCTTGTCTAAAGTCCATTGTAT 40 CGGTTGCCTTCATTAGATAAACTTAAGATCAAGAAATGCCCAAAAATGAT GGTGTTTACAGCTGGTGGGTCCACAGCTCCCCAACTCAAGTATATACACA CAAGATTAGGCAAACATACTCTTGATCAAGAATCTGGCCTTAACTTTCAT

CATTCCTGCCAAGTAAATTTACTTCAAACACATTCACACTGGTTTCAGTC TAAGTTTATGTTGTTCTAAGAAGGCCAAAATGGGAAAGCAAGATAGGGAA AAATAGTGTATTTCAGTGGAAAGGGTATTTTAGGCATTTTCTGTCAAAAG TTGTTATTGCAGGCTTTTTAGTACCTGGAATCGTGTGTGGGAGGAGCATT ATTATTCTGATTTGCTTGTTTCTTTATCATTTTTTCTTAGCCTCTCGAAC AGCTAGAAACCCTTTTAATCTTTTGATTTTCAATGACGAAATTTTTCCCT GTTACTCCATTTGATTGTTCTTCATGGTTCTAAGTGAGTTATTGGCT CATCTGTTACTTCTTTTGATTGTTATTTTCATATCATGTTGTCCTTTGAA TCAAGCTTTTCCATTTTCAACCAGGGCAAAAGGTCAAAAGTAACCTACTT TATGAGATCAAAAACAGCAACCCATCGGATAACTTTTAGTTGGAGTTAAT AGTTACAATTACCATTGTGATTAATAATATATATATCTTGTATTAATTCA TATATATGCCTCTGGCGTTTTCTTTATTGGACTTGCAGACCTCATTCCAA AGTTTATACGGTGACACCTTGGGCCCTGCTACTTCAGAAGGGACAACTTG GTCTTTCATAACTTTATCGAATTAGATGTGGAAGGTAATCATGATGTTA AAAAGATTATTCCATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAG ATT.AATGTAAGGTGGTGTAAAAGGGTAGGGGGGGTATTTGAAACTGCATT GGAAGCAGCAGGAGAAATGGAAATAGTGGAATTGGTTTTGATGAATCGT CACAAACAACTACCACTACTCTTGTCAATCTTCCAAACCTTAGAGAAATG AACTTATGGGGTCTAGATTGTCTGAGGTATATATGGAAGAGCAATCAGTG GACAGCATTTGAGTTTCCAAACCTAACAAGAGTTGATATCTATAAATGTA AAAGGTTAGAACATGTATTTACTAGTTCCATGGTTGGTAGTCTATCGCAA CTCCAAGAGCTACATATCCAACTGCAGTGAGATGGAGGAGGTGATTGT GGGAGACGAATAAGGAGATACTTGTGTTACCTCGTCTAAACTCCTTGATA TTAAGAGAACTTCCATGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTT TTC.ATTCCCATTATTGGATACTTTAAGAATTGAGGAATGCCCAGCAATAA CCACCTTCACCAAGGGAAATTCCGCTACTCCACAGCTAAAAGAAATTGAA ACACATTTTGGCTCGTTTTGTGCTGCAGGGGAAAAAGACATCAACTCTCT TATAAAGATCAAACAACAGGTAAATCAGATCTTTGTTGCTTTAATAATTC AAAACCGCAACCTACATTTTCAGCTTTATATTTATGTACTTTATGCAGGA GTTCAAACAAGACTCTGATTAATGTGAAGTAAATACTAAAGGTAAATTAT ATTTTCATGTTCCTAGTTGCCTATTAATTAATTGCCTTTTAGTTCATGAT TTTTGGATGCATTCTTCATGATGATGTCAATCTTCTAATACCCCATTCAT TGTTTGGTTGAATGTTGACTCTATGTCTTGATGAATATTCAAGGGAAGAA TTGTTCATCATATGAAGGACATTAAAGAAGAACATGGATGCTATGAAGAT

GTGGGAAAACAA

35

5

10

15

20

25

30

RG2B deduced polypeptide sequence (SEQ ID NO:90)

MSDPTGIAGAIINPIAQTALVPVTDHVGYMISCRKYVRVMQMKMTELNTSRISVEE HISRNTRNHLQIPSQTKEWLDQVEGIRANVENFPIDVITCCSLRIRHKLGQKAFKITE QIESLTRQLSLISWTDDPVPLGRVGSMNASTSASLSDDFPSREKTFTQALKALEPNQK FHMVALCGMGGVGKTRMMQRLKKAAEEKKLFNYIVGAVIGEKTDPFAIQEAIADY 5 LGIQLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGLSPFPNQ GVDFKVLLTSRDSQVCTMMGVEANSIINVGLLTEAEAQSLFQQFVETSEPELQKIGE DIVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLQ EEETKSTFLMCGLFPEDFDIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQ TNLLIESDDVGCVKMHDLVRAFVLGMFSEVEHASIVNHGNMPGWPDENDMIVHSC 10 KRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLRFPQDFYEGMEKLHVISYDKMKY PLLPLAPRCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSHIEWLPSTVRNLK KLRLLDLRFCDGLRIEQGVLKSFVKLEEFYIGDASGFIDDNCNEMAERSYNLSALEF AFFNNKAEVKNMSFENLERFKISVGCSFDENINMSSHSYENMLQLVTNKGDVLDSK LNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVLIISKCVELRYLFKL 15 NLANTLSRLEHLEVCECENMEELIHTGIGGCGEETITFPKLKFLSLSQLPKLSSLCHN VNIIGLPHLVDLILKGIPGFTVIYPQNKLRTSSLLKEGVVIPKLETLQIDDMENLEEIW PCELSGGEKVKLRAIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNIDLD CVGAIGEEDNKSLLRSINVENLGKLREVWRIKGADNSHLINGFQAVESIKIEKCKRFR NIFTPITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEATGSISNLVFPSCLMH 20 SFHNLRVLTLDNYEGVEVVFEIESESPTCRELVTTRNNQQQPIILPYLQDLYLRNMD NTSHVWKCSNWNKFFTLPKQQSESPFHNLTTINILKCKSIKYLFSPLMAELLSNLKDI RISECDGIKEVVSNRDDEDEEMTTFTSTHTTTTLFPSLDSLTLSFLENLKCIGGGGAK DEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAREIEIVGCYALSSVIPCYAA 25 **GOMOKL**

RG2C polynucleotide sequence (SEQ ID NO:91)

ATAATATTACACAAAGGTAACGTCATTAATTAATTACGATACGAGACAGA CTTTTTCACTCGGACATNAACGGTCTATTCCTAACTTNANNTAATTNAAT GAATTTAGGATGTGCTAATATGCATGTAANATTCGCTACCGTCATCTTTC 30 AAATGACCATATTTTTATGTATTTATAATGAATCAATGAAAAACCGGATT TCTATTTAAAATTCTTAAAACTTCATCTTTTAAGCCAGGGTGAATACAAT TGCTAGATCCACTGTTAATTTCCATCGAATTATGCCTGATCAATTGTTGG CTGCCTACGATGCAGGTGCTACCACAAGAATATGGCCATGGAAACTGCTA ATGAAATTATAAAACAAGTTGTTCCAGTTCTCATGGTTCCTATTAACGAT 35 TACCTACGCTACCTCGTTTCCTGCAGAAAGTACATCAGTGACATGGATTT GAAAATGAAGGAATTAAAAGAAGCAAAAGACAATGTTGAAGAGCACAAGA ATCATAACATTAGTAATCGTCTTGAGGTTCCAGCAGCTCAAGTCCAGAGC TGGTTGGAAGATGTAGAAAAGATCAATGCAAAAGTGGAAACTGTTCCTAA AGATGTCGGCTGTTGCTTCAATCTAAAGATTAGGTACAGGGCCGGAAGGG 40 ATGCCTTCAATATAATTGAGGAGATCGACAGTGTCATGAGACGACACTCT CTGATCACTTGGACCGATCATCCCATTCCTTTGGGAAGAGTTGATTCCGT

5

10

15

20

25

30

35

GATGGCATCCACCTCTACGCTTTCAACTGAACACAATGACTTCCAGTCAA GAGAGGTAAGGTTTAGTGAAGCACTCAAAGCACTTGAGGCCAACCACATG ATAGCCTTATGTGGAATGGGGGGGGGGGGGGAGACCCACATGATGCAAAG GCTGAAGAAGGTTGCCAAAGAAAAGAGGAAGTTTGGTTATATCATCGAGG CGGTTATAGGGGAAATATCGGACCCCATTGCTATTCAGCAAGTTGTAGCA GATTACCTATGCATAGAACTGAAAGAAAGCGATAAGAAAACAAGAGCTGA GAAGCTTCGTCAAGGGTTCAAGGCCAAATCAGATGGAGGTAACACTAAGT TCCTCATAATATTGGATGATGTCTGGCAGTCCGTTGATCTAGAAGATATT GGTTTAAGCCCTTCTCCCAATCAAGGTGTCGACTTCAAGGTCTTGTTGAC TTCACGAGACGAACATGTTTGCTCAGTGATGGGGGGTTGAAGCTAATTCAA TTATTAACGTGGGACTTCTAATTGAAGCAGAAGCACAAAGATTGTTCCAG CAATTTGTAGAAACTTCTGAGCCCGAGCTCCACAAGATAGGAGAAGATAT TGTTAGGAGGTGTTGCGGTCTACCCATTGCCATCAAAACCATGGCGTGTA CTCTAAGAAATAAAAGAAAGGATGCATGGAAGGATGCACTTTCTCGTTTA CAACACCATGACATTGGTAATGTTGCTACTGCAGTTTTTAGAACCAGCTA TGAGAATCTCCCGGACAAGGAGACAAAATCTGTTTTTTTGATGTGTGGTT TGTTTCCCGAAGACTTCAATATTCCTACCGAGGAGTTGATGAGGTATGGA TGGGGCTTAAAGTTATTTGATAGAGTTTATACAATTATAGAAGCAAGAAA CAGGCTCAACACCTGCATTGACCGACTGGTGCAGACAAATTTACTAATTG GAAGTGATAATGGTGTACATGTCAAGATGCATGATCTGGTCCGTGCTTTT GTTTTGGGTATGTATTCTGAAGTCGAGCAAGCTTCAATTGTCAACCATGG TAATATGCCTGGGTGGCCTGATGAAAATGATATGATCGTGCACTCTTGCA AAAGAATTTCATTAACATGCAAGGGTATGATTGAGTTTCCAGTAGACCTC AAGTTTCCTAAACTAACGATTTTGAAACTTATGCATGGAGATAAATCGCT AAAGTTTCCTCAAGAATTTTATGAAGGAATGGAAAAGCTCCGGGTTATAT CATACCATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTCAATGCTCC ACCAACATTCGGGTGCTTCATCTCACGGAATGTTCATTAAAGATGTTTGA TTGCTCGTGTATTGGAAATCTATCGAATCTGGAAGTGCTGAGCTTTGCTA ATTCTTGCATTGAGTGGTTACCTTCCACGGTCAGAAATTTAAAAAAGCTA AGGTTACTTGATTTGAGATTGTGTTATGGTCTCCGTATAGAACAGGGTGT CTTGAAAAGTTTGGTCAAACTTGAAGAATTTTATATTGGAAATGCATATG GGTTTATAGATGATAACTGCAAGGAGATGGCAGAGCGTTCTTACAACCTT TCTGCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTGAAAAATAT GTCATTTGAGAATCTTGAACGATTTAAGATCTCAGTGGGATGCTCTTTTG ATGGAAATATCAATATGAGTAGCCACTCATACGAAAACATGTTGCGATTG GTGACCAACAAGGTGATGTATTAGACTCTAAACTTAATGGGTTATTTTT ATGTTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCATTCTGCAAT TTAAAAGTCCTTATTATTTCAAAGTGTGTAGAGTTGAGATACCTTTTCAA 40 ACTCAATGTTGCAAACACTTTGTCAAGACTTGAGCATCTAGAAGTTTGTA AATGCAAGAATATGGAAGAACTCATACATACTGGGATTGGGGGTTGTGGA GAAGAGACAATTACTTTCCCCAAGCTGAAGTTTTTATCTTTGAGTCAACT

ACCGAAGTTATCAGGTTTGTGCCATAATGTCAACATAATTGGGCTACCAC

5

10

15

20

25

30

35

40

ATCTCGTAGACTTGAAACTTAAGGGCATTCCAGGTTTCACAGTCATTTAT ATGTTCTTTATGTTAATACAATTTAAACAATATTTTCAACCAAATTTTCA TAATATATCTGTAATTTGATTGTATGATGTTTATTGTTTATATGTGGCT ATTAAGGGATGATAATTTTGCAGGTTGTGATTCCTAAGTTGGAGACACTT CAAATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTTAG TGGAGGTGAGAAAGTTAAGTTGAGAGAGATTAAAGTGAGTAGCTGTGATA AGCTTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATCTT GAAGAGCTTACAGTCGAGAATTGCGGTTCCATTGAGTCGTTATTCAACAT TGACTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCTCT TAAGAAGCATCAACGTGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGAGG ATAAAAGGTGCAGATAACTCTCATCTCATCAATGGTTTTCAAGCTGTTGA AAGCATAAAGATTGAAAAATGTAAGAGGTTTAGAAATATATTCACACCTA TCACCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAGGT TGCGGAGGAAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTCACT TTCTTAATTAATTANGGACTAAGCTCCTGTTTTTTGAATAATAAAGAGGT GGGATGACTAAACTTGGGCATCACAATTGCAACAAAATGTTACAAACCAT GAAACGCTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTTAA AAATATGGCTTAAATTTTTTATATTTATGTATCAACATGATTTTTCATT AGAGATCATTATTATAATAGTAAGTTTAAAGCAATTTAAATTAGAACTAA TTCTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTTAG TGAAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCCTA ACAAAAAAACTATTTGGTTCAGAAAAACTGTAATTCAAGATAACTAAAA TAAAAATATTTGACATTCACTAAGAGCATTTTTTTCTAAATATGATTGCA AATGAATAAAACTTAAATTTATACAGAAAAGATTTTTATATATGTTATAC AAAATTTACAAATTGAAATTGGATATGTTAATTAACGGTTTATAATTCTG GTATCACAAAGGGATATATAATAAAAATATTATTTTCTGTAGTCATTTAT AATTGTACTAGTTTATAACCCGTGGGAACCATGAGTTCTAAAATTAGTTA AACTTTCATAATAAAAATTTATAATTATTTATTTTAAATAAATTATT AATTAAGAGATATATCAAAAATTTAAAGTTATTATAACTTCAAATTTAAC ATATAATTAAAAAATATATGATCATAACTTTCCGCAACTCTTCTTTTGTA TTAAAATGACCAGAGAAGCTCTTAGTATATTTTCTAAATCAAAGTCACAA AACTAATGAAGCATATAATTTTGTGAAAATCAATTAGCATTAGGTTTTAA GAGTCACCAAATTCAAAGAGTAATCCAATGCTTTCATTACCACTATGGAG AAAATATTTCTTAGTTTAAATGAAATGAAAACAAACATTCAAACTAATT GTTGCTTATTAAACCAAAGACCCATTACTTAGCCAAGAGTTTAACCAAAA AGGGAGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTCATG GAATTCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCAACC AAAGAGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAAATAAAATAAGGA TTAGAAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTTGTT

CTTGATGTTCTTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAATGCA AAGGAGAGCCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCACCA

ACCTCCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTGAAG GACCCTATGCGGGTGCCTTGCGCGGGTGGAGCTGAATATGAAAGGTCTTT GGTCTTTGTGAGGGTGATGTTGTGCGGGTTAGCTTGTCGCATGCTTCCGC GCGGTTCGCGCACATGTGCACAGGTGATGCATGGTGTACGTTCTTGAC TTTTGAGCCTCCGATGCTTAGTCCACTTGGCCCAATTCGAGTCCAATCAA 5 CTTATGACCCATTTTCTTCAAGTTATCTTCAAGTTAAGCCCAATTTGCC TTCTCCAAATCATCCATAACTTCACAGAATCGCCCGTTCATCTTAATCCC GAATGAACAATTATTCTCCCGTCTTCATTTTAAGCAAGATACCACCTTCT TCATGCTTCATCCATCAATAGTACACTTCATGTATCATCTCTACTAGTTA 10 TTTAGTCCACAGTCCTTGTTGTCCTCCAAATTTAATTATCTCATTTAGTT CCCGTTCCGCTAGTTTCCTTAAAATTTGCAATTAAGCTCACAGAAATATT AAGTACCCGAAATGGTCATAAAATAACAGAAAGGAAAATATGCATGAAGA TTAACTAAATGATGAACGAAATATGCTAAAATAGACTATAAAATGAAGTA AATAAAATGAAATTATCGCACTCCGACCACCCTTATAGGCTTGTAGTCCA 15 GCCAAAAACTAACATATAAGGGGTGAGTGACAAAGGTAAGTACTAAAGA TGAAAAAATCCATTTTCTTGTATATACACAACACACACATAGGGGCAG ACGTAGGATTTCATAGTACAGATTGTTGGTGGCACATAAGTGTTGCTAGT GACATTTTTTTTTTTTTACGTAGTGGCACAACAGTARAAAAAACRAAA 20 AATTCGAAATTTTTACAATGTGCCTAAAAAAAACAGTGGTTGTTGGTGC GGATGTGATACTTCTTTTGGGAAAATGGAGTTATATCTTTGATATTGTAT TTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATAAGTTTTATT 25 TATTTKGATATGAAAAAAAAAGTCTTTTATACATTGGATTTAACATAAAA ATCCAACAATATTAATCAAAAAGACCAAACATGTGGACAATTATGTATAT AATTAATTCACAATAGTCTTTAGGAATAGNATTATATATATAATTC TCAATGGTCTTAGGAATAGTAAGTTCTTATATTTCAAACNTTTGCCACAN TTCTTTGNTTACTTNGACACTTTYCTCTMWNNANWMWWTWATATATATAT ATATATATATAHAHAHAHAVACACACACACTAGATGTGCCMGCGCA 30 AAGCAGTGACGTNNNGGAGAANACTTTCTTAAGCATAAATAATTATTATA TTTATGTTTATACTTTATATTTATATTGCTTGTATACTATTAATATAATA 35 AATTTAATATTTTAAAATTTTCAGTTTGCTTCAAATTGAGTTTCTTAAT TTTAGGAATAGTATTATATATATAATTAATTCTCAATGGTCTTAGGAATA GTAAGTTCTTATATTTCAAACTTTTGCCACAATTCTTTGCTTACTTTGAC ACTTTTCCTTCCTAACTTTACATATATATATATATAAAGCGCAAAGGTC 40 ATAGGAATATATTTTCTATTATTCTACGTTTTGCCACAAAAGTTTGA ACACTTTGCCACTTTTTGTCCCTCCTTAACCTTTTCAATGTTTTGCGACA AAAGTTCCAAAACTTTGCCACTTTGATCATTCCTCAACTTTTCACCGCAT

TAGTTTGTGGAGTTGGCAGTTTTGGTCCCTCTAACTTCGATATTCTCTAC

5

10

15

TGCTAGCCAAAAAGGGTTCCAGAGTTTCACACTTTTGGTCCCTGACAGTA ACCAAATGTGAGATGTCAAATTTTTGCCACATTAGTTTGTGGAGTTGTCC CTTTTGGTCCCCCACATTCGATATTCTACTATACGATCTTATTTTCTC AAATAACAACACGTATATTTAATTACTAATGATAGAAATAGATATCAAAT AAAGTATTTGTAACACTGTGTAGAGTTTTTTTTTACAAGTTTGTATCAAA TCATATCAAAATTTAAGGTGGAACGGTGACCACATTAACCAGAAATGTAA TTTATTCTTTGATTTTGATAATTTTTAATATTTTGTTGTGATCTATGTAT TTAAAAGTAAACAACAAGAACATAATCCAAAACCCTAAATTGCAAGTCT CGCCCAATTTCTCTATCACTAGTCCTCACTTACGATGGCGTTACGTCGCT CTCTCACTGCTTACAACCCTTTGTTGCTACTCATTACAATAACGAAAAGT TGAATATCCATATATTTATTTGGATGTGGAATTGAACGAATCTCGTCAAA TTTTTGATTTAGTTGATGGATTTGAGTAGAAGTTTGGGCAGAACGGGAAT GATGGTCTGCAAGTGGTTATAAACTTGATTCTGAGTTATTACTATATATG TAGCCTCTTTACAACGACCAAGGTTTCTTCCAGGTACCATTTGATCTTTT TAGAACTTAGTTTTCTGAAACACCCTGATTTGGATCAAATATCACCAACA ACTCTTAAAAACTTGATTAATCAATTGTTTACTTCATCTTGATAACAAGT GGAATGATTTCTACTTGAAAAAAAGGTCCATGTGCGTCTGGTGGATCT GGTAAATGAAGATGGAAGGGAGAGCTGACTTTAAAGACACAAACACGTCA CCATATCTTTTATTTTAAATTTTCTTTTTTCCTATTTCTTT CTTGATCTCCAGATGGTATGTGGTGTGGATAATTTACACATAGAGATTGG 20 GAACGACTGTGATTTAGAGAGGACGTGGCTTGGGGTTGAGGATGGTTTAT GGCTGGCCGAGTTTCATTTATATAAACAAACAAATATATAAAACAAGGGG TTTTTTTTTTTTTTTTTTTTTAGAAGGGGTATACCAGTGTCAGC CTCTTATTCCCAACCAGTCAAATAGGGACTTAGGTTGTTTGGAAACAGTT 25 CCGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAACTTAACCCTT CAATTAACCTACCTTTTTCTTATTAACTCAATTTCAACCTAAATTCTGAT TCTTGTTTGAAAATAAGTTGCATCTTTATTTTTGTATTATCTTGTTGCAT AGGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATCCAACT ATTTTTAATCTGTTGACGTTTTCCATCATTTGCAACTGTTTCTTGAAAAA 30 AAAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGA GAATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAGTAAAC AAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAA AGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATCTTGTATTCCCAT CCTGTCTCATGCACTCTTTTCATAACCTCCGTGTGCTTACATTGGATAAT 35 TATGAAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAG TAGAGAATTGGTAACAACTCACAATAACCAACAACAGCCTATTATACTTC CCTACCTCCAGGAATTGTATCTAAGGAATATGGACAACACGAGTCATGTG TGGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATC AGAATCACCATTCCACAACCTCACAACCATAGAAATGAGATGGTGTCATG 40 GCTTTAGGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCAACCTA AAGAAAGTCAAGATACTTGGGTGTGATGGTATTAAAGAAGTTGTTTCAAA

CAGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCACAAAA

CCACCAACTTGTTCCCTCATCTTGATTCTCTCACTCTAAACCAACTGAAG AATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGCAATGA AATATCTTTCAATAATACCACTGCAACGACTGCTGTTCTTGATCAATTTG AGGTATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTTTATTT 5 GCAATATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAA TTACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGAAACTC TAGTAAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGA TGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGC AAGTACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGT CATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGGGGTTA 10 TCAGGTGACAGATATTGTAGAATAGAACAATATGTAATATTACCCAAAAC TATTTTTCTAAGGTTGCTCTGTTAAATATGTGCTTTCTTGATTTCATTG AATTTGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCAATAAA TCCCGAAATTAATTAAAAAAAAAAAAAACAAAAGTAAATTTTTGATATGGA 15 GAGCACTGGTATCATTTAGTATATAAAAAAACTAGATTTTGAATTAAGTT TCTTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCATTTTTC CATGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATG CCAATACGCTAGAGAGATAAAAATAGGCAACTGCCATGCATTGTCAAGTG TGATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGAGA GTAATGGCTTGCAATGGGATGAAGGAGGTATTTGAAACTCAATTAGGGAC 20 GAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTAAGTATT GGAAATTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGAAAG CCTGAGACAGCTCCAAGAGTTAACGATTAAGGGTTGCTACAGAATGAAAG TGATTGTGAAGAAGAAGAAGATGAATATGGAGAGCAGCAAACAACAACA 25 ACA-ACAACGAAGGGGCATCTTCTTCTTCTTCTTCTTAAGAAGGTGGT GGTCTTTCCTTGTCTAAAGTCCATTGTATTGGTCAATCTACCAGAGCTGG TAGGATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTAGATAAA CTTATCATCGAGAAATGCCCAAAAATGATGGTGTTTACAGCTGGTGGGTC CACAGCTCCCAACTCAAGTATATACACACAAGATTAGGCAAACATACTC 30 AATTGGCATCATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTTA CTTCAAACACATTCACACTAGTTTCAGTCCAAGTTTATGTTGTTCTAGGA AGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGAGTATTTCAGTGGAA 35 AGGGTATTTTAGGTATTTTCTGTCAAAAATTGTTATTGCAGGCTTTTTAG TACCTGGAAGAGCATGATTATTCTCGATTTGCTTGTTTCTTTATCATTTT TCTTAGCCTAGCATGATTTTCAATGAAATCTTTCCCTGTTACTCCATTTG ATTGTTGTTCTTCATGGTTCTAAGTGAGTTAGTGGCTCATCTGTTACTTC TTTTGATTGTTATTTTCATAGCATGTTGTCACTTGAATCAAGCTTTTCCA TTTTCAACAAGGACAAAAGGTCAAAACTAACCTACTTTATGAGATCAAAA 40 ATAGCAACCCATCGGATAACTTTTAGTTGGAGTTAATACTTACAATTACC ATTGTGATTAATAATTATAATATCTTGTATTAATTCATAAAAATTGGTAC

GGCGTTTTCTTTATTGGACATGCAGACTTCATTCCAAAGTTTATACGGTG ACACCTTGGGCCCTGCTACTTCAGAAGGGACAACTTGGTCTTTTCATAAC TTTATCGAATTAGATGTGAAATCTAATCATGATGTTAAAAAGATTATTCC ATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGTAAAGATTAATGTAATGT 5 GGTGTAAAAGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGG CACTACTCTTGTCAATCTTCCAAACCTTGGAGAAATGAAGTTACGGGGTC TCGATTGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG TTTCCAAACCTAACAAGAGTTGAAATTTATGAATGTAATTCATTAGAACA 10 TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAG AGATTGGTTTGTGCAACCATATGGAGGTCGTGCATGTTCAGGATGCAGAT GTTTCTGTAGAAGAAGACAAAGAGAAAGAATCTGATGGCAAGATGAATAA GGAGATACTTGTGTTACCTCATCTAAAGTCATTGAAATTACTACTTCTTC AAAGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA TTGGATACTTTGGAAATCTACGAATGCCCAGCAATAACCACCTTCACCAA 15 GGGAAATTCCGCTACTCCACAGCTAAAAGAAATGGAAACAAATTTTGGCT TCTTTTATGCTGCAGGGGAAAAAGACATCAACTCCTCTATTATAAAGATC AAACAACAGGTAAACCAGATCTTTGTTGCTTTAATAATTCTTAAACTACA TTTGAAAAGCTTCATGCAAGTTTTTTTTTTTTTTATATTGTCAAAAACCGCAA 20 CCTACATTTCAGCTTTATATTTATGTACTTTATGCAGGATTTCAAACAA GACTCTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTCATGT TCCTAGTTGCCTATTAATTAAAGGCCTTTTAGTTCGTGATTTTTGGATGT ATTCTTCATGATGTCAATCTTCTAATACCCCATTCATTGTTTGGTTG AATGTTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCA 25 TATGAAGGACATTAAAGAACATGGTGCTAT

RG2C deduced polypeptide sequence (SEQ ID NO:92)

30

35

40

MANIETANEIIKQVVPVLMVPINDYLRYLVSCRKYISDMDLKMKELKEAKDNVEEH KNHNISNRLEVPAAQVQSWLEDVEKINAKVETVPKDVGCCFNLKIRYRAGRDAFNI IEEIDSVMRRHSLITWTDHPIPLGRVDSVMASTSTLSTEHNDFQSREVRFSEALKALE ANHMIALCGMGGVGKTHMMQRLKKVAKEKRKFGYIIEAVIGEISDPIAIQQVVADY LCIELKESDKKTRAEKLRQGFKAKSDGGNTKFLIILDDVWQSVDLEDIGLSPSPNQG VDFKVLLTSRDEHVCSVMGVEANSIINVGLLIEAEAQRLFQQFVETSEPELHKIGEDI VRRCCGLPIAIKTMACTLRNKRKDAWKDALSRLQHHDIGNVATAVFRTSYENLPD KETKSVFLMCGLFPEDFNIPTEELMRYGWGLKLFDRVYTIIEARNRLNTCIDRLVQT NLLIGSDNGVHVKMHDLVRAFVLGMYSEVEQASIVNHGNMPGWPDENDMIVHSC KRISLTCKGMIEFPVDLKFPKLTILKLMHGDKSLKFPQEFYEGMEKLRVISYHKMKY PLLPLAPQCSTNIRVLHLTECSLKMFDCSCIGNLSNLEVLSFANSCIEWLPSTVRNLK KLRLLDLRLCYGLRIEQGVLKSLVKLEEFYIGNAYGFIDDNCKEMAERSYNLSALEF AFFNNKAEVKNMSFENLERFKISVGCSFDGNINMSSHSYENMLRLVTNKGDVLDSK LNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVLIISKCVELRYLFKL NVANTLSRLEHLEVCKCKNMEELIHTGIGGCGEETITFPKLKFLSLSOLPKLSGLCH

NVNIIGLPHLVDLKLKGIPGFTVIYPQNKLRTSSLLKEEVVIPKLETLQIDDMENLEEI. WPCELSGGEKVKLREIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNID LDCVGAIGEEDNKSLLRSINVENLGKLREVWRIKGADNSHLINGFQAVESIKIEKCK RFRNIFTPITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEATGSISNLVFPSC LMHSFHNLRVLTLDNYEGVEVVFEIESESPTSRELVTTHNNOOOPIILPYLOELYLR NMDNTSHVWKCSNWNKFFTLPKQQSESPFHNLTTIEMRWCHGFRYLFSPLMAELL SNLKKVKILGCDGIKEVVSNRDDEDEEMTTFTSTHKTTNLFPHLDSLTLNQLKNLK CIGGGGAKDEGSNEISFNNTTATTAVLDOFELSEAGGVSWSLCOYAREIKIGNCHAL SSVIPCYAAGQMQKLQVLRVMACNGMKEVFETOLGTSSNKNNEKSGCEEGIPRVN NNVIMLPNLKILSIGNCGGLEHIFTFSALESLRQLQELTIKGCYRMKVIVKKEEDEYG EQQTTTTTTKGASSSSSSKKVVVFPCLKSIVLVNLPELVGFFLGMNEFRLPSLDKLII EKCPKMMVFTAGGSTAPQLKYIHTRLGKHTLDQESGLNFHQTSFQSLYGDTLGPAT SEGTTWSFHNFIELDVKSNHDVKKIIPSSELLQLQKLVKINVMWCKRVEEVFETALE AAGRNGNSGIGFDESSQTTTTTLVNLPNLGEMKLRGLDCLRYIWKSNQWTAFEFPN LTRVEIYECNSLEHVFTSSMVGSLLQLQELEIGLCNHMEVVHVQDADVSVEEDKEK ESDGKMNKEILVLPHLKSLKLLLLQSLKGFSLGKEDFSFPLLDTLEIYECPAITTFTK GNS.ATPQLKEMETNFGFFYAAGEKDINSSIIKIKOODFKODSD.

RG2D polynucleotide sequence (SEQ ID NO:93) and (SEO ID NO:94)

5

10

15

20 ACGACCACTATAGGGCGAATTGGGCCCGACGTCGCATGCTCCCGGCCGCC ATGGCCGCGGATGTAAAACGACGGCCAGTCGAATCGTAACCGTTCGTAC GAGAATCGCTGTCCTCCTTCAACCATTTAATGTATATGAGCTAAATTG AAACATCTACTATCATGTTTAAATTTATAAACTTTTTCCTTTAGATTCAC TTGTCTGGATGTTTTAATAAAACCCAATTTCCCACATGCGTAGAGATCA TAGATGTAACTATTGTTAATCAATTTTGCCTGCCAAGTTTTAATAATTAT 25 ACTTGGATATTAACAAAACTTTATCTAACGACCAAGGTAATATTAAAAAT AGGTTATTATTCTTCATGCTAATTAAAAGATGGGTTGCAAAAGTGAGACC ATGAAAACATTAACACGTTGATATTTTCAACTTTTATTCTTTCATATTCA CCATATTTTTACTTTCGTATTGATTAATCATCTTTCAATCACAGGCTCC 30 TTGGCAAAAGTCAGATCTATTAACAAATACTTCCATGTGGTTGCAAATT ACAAGGATTTCAACATAATTACCAAAACATAGCATTATCATAAGATCGAA ATTACGATACGAGACAGACTTTTTCACTCGTGACATCAACGGTCTATTCT AACTTTACTTAATTAAATGAATCTAGGATGTGCTCATATGCATGTAATAT 35 TTGCTACCGTCATCTTTCAAATGACCATATTTTTATGTATTTATAATGAA TCAATGAAAACCGGATTTCTATTTAAAATTCTTAAAACTTCATCTTTTA AGCCAGGGTGAATACAATTGTAGATCCACTGTTAATTTCCATCGATTATG CGTGATCAATTGTTGGCTGCATACGATGCAGGTGCTACCACAAGAATATG GCCATGGAAACTGCTAATGAAATTATAAAACAAGTTGTTCCAGTTCTCAT 40 GGTTCCTATTAACGATTACCTACGCTACGTCGTTTCCTGCAGAAAGTACA

TCAGTGACATGGATTTGAAAATGAAGGAATTAAAAGAAGCAAAAGACAAT GTTGAAGAGCACAAGAATCATAACATTAGTAATCGTCTTGAGGTTCCAGC 5

AGCTCAAGTCCAGAGCTGGTTGGAAGATGTAGAAAAGATCAATGCAAAAG TGGAAACTGTTCCTAAAGATGTCGGCTGTTGCTTCAATCTAAAGATTAGG TACAGGGCCGGAAGGGATGCCTTCAATATAATTGAGGAGATCGACAGTGT CATGAGACGACACTCTCTGATCACTTGGACCGATCATCCCATTCCTTTGG GAAGAGTTGATTCCGTGATGGCATCCACCTCTACGCTTTCAACTGAACAC AATGACTTCCAGTCAAGAGAGGTAAGGTTTAGTGAAGCACTCAAAGCACT TGAGGCCAACCACATGATAGCATTATGTGGAATGGGGAGAGTGGGGAAGA CCCACATGATGCAAAGGCTGAAGAAGGTTGCCAAAGAAAAGAGGAAGTTT GGTTATATCATCGAGGCAGTTATAGGGGAAATATCGGACCCCATTGCTAT 10 AGAAAACAAGAGCTGAGAAGCTTCGTCAAGGGTTCAAGGCCAAATCAGAT GGAGGTAACACTAAGTTCCTCATAATATTGGATGATGTCTGGCAGTCCGT TGATCTAGAAGATATTGGTTTAAGCCCTTCTCCCAATCAAGGTGTCGACT TCAAGGTCTTGTTGACTTCACGAGACGAACATGTTTGCTCAGTGATGGGG GTTGAAGCTAATTCAATTATTAACGTGGGACTTCTAATTGAAGCAGAAGC 15 ACAAAGATTGTTCCAGCAATTTGTAGAAACTTCTGAGCCCGAGCTCCACA AGATAGGAGAAGATATTGTTAGGAGGTGTTGCGGTCTACCCATTGCCATC AAAACCATGGCGTGTACTCTAAGAAATAAAAGAAAGGATGCATGGAAGGA TGCACTTTCTCGTTTACAACACCATGACATTGGTAATGTTGCTACTGCAG TTTTTAGAACCAGCTATGAGAATCTCCCGGACAAGGAGACAAAATCTGTT 20 TTTTTGATGTGTGTTTTTCCCGAAGACTTCAATATTCCTACCGAGGA GTTGATGAGGTATGGATGGGCTTAAAGTTATTTGATAGAGTTTATACAA TTATAGAAGCAAGAACAGGCTCAACACCTGCATTGAGCGACTGGTGCAG GCAAATTTACTAATTGGAAGTGATAATGGTGTACACGTCAAGATGCATGA TCTGGTCCGTGCTTTTGTTTTGGGTATGTATTCTGAAGTCGAGCAAGCTT 25 CAATTGTCAACCATGGTAATATGCCTGGGTGGCCTGATGAAAATGATATG ATCGTGCACTCTTGCAAAAGAATTTCATTAACATGCAAGGGTATGATTGA GATTCCAGTAGACCTCAAGTTTCCTAAACTAACGATTTTGAAACTTATGC ATGGAGATAAGTCTCTAAAGTTTCCTCAAGAATTTTATGAAGGAATGGAA AAGCTCCAGGTTATATCATACGATAAAATGAAGTACCCATTGCTTCCTTT 30 • GGCACCTCAATGCTCCACCAACATTCGGGTGCTTCATCTCACTGAATGTT CATTAAAGATGTTTGATTGCTCTTCTATCGGAAATCTATCGAATCTGGAA GTGCTGAGCTTTGCTAATTCTCGCATTGAATGGTTACCTTCCACAGTCAG AAATTTAAAGAAGCTAAGGTTACTTGATCTGAGATTTTGTGATGGTCTCC GTATAGAACAGGGTGTCTTGAAAAGTTTGGTCAAACTTGAAGAATTTTAT 35 ATTGGAAATGCATATGGGTTTATAGATGATAACTGCAAGGACATGGCAGA GCGTTCTTACAACCTTTCTGCATTAGAATTCGCGTTCTTTAATAACAAGG CTGAAGTGAAAAATATGTCATTTGAGAATCTTGAACGATTCAAGATCTCA GTGGGGTGCTCTTTTGATGGAAATATCAGTATGAGTAGCCACTCATACGA AAACATGTTGCAATTGGTGACCAACAAAGGTGATGTATTAGACTCTAAAC 40 TTAATGGGTTATTTTTGAAAACAGAGGTGCTTTTTTTAAGTGTGCATGGC ATGAATGATCTTGAAGATGTTGAGGTGAAGTCGACACATCCTACTCAGTC

CTCTTCATTCTGCAATTTAAAAGTCCGTATTATTTCAAAGTGTGTAGAGT

TGAGATACCTTTTCAAACTCCATGTTGCAAACACTTTGTCAAGCCTTGAG GATTGGGGGTTGTGGAGAGAGACAATTACTTTCCCCAAGCTGAAGTCTT TATCTTTGAGTCAACTACCGAAGTTATCAGGTTTGTGCCATAATGTCAAC ATAATTGGGCTACCACATCTCGTAGACTTGAAACTTAAGGGCATTCCAGG 5 TTTCACAGTCATTTATCCGCAGAACAAGTTGCGAACATCTAGTTTGTTGA AGGAAGAGGTAGATATATGTTCTTTATGTTAATACAATTTAAATAATATT TTCAACCAAAATTTCATAATATATCTGTAATTTGATTGTATGATGTGTTA TTGTTTATATGTGGCTATTAAGGGATGATTATTTTGCAGGTTGTGATTCC TAAGTTGGAGACACTTCAAATTGATGGCATGGAGAACTTAGAAGAAATAT 10 GTGAGTAGCTGTGATAAGCTTGTGAATCTATTTCCGCACAATCCCATGTC TCTGTTGCATCATCTTGAAGAGCTTAAAGTCAAAAATTGTCGTTCCATTG AGTCGTTATTCAACATCGACTTGGATTGTCTCAGTGCAATTGGAGAAGAA GACACAGAGCATCTTAAGAAGAATCAAAGTGAAGAATTTAGGGAAGCT 15 AAGAGAGGTGTGGAGGATAAAAGGTGCAGATAACTCTCGTCCCCTCATCC ATGGCTTTCCAGCTGTTGAAAGCATAAGTATCTGGGGATGTAAGCGGTTT AGAAATATATTCACACCTATCACCGCCAATTTTGATCTGGTGGCACTTTT GGAGATTCACATAGGAAATTACAGAGAAAATCATGAATCGGAAGAGCAGG 20 TAACGCTTTCAATTTCACTTTACTTAATTAAGGACTAAGCTCTTGTT TTTTGAATAATAAAGAGGTGGGATGACTAAACTTGGGCATCACAATTGTA ACAAAATGTTACAAACCATGAACGTACAAACCATTTCTTGAATTAAGGTT TCAATACAAGTCATTTACAAATATGGCTTAAGTTTTTTATATTTATGTA TCAACATTATTTTCATTAGAGGTCATTATTATAATAGTAAGTTTAAAGC **AATTTAAATTAGCACTAATTTTTCATCATCTAACTTTAGCTAATAAATCG** 25 TTATAAATGTCAATAGCTAAAATAAAAATATTTGACATTCACTGAGAGCA ATTTTTCTAAACATGATTGCAAATGATTAAAACTTAAACTAAA AAGATTTTTATATATGTTATACAAAATTTACAAATTGAAATTGGATATGT TAATTAACAGTTTATAATTATTGTATTACAAAGCGATATATAATAAAAATA 30 TTATTTTCTGTAGTCATGTATAATTGTATATGTAAATGATTTTTTAAGA TGGTAGAAGTGGAAACTAGTCAATCTCACTTAACTCATTGTCACACCAGT TTTATATCCGTTTCTCTCTCTCTCTCTTCTTGCCTCCATCTTTTTTCAAC TCATAACACATAAAAATAACATATTTTCCAACACATTTAAGTCACTACCA CATCATTATTTTAATTTAATTAAATTAGAAAATATAAAATTAAAATAAAA CATAACATTTTTTATTAAAAGGCACTAATACAAATAAAAAGATACACGG 35 TAAATAAAAAACGATAATTAGAAAAAAAACATAATAAAAAAAGACAACA TTAAAAATAWAAAGCGACAACTAAAATTAACTAATGATCAAGAAAATTCT AAAACTCCCACCATATTTTCTGCAATTTGTCATTTATGTTCAAACACCA TTCGCAGAATCCCTCCTATCAAGTGATCATGTTGATTGAGAAAAAACTGT 40 ATGTCTCTCATGTATCTCCAAGTCCAACAAGTTAGCTTTCATTTCTTC ATTTTCTCATGTAAGACGCAAATTTTCATCCCGATATTGTTTTCTATCTT CCACCTCTACTTTATTCACAGTGTGGATGAAGGAGAGGACAGCGATTCTC

GTACGAACGGTTACGATTCGACTGGCCGTCGTTTTACAATCCCGCGGCCA

TGGCGGCCGGGAGCATGCGACGTCGGGCCCATTCGCCCTATAGTGGTCGT
AATACA (SEO ID NO:93)

Sequence gap

TGAGCCTCCGATGCTTAGTCCACTTGGCACAGTTCAAGTCCAATCAACTT ATAACCCATTTTCTTCAAGTTGTCTTCAAGTTAAGCCCAATTTGCCTTC 5 TCCAAATCATCCATAACTTCATGGAATCGCCCCTTCATCTTAATCCCGAA TGCACAATTATTCTCCCATCTTCATTTTAAGCAAGAGGCCACCTTCTTCA TGCTTCATCCATCAATAGTCTGTTGGAATAGTGTCTAAGGCTGCAACTAT ATTAGACAAGTATTTGACCCGGTTGTGCATGGTCCTTTTGGGTTGCCTTC ACCATAGCAACTTGATAGGATGATTTATTAAGAGAGAGTAAATATTATTA 10 ATATATTATGAGAATAATATAATGAATAATATATTTGTTATTTGATTAAT ATAAGTCATAGAATTAATTAGAATTAATTTGGTGACTTAAAGAGATTAAT TAAATAAAGGGGTATAAACTGTCAATTGTTTGATAGTTAAGCTTTAGACT GTAAATCCATTTGGATATGGTATGGACGAATCCTAAGGGATTTAGGATAG CTAAAATCGTCCATATGAGTTATCTAAGAAGGATTTGGATAGCCTTAAGA 15 GAAGATTATCTGATAGGGACTTATCTGTAATCCTTAAGGAGTCTACAAGT ATAAATAGACCCTATGGCTGATGGAATTCGACACATCTCCTAAAGTAAGA GAGCCTTGGCCGAATTCCTCCCCTCACCTCTCTCTAAATCATTCTTCTT GCTATTGGTGTTTGTAAGCCATTAGAGGAGTGACATTTGTGACTCTAGAA TCTCCAAGACCTCAAGATCAACAAGGAATTCAAAGGTATGATTCTAGATC 20 TGTTTCAATGTTGTTATTTGTCCTAATTAGTCATTAGAAGACTTGGATTC AAAGCATGTTTATTAGAAAGCCTAGATCYGAGCAATAGGGTTTTGCATGC GCACATAGGAAAGTTCTTATGGCTAAAACCCATCATAGTCCACTTCATGT ATCATCTCTACTAGTTATTTAGTCCATAATCCTTGTTGTCCTCCAAGTTT AATTACCTCCCTTAGTTCCTGTTCTGCTAGTTTCCTTAAAATTTGCTATT 25 AAGATCACAGAACTAGAGAGTACCCAAAATGGTTATAAAATAACAAAAAG GAAATATGCATGAAGATTAACTAAATTATAAATGTAATATGCTAAAATA AACTATAAAAAAAAGTAAATAAAATGAAACTATCACACTCCGACCACCC TTATAGGCTTGTACTGCACCCACCCTTCATTCCTTGTACCAATATGGGAT 30 ACACACATAGGGGCGGACGTAGGATTTGTAGTATGTGTTGTGGGTGAC ACATTTTTCTTTTACGTAGTGACACAATAGTAGAGAAAACGAGAAATTC CAATTTTTTACATTGTGTTCGAAAAAATATACAGGGGTTGCTGGTGCTAC 35 TGGGATGTGATACTTCTTTTGGGAAAATGGAGCAATATCTTTAATATTGT ATTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATAACTTTTA GTTTTTTTTTTTATTTTAATCTGTATATTTAATCATTTCAGTTTATAAGTTTT ATTTATTTTGGTATACCAGAAAAAAAGTCTTTTATGTGTTGGATTTAAC 40 ATA-AAATCTAACAATATTAATCAAAAAGACCAAACATGTGGACAATTAT GTATATAATTAATTCTCAATGGTCTTAGTGTAACGATATAAATTTCAAAA

CAATTTTTCACATTAAAAAAAACACTTTCAGTCATAATTGTTATAAATTA

TCATTGTATCACAAAATCAGTTCATAACATCACATCCCAAGATCAATAAA GTGTAAATACTCCTCATGTGTGTACTAATCAAGCCGACGCCTTCCCGCGA TTCTCACTGGTACCTGAAACACGTAACATAACAACTGTAAGCATAAATGC TTAGTGAGTTCCCCAAAATACCACATACCACATATATGCCTTTCCAGGCC ATAACTCTGTAGGATCTTCCGACCCAAGTGTCTCAGGGGACTTCCGTCCC 5 GAATCCCGGTAGACCTTCCGGTCCTACCCGTATTGACCTTCCGGTCCGTA ATACATCTCATAACATAAAAGACCTTCCGGTCACATAAAGGTACCCTTCC AGGTACAGTATAGTGAGAANACTCACCTCGTATGATGTCTAATACCTCAC GTGCTCGATATCCCTGAATCTCGAAACAATGACCTAGCCCCGCCTACTCA 10 CATAAAGTAATTATTTCAAATCATTAACGGCTCTCAAGGCTAGACTACAT CCCTTTCTATAAATCCACAGAAGGGTAAAAGACCATTTTACCCCTCCTTG ACCCAAAAGTCCAAATGTTGATCAAAACCCCAAAAGTCAACGAAAGACAA TGGTCAACTTTGACCCTACTCGTGGAGTGCACAAAGGTGACTCGGCAAGT ACATGCGGGTCCTCTGAATCCTTTCAGTCTCTCTTGGCTCGTCGAGTCTT 15 TCTTCCACCGACGAGTTACACCTGTCATGAATCGCGGGGCAACCCCGAC TCGACTTGTCGAGTCCGCTCATGGACTCAACGAGTTCATTCCATGCTCAC ACTCAAATGACCTCCTGAGGTCAGATCTGTTCCTCTAATCCATAGATCTG ACCTTCCCAAGCTCAATAAACACGTAAAGGTTCGAACTTGATACTCATGC 20 AACGTCCAAATGATTCTACTTGATGATTTAGCCCCAAATACAACATCCTA **AGTCCATACGACCTTATTTTCTCAAATAACAACACATATATTTAATTAC** CAATGACAGTAATAGATATCATATAAAGTATTTGTAACACTTTGTAAGAA CCTTGCTACTATAGGTAAAAAGAAACATTTCAAAGTACATGCCCTAATTA TTTGTATCAAATTATCAAAATTTAAGGTGGAAAAGAATGACGACCACA 25 GTGATCTATGTATTTAAAAGTAAATATCAAACAAGAACATAATCCAAACC CTAAATTGCAAGTCTCGCCCAATTTCTCTATCACTAGTCCTCACTTACGA TGGCGTTACGTCGCTCTCACTTCCTACAACCCATTGTTGCTACTAATT 30 ACACTAACGAAAAGTTGAATATCCATATATTTATTTGGATGTGAAATTGA ACGAATCTCGTCAAATTTTTTATTTTGTTGATGGATTTGAGTGGAAGTTT AGGCAGAACGGGAATGATGGTCTGCAAGTGGTTATAAACATGGGTGAAGA TAAAATGGAGTTGTCGCCGTTGTATTATAGATCTCTTAGGGGTTTGATTC TGAGTTATTACTGTATACGTAGCCTCTTTACAACGACCATTCTTCCAAGT 35 ACCATTTGATCTTTTAGAATCCAGTTGTCTGAAACACCCTGATTTGGAT ATCTTGATAACAAGAGGAAACACGTCACCATATCTTTTATTTTAAATTTG CTTTTGGTGTATTTCTTCTTCCCATTTCTTCTTGATCTGTTCCAGAT GGTATTTGGTGTGGATAATTTACACCTGGAGATTGTGAACGATGGGAAGG 40 GGTATGTGATTTACAGAGGATGTGGCTTGTGGTTGAGGATGGTTTATGGC TGGCCGAGTCTAATTTATATATATAAACAAATAAATATATAAAACAAG GGTAAAATATGTATTTAAGCGTCCTCTTTTAATGGTGACAATTTTTACAG

CCCCCCCTTTTTTTTTAAAATAAAAAATTAAGAAGGGGTACCACCAT ATACCCGTGTCAGCTTCTTATTCCCAAGCAGTCAAATAGGGACTTAGGTT GTATGGAAACAGTTCCGTGACTTGGATGGCAGATAAATTTAGTAAACTTA ACCCTTCAATTAACCTACCTTTTTCTTATTAACTCAATTTCAAGCTAAAT TCTGATTCTTGTTTGAAAATAAGTTGCATCTTTATTTTTGCATATTATCT 5 TGTTGCATAGGATCCTTAGCATCTTTTAATAGTTTATTTGAAGCTGAAAG ATCCAACTAGTTTTGATCTGTTGGCATTTTCCATCATTTGCAACTGTTTC TTGAAAAAAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTA TAAGAGAGAATTGTTAATGGACGTGGAATCATAAATCATTAACACAGTTC AGTACACAAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTAT 10 CAGAGAAAGAGACATTACAAGAAGTCACTGATACTAATATTTCTAATGAT GTTGTATTATTCCCATCCTGTCTCATGCACTCTTTTCATAACCTCCATAA ACTTAAATTGGAAAATTATGAAGGAGTGGAGGTGGTGTTTGAGATAGAGA GTGAGAGTCCAACATGTAGAGAATTGGTAACAACTCACAATAACCAACAA 15 CAGCCTATTATACTTCCCAACCTCCAGGAATTGTATCTAAGGAATATGGA CAACACGAGTCATGTGTGGAAGTGCAGCAACTGGAATAAATTCTTCACTC TTCCAAAACAACAATCAGAATCACCATTCCACAACCTCACAACCATAGAA ATGAGATGGTCATGGCTTTAGGTACTTGTTTTCGCCTCTCATGGCAGA ACTTCTTTCCAACCTAAAGAAAGTCAAGATACTTGGGTGTGATGGTATTG AAGAAGTTGTTTCAAACAGAGATGATGAGGATGAAGAAATGACTACATTT 20 ACATCTACCCACACAACCACCAACTTGTTCCCTCATCTTGATTCTCTCAC TCTAAAATACATGCACTGTCTGAAGTGTATTGGTGGAGGTGGTGCCAAGG ATGAGGGGAGCAATGAAATATCTTTCAATAATACCACTACAACTACCGAT TAATTTCCTTTTCTTTGCAATATTCTATGCGAACTCAAGAATGGGATTTG 25 GAGGCATATAAAGTTACATTCATTTGAACAAGTATTACCTTTTATTTGTT AATTAGAAGAGGTCCACATGTCTAATTAGGTTTTCCATTCTATGTGTAAC CTCTATTCTCTCTGTAATCAAGCATCTTAGATTATTTATCCATTTTCATA **ATTGTGTTTATTTTACAGTTTTTTTTTTTTTTATTTAATTTAATAATTTAA** 30 TTTTAATTTATTATTTTTTTTTTTTGGTAATTGCAACCTGTCATATAT TCAAGTCTTAATGTAACATAATAATACATTTTATACCCACTATACTAAGA TAATAATTACCTAAAGGGATGGATGCCATGACACTGCTACACTTCAGNAA CTCTAGTAAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTT TGATGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTT 35 AGCTAGTAGTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTCAAAATCT GGTCATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGGGG TCATCAGGTGACAGATATTGTAGAATAGAACAATATGTAATATTACCCAA AACTATTTTTCTAAGGTTGCTCTGTTAAATATGTGCTTTCTTGATTTCA 40 TTGAATTTGCATTCGTATATTTTAGGTGGTAAACTGATTGTCTCTTCAAT AAATCCTGAAATTAATTAAAAAAAAAAAAAAAAACAAAAGTACATTTTTGATTT GGAGAGCACTGGTATCATTTAGTATAGAAAAAAACTAGATTTTGAATTAY

CTTTCTTATATAAAAGTTGTGTATATAGTTTAATTAGTTTTACATCATTT

ATGCCAATACTCTAGAGAGATAGAGATATATAGGTGTGATGCACTGTCAA GTGTAATTCCATGTTACGCAGCAGGACAAATGCAAAAGCTGCAAGTGCTG ACAGTCAGTTCTTGTAATGGTCTGAAGGAGGTATTTGAAACTCAATTAGG 5 CAAGAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTGGAA ATCTACGGTTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGA AAGCCTGAGACAGCTCCAAGAGTTAACGATTAAGGGTTACTACTCTTGTC AATCTTCCAAACCTCAAAGAAATGAGGTTGGAGTGGCTAAGTAATCTGAG GTATATATGGAAGAGCAATCAGTGGACAGCATTTGAGTTTCCAAACCTAA 10 CAAGAGTTGAAATTTGTGAATGTAATTCATTAGAACATGTATTTACTAGT TCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTACATATATTTAACTG CAGTCTGATGGAGGAGGTAATTGTTAAGGATGCAGATGTTTCTGTAGAAG AAGACAAAGAGAAAGAATCTGATGGCAAGACGAATAAGGAGATACTTGTG TTACCTCATCTAAAGTCCTTGAAATTACAACTTCTTCGAAGTCTTAAGGG 15 GTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTATTGGATACTTTAG AAATCAAAAGATGCCCAACAATAACCACCTTCACCAAAGGAAATTCCGCT ACTCCACAACTAAAAGAAATACAAACAAATTTTGGCTTCTTTTATGCTGC AGGGGAAAAAGACATCAACTCTCTTATAAAGATCAAACAACAGGTAAATC 20 AGATCTTTGTTGCTTTAATAATTCTTAAACTACATTTGAAAAGCTTCATG CAAGTTTTTTGTTATATTGTCAAAAACCGCAACCTACATTCAGCTTTAT ATTTATGTACTTTATGCAGGATTTCAAACAAGACTCAGATTAATGTGAAG TGAATATTAAAGGTAAATTATATTTTCATGTTCCTAGTTGCCTATTAATT AATGGCCTTTTAGTTCATGATTTTTTGGATGTATTCTTCATGATGATGTGA ATCTTCTAATACCCCATTCATTGTTTGGTTGAATGTTGACTCTATGTCAG 25 GATGAATATTCAAGGGAAGAATTGTTCATCAWATGAAGGACATTAAAGAA CATGGATGCTATGAAGATGTTGGGAAAACATATGTATCAAGTGGCAARCT GCTTAATGATCTAAGTTTGTTGGTTGANGATGTTGATTTTAATATTTCAA ATTCATTGGTTATATGGGCTTATCAATAGTGTTAATGGGATAATGAGTGA 30 CTT.AACCTAAATTATGTTGTTGGTAAATGTTGGACAAGTATGGAAAATTA

RG2D deduced polypeptide sequence (SEQ ID NO:95)

MAMETANEIIKQVVPVLMVPINDYLRYVVSCRKYISDMDLKMKELKEAKDNVEE

HKNHNISNRLEVPAAQVQSWLEDVEKINAKVETVPKDVGCCFNLKIRYRAGRDAF
NIIEEIDSVMRRHSLITWTDHPIPLGRVDSVMASTSTLSTEHNDFQSREVRFSEALKA
LEANHMIALCGMGRVGKTHMMQRLKKVAKEKRKFGYIIEAVIGEISDPIAIQQVVA
DYLCIELKESDKKTRAEKLRQGFKAKSDGGNTKFLIILDDVWQSVDLEDIGLSPSPN
QGVDFKVLLTSRDEHVCSVMGVEANSIINVGLLIEAEAQRLFQQFVETSEPELHKIG
EDIVRRCCGLPIAIKTMACTLRNKRKDAWKDALSRLQHHDIGNVATAVFRTSYENL
PDKETKSVFLMCGLFPEDFNIPTEELMRYGWGLKLFDRVYTIIEARNRLNTCIERLV
QANLLIGSDNGVHVKMHDLVRAFVLGMYSEVEQASIVNHGNMPGWPDENDMIVH

GGAATGACTTGTGAAAAAAAAAAAAAAAAA (SEQ ID NO:94)

SCKRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLKFPOEFYEGMEKLQVISYDKM . KYPLLPLAPOCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSRIEWLPSTVRN LKKLRLLDLRFCDGLRIEQGVLKSLVKLEEFYIGNAYGFIDDNCKDMAERSYNLSA LEFAFFNNKAEVKNMSFENLERFKISVGCSFDGNISMSSHSYENMLQLVTNKGDVL DSKLNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVRIISKCVELRYL 5 FKLHVANTLSSLEHLEVCGCENMEELIHTGIGGCGEETITFPKLKSLSLSQLPKLSGL CHNVNIIGLPHLVDLKLKGIPGFTVIYPONKLRTSSLLKEEVVIPKLETLQIDGMENL **EEIWPCELSGGEKVKLREIKVSSCDKLVNLFPHNPMSLLHHLEELKVKNCRSIESLF** NIDLDCVSAIGEEDNKSILRRIKVKNLGKLREVWRIKGADNSRPLIHGFPAVESISIW GCKRFRNIFTPITANFDLVALLEIHIGNYRENHESEEQIEILSEKETLQEVTDTNISND 10 VVLFPSCLMHSFHNLHKLKLENYEGVEVVFEIESESPTCRELVTTHNNQQQPIILPN LOELYLRNMDNTSHVWKCSNWNKFFTLPKOOSESPFHNLTTIEMRWCHGFRYLFS PLMAELLSNLKKVKILGCDGIEEVVSNRDDEDEEMTTFTSTHTTTNLFPHLDSLTLK YMHCLKCIGGGGAKDEGSNEISFNNTTTTDQFKLSEAGGVCWSLCQYSREIEIYRC DALSSVIPCYAAGQMQKLQVLTVSSCNGLKEVFETQLGTSSNKNNEKSGCEEGIPR 15 VNNNVIMLPNLKILEIYGCGGLEHIFTFSALESLROLQELTIKGYYTLVNLPNLKEM RLEWLSNLRYIWKSNOWTAFEFPNLTRVEICECNSLEHVFTSSMVGSLLQLQELHIF NCSLMEEVIVKDADVSVEEDKEKESDGKTNKEILVLPHLKSLKLQLLRSLKGFSLGK EDFSFPLLDTLEIKRCPTITTFTKGNSATPOLKEIOTNFGFFYAAGEKDINSLIKIKQQ 20 DFKQDSD.CEVNIK

RG2E polynucleotide sequence (SEQ ID NO:96)

TGGGAAGACACAATGATGCAAAGGTTGAAGAAGGTTGCTAAAGAAAATAGAAT 25 AGC.AAGAGCTGATAAGCTTCGTGAATGGTTTAAGGCCAACTCTGGAGAAGGTA AGAATAAGTTCCTTGTAATATTTGATGATGTTTGGCAGTCCGTTGATCTGGAAG ACATTGGTTTAAGTCATTTTCCAAATCAAGGTGTCGACTTCAAGGTCTTGTTGA CTTCACGAGACGAACATGTTTGCACAGTAATGGGGGGTTGAAGCTAATTCAATTC 30 TTAATGTGGGACTTCTAGTAGAAGCAGAAGCACAAAGTTTGTTCCAGCAATTTG TAGAAACTTTTGAGCCCGAGCTCCATAAGATAGGAGAAGATATCGTAAGGAAG TGTTGTGGTTTACCTATTGCCATTAAAACCATGGCATGTACTCTAAGAAATAAA AGA.AAGGATGCATGGAAGGATGCACTTTTGCATTTAGAGTACCATGACATTAGC AGTGTTGCGCCCAAAGTCTTTGAAACGAGCTACCATAATCTCCACAACAAGGAG ACTAAATCTGTGTTTTTGATGTGTGTTTTTTTCCTGAAGACTTCAATATTCCAA 35 TCGAGGAGTTGATGAGGTATGGATGGGGCTTAAAGATATTTGATAGAGTTTATA CTATTAGACAAGCAAGAATCAGGCTCAACACCTGCATTGAGCGACTGGTGCAG ACAAATTTGTTAATAGAAAGTGATGATGGTGTGCACGTCAAGATGCATGATCTG GTCCGTGCTTTCGTTTTGGTTATGTTTTCTGAAGTTGAACATGCTTCAATTATCA 40 ACCATGGTAATATGCTTGGATGGCCTGAAAATTATATGACCAACTCTTGCAAAA CAATTTCATTAACATGCAAGAGTATGTCTGAATTTCCGGGAGATCTCAAGTTTC CAAACCTAACGATTTTGAAACTCATGCATGGAGATAAGTTGCTAAGATATCCTC

AAGACTTTTATGAAGGAATGGAAAAGCTCTGGGTTATATCATATGATGAAATGA AGTATCCATTGCTTCCCTCGTTACCTCAATGCTCCATCAACCTTCGAGTGCTTCA CCTCCATCGATGCTCATTAATGATGTTTGATTGCTCTTGTATTGGAAATATGTTG AATCTGGAAGTGCTTAGCTTTGTTAAATCTGGCATTGAATGGTTACCTTCCACA ATAGGAAATTTAAAGAAGCTAAGGTTACTTGATCTGAGAGATTGTTATGGTCTT CGTATAGAAAAAGGTGTCTTGAAAAAATTTGGTGAAAAATTGGAGGAATTTATATT GGTAGAGCAGATATTTTATAGAT

RG2E deduced polypeptide sequence (SEQ ID NO:97)

5

10 WEDTMMQRLKKVAKENRMFNYMVEAVIGEKTDPLAIQQAVADYLCIELKESTKP
ARADKLREWFKANSGEGKNKFLVIFDDVWQSVDLEDIGLSHFPNQGVDFKVLLTS
RDEHVCTVMGVEANSILNVGLLVEAEAQSLFQQFVETFEPELHKIGEDIVRKCCGL
PIAIKTMACTLRNKRKDAWKDALLHLEYHDISSVAPKVFETSYHNLHNKETKSVFL
MCGFFPEDFNIPIEELMRYGWGLKIFDRVYTIRQARIRLNTCIERLVQTNLLIESDDG
VHVKMHDLVRAFVLVMFSEVEHASIINHGNMLGWPENYMTNSCKTISLTCKSMSE
FPGDLKFPNLTILKLMHGDKLLRYPQDFYEGMEKLWVISYDEMKYPLLPSLPQCSI
NLRVLHLHRCSLMMFDCSCIGNMLNLEVLSFVKSGIEWLPSTIGNLKKLRLLDLRD
CYGLRIEKGVLKNLVKIGGIYIGRADIL.

20 RG2F polynucleotide sequence (SEQ ID NO:98)

CTGTGGAAGACACAATGATGCAAAAGGCTGAAAAAGGTTGTGCATGAAAAGAAA ATTCAGGATGCTATAGCAGATTACCTAGGTGTAGAGCTCAATGAAAAATCTAAG CAAGCAAGAGCTGATAAGCTCCGTCAAGGATTCAAGGACAAATCAGATGGAGG 25 CAAAAATAAGTTCTTTGTAATACTTGACGATGTTTGGCAGTCTGTTGATCTGGA AGATATTGGTTTAAGTCCTTTTCCAAATCAAGGCGTCGACTTCAAGGTCTTGTT GACATCACGAGACAGACATGTTTGCACAGTGATGGGGGGTTGAAGCCAAATTAA TTCTAAACGTGGGACTTCTAATTGAAGCTGAAGCACAAAGTTTGTTCCACCAAT TTGTTGTCACTTCTGAGCCCGAGCTCCATAAGATAGGAGAAGATATTGTAAAGA 30 AGTGTTTCGGTCTGCCAATTGCCATCAAAACCATGGCATGTACTCTACGACATA AAAGAAAGGATGCATGGAAGGATGCACTTTCACGTTTAGAGCACCATGACATT CAAAGTGTTGTGCCTAAAGTATTTGAAACGAGCTACAACAATCTCAAAGACAA GGAGACTAAATCCGTATTTTTGATGTGTGTGTTTTCCTGAAGACTTGGATAT ACCTATCGAGGAGTTGATGAGGTATGGATGGGCTTAAGATTATTTGATAGAGT 35 TAATACTATTACACAAGCAAGAAACAGGCTCAACACCTGCATTGAGCGACTGG TGCACACAAATTTGTTAATTGAAAGTGTTGATGGTGTGCATGTCAAGATGCATG ATCTGGTTCGTGCTTTTGTTTTGGGAATGTTTTCTGAAGTGGAGCATGCTTCAAT CAAACAAATTTCATTAACATGCAAGAGTATGTTGGAGTTTCCTGGAGACCTCAA 40 GTTTCCAAACCTAAAGATTTTGAAACTTATGCATGGAGGTAAGTCACTAAGGTA TCCTCAAGACTTTTATCAAGGAATGGAAAAGCTGGAGGTTATATCATACGATGA AATGAAGTATCCATTGCTTCCCTCGTTGCCTCAATGTTCCACCATCCTTCGAGTG CTTCATCTCCATGAATGTTCATTAAGGATGTTTGATTGCTCTTCAATCGGTAATC.
TTTTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAGCATTGAATTGTTACCTTC
CGTAATTGGAAAATTTGAAGAAGTTGCGGCTGCTAGATTTGACAAACTGTTATGG
TGTTCGTATAGAAAAAGGATGTCTTGAAAAAATTTGGTGAAAACTTGAAGAGCTTTA
TATTAGGAATGGTCTACCAGTTTACAGAGGAT

RG2F deduced polypeptide sequence (SEQ ID NO:99)

5

10

15

VEDTMMQRLKKVVHEKKMFNFIVEAVIGEKTDPVAIQDAIADYLGVELNEKSKQA
RADKLRQGFKDKSDGGKNKFFVILDDVWQSVDLEDIGLSPFPNQGVDFKVLLTSRD
RHVCTVMGVEAKLILNVGLLIEAEAQSLFHQFVVTSEPELHKIGEDIVKKCFGLPIAI
KTMACTLRHKRKDAWKDALSRLEHHDIQSVVPKVFETSYNNLKDKETKSVFLMCG
LFPEDLDIPIEELMRYGWGLRLFDRVNTITQARNRLNTCIERLVHTNLLIESVDGVH
VKMHDLVRAFVLGMFSEVEHASIVNHGNMPEWTENDMTDSCKQISLTCKSMLEFP
GDLKFPNLKILKLMHGGKSLRYPQDFYQGMEKLEVISYDEMKYPLLPSLPQCSTILR
VLHLHECSLRMFDCSSIGNLFNMEVLSFANSSIELLPSVIGNLKKLRLLDLTNCYGV
RIEKDVLKNLVKLEELYIRNGLPVYRG

RG2G polynucleotide sequence (SEQ ID NO:100)

GAAGACACGATGATGAAGAACTGAAGGAGGTCGTGGGACAAAAGAAATCATTC 20 AATATTATTCAAGTGGTCATAGGAGAGACAAACCCTATTGCAATTCAG AAGAGCTGATAAGCTTCGTAAACGGTTTGAAGCCGATGGAGGAAAGAATAAGT TCCTTGTAATACTTGACGATGTATGGCAGTTTGTCGATCTTGAAGATATTGGTTT AAGTCCTCTGCCAAATAAAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAGA 25 TTCACATGTTTGCACTCTGATGGGAGCTGAAGCAAATTCAATTCTTAATATAAA AGTTTTAAAAGATGTAGAAGGACAAAGTTTGTTCCGCCAGTTTGCTAAAAATGC GGGTGATGACCTGGATCCTGCTTTCAATGGGATAGCAGATAGTATTGCAAG TAGATGTCAAGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAAAGG TAGAAGCAAGTCTGCATGGGACGTTGCACTTTCTCGTCTGGAGAATCATAAGAT 30 TGGTAGTGAAGAAGTTGTGCGTGAAGTTTTTAAAATTAGCTACGACAATCTCCA AGATGAGGTTACTAAATCTATTTTTTTACTTTGTGCTTTATTTCCTGAAGATTTT GAAGCAAAAACTATAAGAGAAGCAAGAAACAGGCTCAACACCTGCACTGAGCG GCTTAGGGAGACAAATTTGTTATTTGGAAGTGATGACATTGGATGTCAAGAT GCACGATGTGGTGCGTGATTTTGTTTTGCATATATTCTCAGAAGTCCAACACGC 35 TTCAATTGTCAACCATGGTAACGTGTCAGAGTGGCTAGAGGAAAATCATAGCAT CTACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTCTCAGTTTCCCAA AGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTATGCATGGAGATAAGTC ACTGAGCTTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATC 40 ATATGATAAATTGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACCAA CGTTCGAGTGCTTCATTACTGTTCATTAAGGATGTTTGATTGCTCTTCA ATTGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAACATTGAA

TGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGCTACTAGATTTGACA AATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTAAAAAATTTGGTCAAACTT GAAGAGCTTTATATGGGTGTTAATCGTCCGTATGGACAGGCCGTTAGCTTGACA GATGAAAA

RG2G deduced polypeptide sequence (SEQ ID NO:101)

5

10

15

RHDDEELKEVVGQKKSFNIIIQVVIGEKTNPIAIQQAVADYLSIELKENTKEARADKL RKRFEADGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTSRDSHVCTL MGAEANSILNIKVLKDVEGQSLFRQFAKNAGDDDLDPAFNGIADSIASRCQGLPIAI KTIALSLKGRSKSAWDVALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIFLLCAL FPEDFDIPTEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVK MHDVVRDFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSQFPKDL KFPNLSILKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNVRVLH LHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKGLRID NGVLKNLVKLEELYMGVNRPYGQAVSLTDE

RG2H polynucleotide sequence (SEQ ID NO:102)

TGAAGGAGGTTGTGGAACGAAAGAAATGTTCAGTATTATTGTTCAAGTG GTCATAGGAGAGAGACAAACCCTATTGCTATTCAGCAAGCTGTAGCAGA 20 TTACCTCTCTATAGAGCTGAAAGAAACACTAAAGAAGCAAGAGCTGATA AGCTTCGTAAATGGTTCGAGGCCGATGGAGGAAAGAATAAGTTCCTTGTA ATACTTGACGATGTATGGCAGTTTGTCGATCTTGAAGATATTGGTTTAAG TCCTCTGCCAAATAAAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAG ATTCACATGTTTGCACTCTGATGGGAGCCGAAGCCAATTCAATTCTCAAT 25 ATAAAAGTTTTAACAGCTGTAGAAGGACAAAGTTTGTTCCGCCAGTTTGC TAA.AAATGCGGGTGATGATGACCTGGATCCTGCTTTCAATAGGATAGCAG ATAGTATTGCAAGTAGATGTCAAGGTTTGCCCATTGCCATCAAAACCATT GCCTTAAGTCTTAAAGGTAGAAGCAAGCCTGCGTGGGACCATGCGCTTTC TCGTTTGGAGAACCATAAGATTGGTAGTGAAGAAGTTGTGCGTGAAGTTT 30 TTA.AAATTAGCTATGACAATCTCCAAGATGAGATTACTAAATCTATTTTT TTACTTTGTGCTTTATTTCCTGAAGATTTTGATATTCCTACTGAGGAGTT GATGAGGTATGGATGGGGCTTGAAATTATTTATAGAAGCAAAAACTATAA GAGAAGCAAGAAACAGGCTCAACACCTGCACTGAGCGGCTTAGGGAGACA AATTTGTTATTTGGAAGCGATGACATTGGATGCGTCAAGATGCACGATGT 35 GGTGCGTGATTTTGCTTTTGCATATATTCTCAGAAGTCCAGCACGCTTCAA TTGTCAACCATGGTAACGTGTCAGAGTGGCTAGAGGAAAATCATAGCATC TACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTCTGAGTTTCC CAAAGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTATGCATGGAG ATAAGTCGCTGAGCTTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTT 40 CAGGTAATATCATATGATAAATTGATGTATCCATTGCTTCCCTCATCACT TGAATGCTCCACTAACGTTCGAGTGCTTCATCTCCATTATTGTTCATTAA GGATGTTTGATTGCTCTTCAATTGGTAATCTTCTCAACATGGAAGTGCTC

AGCTTTGCTAATTCTAACATTGAATGGTTACCATCTACAATTGGAAATTT GAAGAAGCTAAGGCTACTAGATTTGACAAATTGTAAAGGTCTTCGTATAG ATAATGGTGTCTTAAAAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGT GTTAATCATCCGTATGGAC

5

10

15

RG2H deduced polypeptide sequence (SEQ ID NO:103)

KEVVERKKMFSIIVQVVIGEKTNPIAIQQAVADYLSIELKENTKEARADKLRKWFEA DGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTSRDSHVCTLMGAEAN SILNIKVLTAVEGQSLFRQFAKNAGDDDLDPAFNRIADSIASRCQGLPIAIKTIALSLK GRSKPAWDHALSRLENHKIGSEEVVREVFKISYDNLQDEITKSIFLLCALFPEDFDIP TEELMRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVKMHDVVR DFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEFPKDLKFPNLSI LKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNVRVLHLHYCSL RMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKGLRIDNGVLKN LVKLEELYMGVNHPYG

RG2I polynucleotide sequence (SEQ ID NO:104)

AAGAAGAGCTGAAGGAGGTTGTGGAACAAAAGAAAACGTTCAATATTATT GTTCAAGTGGTCATAGGAGAGAGACAAACCCTATTGCTATTCAGCAAGC TGTAGCAGATTCCCTCTCTATAGAGCTGAAAGAAACACTAAAGAAGCAA 20 GAGCTGATAAGCTTCGTAAATGGTTCGAGGCTGATGGAGGAAAGAATAAG TTCCTCGTNATACTTGACGATGTATGGCNGTTTGTTGATCTTGAAGATAT TGGTTTAAGTCCTCATCCAAATAAAGGTGTCANCTTCAAGGTCTTGTTGA CGTCAAGAGATTCACATGTTTGCACTCTGATGGGAGCTGAAGCCAATTCA 25 ATTCTCAATATAAAAGTTTTAAAAGATGTAGAAGGAAAAAGTTTGTTCCG CCAGTTTGCTAAAAATGCGGGTGATGATGACCTGGATCCTGCTTTCATTG GGATAGCAGATAGTATTGCAAGTAGATGTCAAGGTTTGCCCATTGCCATC AAAACCATTGCCTTAAGTCTTAAAGGTAGAAGCAAGTCTGCATGGGACGT TGCACTTTCTCGTCTGGAGAATCATAAGATTGGTAGTGAAGAAGTTGTGC 30 GTG.AAGTTTTTAAAATTAGCTATGACAATCTCCAAGATGAGGTTACTAAA TCTATTTTTTACTTTGTGCTTTATTTCCTGAAGATTTTGATATTCCTAC AAACTATAAGAGAAGCAAGAAACAGGCTCAACACCTGCACTGAGCGGCTT AGGGAGACAAATTTGTTATTTGGAAGTGATGACATTGGATGCGTCAAGAT 35 GCACGATGTGGTGCGTGATTTTGTTTTGCATATATTCTCAGAAGTCCAGC ACGCTTCAATTGTCAACCATGGTAATGTGTCAGAGTGGCTAGAGGAAAAT CATAGCATCTACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTC TGAGTTTCCCAAAGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTA TGCATGGAGATAAGTCGCTGAGCTTTCCTGAAAACTTTTATGGAAAGATG 40 GAAAAGGTTCAGGTAATATCATATGATAAATTGATGTATCCATTGCTTCC CTCATCACTTGAATGCTCCACCAACCTTCGAGTGCTTCATCTCCATGAAT GTTCATTAAGGATGTTTGATTGCTCTTCAATTGGTAATCTTCTCAACATG

GAAGTGCTCAGCTTTGCTAATTCTGGCATTGAATGGTTACCATCTACAAT TGGAAATTTGAAGAAGCTAAGGCTACTGGATCTGACAGATTGTGGAGGTC TTCATATAGATAATGGCGTCTTAAAAAAATTTGGTCAAACTTGAAGAGCTT TATATGGGTGCTAATCGTCTGTTTGGAAAGTGCCAT

5

10

15

20

25

30

35

40

RG2I deduced polypeptide sequence (SEQ ID NO:105)

EELKEVVEQKKTFNIIVQVVIGEKTNPIAIQQAVADSLSIELKENTKEARADKLRKWF
EADGGKNKFLVILDDVW?FVDLEDIGLSPHPNKGV?FKVLLTSRDSHVCTLMGAEA
NSILNIKVLKDVEGKSLFRQFAKNAGDDDLDPAFIGIADSIASRCQGLPIAIKTIALSL
KGRSKSAWDVALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIFLLCALFPEDFDI
PTEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVKMHDVV
RDFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEFPKDLKFPNLS
ILKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNLRVLHLHECSL
RMFDCSSIGNLLNMEVLSFANSGIEWLPSTIGNLKKLRLLDLTDCGGLHIDNGVLKN
LVKLEELYMGANRLFGKCH

RG2J polynucleotide sequence (SEQ ID NO:106) and (SEQ ID NO:107).

ATGTCCGACCCAACAGGGATTGTTGGTGCCATTATTAACCCAATTGCTCA AACGGCCTTGGTTCCCCTTACAGACCATGTAGGCTACATGATTTCCTGCA GAAAATATGTGAGGGACATGCAAATGAAAATGACAGAGTTAAATACCTCA AGAATCAGTGCAGAGGAACACATTAGCCGGAACACAAGAAATCATCTTCA GATTCCATCTCAAATTAAGGATTGGTTGGACCAAGTAGAAGGGATCAGAG CGAATGTTGCAAACTTTCCAATTGATGTCATCAGTTGTTGTAGTCTCAGG ATCAGGCACAAGCTTGGACAGAAAGCCTTCAAGATAACTGAGCAGATCGA AAGTCTAACGAGACAAAATTCGCTGATTATCTGGACTGATGAACCTGTTC CCCTGGGAAGAGTTGGTTCCATGATTGCATCCACCTCTGCAGCATCAAGT GATCATCATGATGTCTTCCCTTCAAGAGAGCAAATTTTTAGGAAAGCACT AGAAGCACTTGAACCCGTCCAAAAATCCCACATAATAGCCTTATGGGGGA TGGGCGGAGTGGGGAAGACCACGATGATGAAGAAGCTGAAAGAGGTCGTG GAACAAAAGAAACGTGCAATATTATTGTTCAAGTGGTCATAGGAGAGAA GACAAACCCTATTGCTATCCAGCAAGCTGTAGCAGATTACCTCTCTATAG AGCTGAAAGAAACACTAAAGAAGCAAGAGCTGATAAGCTTCGTAAACGG TTCGAAGCCGATGGAGGAAAGAATAAGTTCCTTGTAATACTTGACGATGT ATGGCAGTTTTTCGATCTTGAAGATATTGGTTTAAGTCCTCTGCCAAATA AAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAGATTCACATGTTTGC ACTCTGATGGGAGCTGAAGCCAATTCTATTCTCAATATAAAAGTTTTAAA AGATGTAGAAGGAAAAAGTTTGTTCCGCCAGTTTGCTAAAAATGCGGGTG ATGATGACCTGGATCCTGCTTTCATTGGGATAGCAGATAGTATTGCAAGT AGATGTCAAGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAA AGGTAGAAGCAAGTCTGCATGGGACGTCGCACTTTCTCGTCTGGAGAATC ATAAGATTGGTAGTGAAGAAGTTGTGCGTGAAGTTTTTAAAATTAGCTAT GACAATCTCCAAGATGAGGTTACTAAATCTATTTTTTTACTCTGTGCTTT

ATTTCCTGAAGATTTTGATATTCCTATTGAGGAGTTGGTGAGGTATGGGT GGGGCTTGAAATTATTATAGAAGCAAAAACTATAAGAGAAGCAAGAAAC AGGCTCAACAACTGCACTGAGCGGCTTAGGGAGACAAATTTGTTATTTGG AAGTCATGACTTTGGGTGCGTCAAGATGCACGATGTGGTGCGTGATTTTG 5 TTTTGCATATGTTTTCAGAAGTCAAGCATGCTTCAATTGTCAACCATGGT AACATGTCAGAGTGGCCAGAGAAAAATGATACCAGCAACTCTTGTAAAAG AATTTCATTAACATGCAAGGGTATGTCTAAGTTTCCTAAAGACATCAACT ATCCAAACCTTTTGATTTTGAAACTTATGCATGGAGATAAGTCGCTGTGC TTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATCATA TGATAAATTGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACTA 10 ACGTTCGAGTGCTTCATCTCCATTATTGTTCATTAAGGATGTTTGATTGC TCTTCAATTGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTC TAACATTGAATGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGC TACTAGATTTGACAAATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTA **AAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGTGTTAATCGTCCGTA** 15 TGGACAGGCCGTTAGCTTGACAGATGAAAACTGCAATGAAATGGTAGAAG GTTCCAAAAACTTCTTGCACTAGAATATGAGTTGTTTAAATACAATGCT CAAGTGAAGAATATATCCTTCGAGAATCTTAAACGATTCAAGATCTCAGT GGGATGTTCTTTACATGGATCTTTCAGTAAAAGCAGGCACTCATACGAAA 20 ACACGTTGAAGTTGGCCATTGACAAAGGCGAACTATTGGAATCCCGAATG AACGGGTTGTTTGAGAAAACGGAGGTTCTTTGTTTAAGTGTGGGGGATAT GTATCATCTTTCAGATGTTAAGGTGAAGTCCTCTTCGTTCTACAATTTAA GAGTCCTTGTCGTTTCAGAGTGTGCAGAGTTGAAACACCTCTTCACACTT GGTGTTGCAAATACTTTGTCAAAGCTTGAGCATCTTAAAGTCTACAAATG 25 CGATAATATGGAAGAACTCATACATACCGGGGGTAGTGAAGGAGATACAA TTACATTCCCCAAGCTGAAGCTTTTATATTTGCATGGGCTGCCAAACCTA TTGGGTTTGTGTCTTAATGTCAACGCAATTGAGCTACCAAAACTTGTGCA AATGAAGCTTTACAGCATTCCGGGTTTCACAAGCATTTATCCGCGGAACA AGTTGGAAGCATCTAGTTTGTTGAAAGAAGAGGTACATATACATATAGTT 30 TATGTTAATACATTTTAAACAATCTTTTCAACTAAAAGTTTCAGAATATA TCTGTATTTTGATTGTATGATGTTTAGTGTTTTGGATGTGGCTATTAAAG GATAATTATTTGGCAGGTTGTGATTCCTAAGTTGGATATACTTGAAATTC ATGACATGGAGAATTTAAAGGAAATATGGCCTAGTGAGCTTAGTAGAGGT GAGAAAGTTAAGTTGAGAAAGATTAAAGTGAGAAATTGTGATAAACTTGT GAATCTATTTCCACACAATCCCATGTCTCTGCTGCATCATCTTGAAGAGC 35 TTATAGTCGAGAAATGTGGTTCCATTGAAGAGTTGTTCAACATCGACTTG GATTGTGCCAGTGTAATTGGAGAAGAAGAACAACAACAGCAGCTTAAGAAA CATCAATGTGGAGAATTCAATGAAGCTAAGAGAGGTGTGGAGGATAAAAG GTGCAGATAACTCTCGTCCCCTCTTTCGTGGCTTTCAAGTTGTTGAAAAG 40 ATAATCATTACGAGATGTAAGAGGTTTACAAATGTATTCACACCTATCAC CACAAATTTTGATCTGGGGGCACTTTTGGAGATTTCAGTTGATTGTAGAG GAAATGATGAATCAGACCAAAGTAACCAAGAGCAAGAGCAGGTATGGATT

TCAATTTTACTCTTACTTAATTAATGATTAAGCCCCTGCTTTTTAATA

AAAAGGGGACAAACCATTTCTTGACTTAATGTTGCAATACAAGTCATGTA TAAGAGTGATTAACTTTTTTTTTATTATAAAATAACTACAAAACATGTTT TTTCATTATAGATCATGTATAAATGTGACTAATTTTTTTCATCGCCTAAC TTTTGTTGATAAATCATTAGAAATGTCACTAATTACTTTTTAGTATTTAT **AAAATAACTACAAAACATGTTTTTTCATTATAGATCATGTATATATCAAC** TAAAAATATTATTCCCTTACACAAAAAAAAAAAGGTTCAAGAAAGCCTGTA TTTCGAAATAACTAAAAAGAAAATATTTGATATTCACTAAGAGAAATTTT TTTCTAAACATGATCGCAAATGATTAAAACTTAAAATTAAAACTAAAAAGA TTTTTATATATGTTATNCAAAATTAAAATTTGAAATTAAGTTTATAATTC TNGTNTCACAAAGGGATATATATAGTAAAATATTATTTTTTTGCAGTCAT GCATAGTTGTATTTTAAATGATTTATTAACGTGGTAGGAGTGGAAACCA CTCAATCTAGTAGACCCACTATCACATGTCACATCAGCTTTACATCTATT TTTCTTCTCCTTTTTCATCTTTTTAAACTCATAACACNTAAAANTANC TTAAATTNGAAAATTAAATTAANTAAANCNTAACATTTTTTAATTAAAA AATATTAATCCAAATAAAAANTNCACGATAAATTAAAAANGTTTANTTTG GAAAAAANCC (SEQ ID NO:106)

Sequence gap

5

10

15

ATAACCCTTTCAAGGGTCAACTCAAGTCCAAGTTAAAGTCAAGGTCAAAA

20 CCTTGGTTAAAGTCAACTTTGGTCAAAGTCAACATCTACTTGACTCACCT
CACCGAGTTGGTCCACCAACTTGTCGAGTCCCTTAATCCACAAACTTCAA
GAACTTCGATCCTACTCGTCGAGTCTTTCAAGAACTCTTCGAGTTTCCAT
TACACAGAATCGGGACCTTTTGCTCATGACTCGCCGAGTTCATCCTTGAA
CTTGTCGAGTCTAGCTTCATACGAGTTCGAGTGTTTAGTCCTTGACTCGT

25 CGAGTTCTTCCTTGAACTCGTCGAGTCCATCTTCGTATAGTTGGGACATT
GCCTTGAACTCACCGAGTTCATCATTGAACTCATCGAGTCCTTCGATCTT

CAAGTCCATAATCCTGTCCATCTTGTTGAGTCCTCTTCTAGACTCAACCA GATTCCTCAGAAACAGAAAAGGTTAGGGAACCATTACCTGACTCGCCGAG

- 40 GGCTGAAATGAGGCTAGAAAAAGTGTTTAAATAGGGGGCAAACCCTAAAT
 ATTAGGGTTTCATCCAGGCAGCCCTACTCGTCGAGTCGGGCTCCCGACTC
 GTCGAGTAGGTCACTTAAAACCCGCGTCCATAATCCAGTCTACTCGACGA
 GTTGGGCCTCCAACTCGTCGATTCCGAGTGCAAAACGTTCAATTACTTAA

ATTTAAATATGTACCAGGAACCGGGTGTTACAGTTGAGACTTTATACCTC CATAAGATAGATCTAGGTGCACATAGCCTGGATCCACAAGCTCCATGTCA ACAAGCGACTCTTCAAGAAGTTCATTCTTCCTCCTTAAGCACCAAAAAAC ACACAAAATCACCATGAAGCTCAAGAAATACTCAAATAGAGGATAGGGTT 5 TCGTTCGTAGGGTTAGAGAGGATGGAGGCTAGAGGAAATGAGGGATAGAG GCGAGTTAAGGTCTTAAATAGGGTCCAAGACCCTAAATTAGGGTTTTAA TCTGGCCAGACGCAGGGTGTTCCCAAATGCATATGTGTCCAAATTC TCGTGTGCGCCATGCGTACCTCCCTTGTACGCCATGTGTACCGGGTTTGG TCCAAACCCTTCTAACTTCAAATGATCATAACTTGCACCCCTTATCTGTT 10 TTCGATGTTCTTTATATCCACGGAAAGGTAACAAGAAGCCCTATACTTCT ATAAACTTTATTTAATCTGAAAACCAACCGAAATTAAATCCAAAATTCAT AAAAGTCCCGAACCAACACATTTACCGATACCCTTGGGCTCCAAAACACA AATTGAAAACCCGGATCATCCAAACTACATCATCCACCTCCAAATGAGCC CAAACTCAATTATTCAAGGGTTCTAAGCCTGTTAATGCCCACTCCTCGAT 15 TACCACCCGCAATGGGAAACGATTCAAAACAGGGCGTTACATAATTTGT TGTGGTTTTGTATTTTTATTTCCGGTGAAGGTGAAAGATCCAACTATTT TACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGAGAAT TGTAAATGGACATGGAATCTTAAATCATTAACACAGTTCAGTACACAAGT 20 TGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAAAGAG ACATTACAAGAAGCCACTGACAGTATTTCTAATGTTGTATTCCCATCCTG TCTCATGCACTCTTTTCATAACCTCCAGAAACTTATATTGAACAGAGTTA AAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAGTAGA GAATTGGTAACAACTCACCATAACCAACAACAGCCTGTTATATTTCCCAA 25 CCTCCAGCATTTGGATCTAAGGGGTATGGACAACATGATTCGCGTGTGGA AGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATCAGAA TCCCCATTCCACAACCTCACAACCATAAATATTGATTTTTGCAGAAGCAT TAAGTACTTGTTTTCACCTCTCATGGCAGAACTTCTTTCCAACCTAAAGA AAGTCAATATAAAATGGTGTTATGGTATTGAAGAAGTTGTTTCAAACAGA GATGATGAGGATGAAGAAATGACTACATTTACATCTACCCACACAACCAC 30 CATCTTGTTCCCTCATCTTGATTCTCTCACTCTAAGTTTCCTGGAGAATC TGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGGAGCAATGAAATA TCTTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCAATTTGAGGT ATGCTTTGTTCATATTCAATTATTTATTTAATTTCCTTTTTTATTTGCAA 35 TATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAACTAC CTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGAAACTCTAGT AAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGATGGG TAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGCAAGT ACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGTCATT 40 GTACCCAGAATTTAGTTAAATGTAACATTTTAGATATCAGGGGACATCAG GTGACAGATATTGTAGAATAGAACAATATATAATATTACCCAAAACTATT TTTTCTAAGGTTTTTCTGTTAAATATGTGCTTTCTTGATTTCATTGAATT

TGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCAATAAATCCC

GAAATTAATTAAAAAAAAAAAAAAAAACAAAAGTAAATTTTTGATATGGAGA GCACTGGTATCATTTAGTATATAAAAAAACTAGATTTTGAATTAAGTTTC TTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCA TGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATGCC **AAT ACGCTAGAGAGATAAGTATAGAATTCTGCAATGCATTGTCAAGTGTG** 5 ATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGACAGT CAGTTCTTGTAATGGTCTGAAGGAGGTATTTGAAACTCAATTAAGGAGGA GCAGCAACAAAACAACGAGAAGAGTGGTTGTGATGAAGGAAATGGTGGA ATTCCAAGAGTAAATAACAATGTTATTATGCTTTCTGGTCTGAAGATATT GGAAATCAGCTTTTGTGGGGGGTTTGGAACATATATTCACATTCTCTGCAC 10 TTGAAAGCCTGAGACAGCTCGAAGAGTTAACGATAATGAATTGCTGGTCA ATGAAAGTGATTGTGAAGAAGGAAGAAGATGAATATGGAGAGCAGCAAAC AACAACAACAACGAAGGGGACTTCTTCTTCTTCTTCTTCTTCTTCTTCTT CTTCTTCTTCTTCTTCTCCTCCTCCTTCTTCTAAGAAGGTTGTGGTC 15 TTTCCTTGTCTAAAGTCCATTGTATTGGTCAATCTACCAGAGCTGGTAGG ATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTAGATGAACTTA TCATCGAGAAATGCCCAAAAATGATGGTGTTTACAGCTGGTGGGTCCACA GCTCCCCAACTCAAGTATATACACACAAGATTAGGCAAACATACTATTGA TCAAGAATCTGGCCTTAACTTTCATCAGGTATATATGTTTCTTTAATTGG CATCATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTTACTTCAA 20 ACACATTCACACTGGTTTCAGTCTAAGTTTATGTTGTTCTAGGAAGGCCA AAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTTCAGTGGAAAGGGTA TTTTAGGTATTTCTGTCAAAAGTTGTTATTGCAGGCTTTTTAGTACCTG GAATCGTGTGTGGGAGGAGCATTATTATTCTGATTTGCTTGTTTCTTAT 25 CATTTTTCTTAGCCTCTCGAACAGCTAGAAACCCTTTTAATCTTTTGAT TTT.AAATGACAAAATTTTTCCCTGTTACTCTATTTGATTGTTGTTCTTCA TGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCTTTTGATTGTTATT TTCATAGCATGTTAGTCACTTGAATCAAGCTTTTTCATTTTCAACCAGGG CAAAAGGTCAAAAGTAACCTACTTTATGAGATCAAAAACAGCAACCCATC 30 GGATAACTTTTAGTTGGAGTTAATAGTTACAATTACCATTGTGATTAATA ATTATAATATCCTGTATTAATTCATAAAAATTGGTACAGCACATATATGA CATTTCAAAGGTTTTTGTTTGACATATATGCCTCTGGCGTTTTCTTTA TTGGACTTGCAGACCTCATTCCAAAGTTTATACGGTGACACCTTGGGCCC 35 CTGCAACTGCAAAAGCTGGAAAAGATAAATATAAACAGTTGTGTTGGGGT AGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGGAGAAATGGAAATA GTGGAATTGGTTTTGATGAATCGTCACAAACAACTACCACTACTCTTGTC AATCTTCCAAACCTTAGAGAAATGAACTTATGGGGTCTAGATTGTCTGAG 40 GTATATATGGAAGAGCAATCAGTGGACAGCATTTGAGTTTCCAAAACTAA CAAGAGTTGAAATTAGTAATTGCAACAGTTTAGAACATGTATTTACTAGT TCCATGGTTGGTAGTCTATCGCAACTCCAAGAGCTACATATAAGTCAGTG

CAAACTTATGGAGGAGGTGATTGTTAAGGATGCAGATGTTTCTGTAGAAG

AAGACAAAGAGAAAGAATCTGATGGCAAGATGAATAAGGAGATACTTGCG TTACCTAGTCTAAAGTCCCTGAAATTAGAAAGCTTACCATCTCTTGAGGG GTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTATTGGATACTTTAA GAATTGAGGAATGCCCAGCAATAACCACCTTCACCAAGGGAAATTCCGCT ACTCCACAACTAAGAGAAATAGAAACAAGATTTGGCTCGGTTTATGCAGG GGAAGACATCAAATCCTCTATTATAAAGATCAAACAACAGGTAAATCAGA TCATTGTTGGTTTAATAATTCTTAAACTACATTTGAAAAGTTTCATGTAA GTTTTTTATTATTGTCAAAAGCCGCAACCTATATTTTCAACTTTATATTT ATGTACTTTATGCAGGATTTCAAAAAAGCCCAGGACTCTATTTAATGTGA AGTAAATACTAGAAGAGGTAAATTCTATTTACATGTCTCCTGATTGCCTA TTAATTAATGGCCTTTCAGTTCATGGTTTTTGGATGTATTCTTCATGATG ACGTGAATGTTTAAATACCCCACTAGTTAATTGTTAGGTTGAATGTTGAT GACCAAAGGACTATATGTCGGGAAGAATATTCAAGGAAAGAATTGTTCAT CATATGAAGGCATTAAATTAAGAAGAACATGGATGCTATGAAGATGTTG GGAAAATATATGAATCAAATAACAAGCTACTCACTTATCTAAGTTTGTTG GTTGAGGATGTTGATTTTAATATTTCAAATTCATTGGTATCATTATATGG GTTTATCAGTAGTGTTAATGGGATAATGAGCAACTTAACCTTAAATTATG CTGTTGGTAAATGTTGGACTCAAGTATGGAAAATTAGGAATAACTTGTGA AAAATATATGCAAAAGTAGGATTGAGATTTTCAATGAAAAAAATTATGAA ACTATACTACTATAGTATATAAATAAATTCAACTTACTGTTGGGTATATT GGAAGCACATATCATGAAAGTAACTAGAAGCAGAATTTGTTCCCATCTTC ATCTACTTATAGTTTCCATTTCTTACTTGTAAAAATCTGATTAAACTTTA GAGTTATTTCTATTTTTACCAACCAAAATTTTCATATAAAGGCCACAAG T (SEQ ID NO:107)

25

30

35

40

20

5

10

15

RG2J deduced polypeptide sequence (SEQ ID NO:108)

MSDPTGIVGAIINPIAQTALVPLTDHVGYMISCRKYVRDMOMKMTELNTSRISAEEH ISRNTRNHLQIPSQIKDWLDQVEGIRANVANFPIDVISCCSLRIRHKLGQKAFKITEQI ESLTRQNSLIIWTDEPVPLGRVGSMIASTSAASSDHHDVFPSREQIFRKALEALEPVQ KSHIIALWGMGGVGKTTMMKKLKEVVEOKKTCNIIVOVVIGEKTNPIAIQQAVADY LSIELKENTKEARADKLRKRFEADGGKNKFLVILDDVWOFFDLEDIGLSPLPNKGV NFKVLLTSRDSHVCTLMGAEANSILNIKVLKDVEGKSLFRQFAKNAGDDDLDPAFI GIADSIASRCQGLPIAIKTIALSLKGRSKSAWDVALSRLENHKIGSEEVVREVFKISYD NLQDEVTKSIFLLCALFPEDFDIPIEELVRYGWGLKLFIEAKTIREARNRLNNCTERL RETNLLFGSHDFGCVKMHDVVRDFVLHMFSEVKHASIVNHGNMSEWPEKNDTSN SCKRISLTCKGMSKFPKDINYPNLLILKLMHGDKSLCFPENFYGKMEKVQVISYDKL MYPLLPSSLECSTNVRVLHLHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIG NLKKLRLLDLTNCKGLRIDNGVLKNLVKLEELYMGVNRPYGOAVSLTDENCNEM VEGSKKLLALEYELFKYNAQVKNISFENLKRFKISVGCSLHGSFSKSRHSYENTLKL AIDKGELLESRMNGLFEKTEVLCLSVGDMYHLSDVKVKSSSFYNLRVLVVSECAEL KHLFTLGVANTLSKLEHLKVYKCDNMEELIHTGGSEGDTITFPKLKLLYLHGLPNL LGLCLNVNAIELPKLVOMKLYSIPGFTSIYPRNKLEASSLLKEEVVIPEELIVEKCGSI EELFNIDLDCASVIGEEDNNSSLRNINVENSMKLREVWRIKGADNSRPLFRGFQVVE KIITTCKRFTNVFTPITTNFDLGALLEISVDCRGNDESDQSNQEQEQIEILSEKETLQE
ATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTSRELVTTHHNQQQP
VIFPNLQHLDLRGMDNMIRVWKCSNWNKFFTLPKQQSESPFHNLTTINIDFCRSIKY
LFSPLMAELLSNLKKVNIKWCYGIEEVVSNRDDEDEEMTTFTSTHTTTILFPHLDSL
TLSFLENLKCIGGGGAKDEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAR
EISIEFCNALSSVIPCYAAGQMQKLQVLTVSSCNGLKEVFETQLRRSSNKNNEKSGC
DEGNGGIPRVNNNVIMLSGLKILEISFCGGLEHIFTFSALESLRQLEELTIMNCWSMK
VIVKKEEDEYGEQQTTTTTKGTSSSSSSSSSSSSSSSSSSSSSKKVVVFPCLKSIVLVNLP
ELVGFFLGMNEFRLPSLDELIIEKCPKMMVFTAGGSTAPQLKYIHTRLGKHTIDQES
GLNFHQDIYMPLAFSLLDLQTSFQSLYGDTLGPATSEGTTWSFHNLIELDVKFNKD
VKKIIPSSELLQLQKLEKININSCVGVEEVFETALEAAGRNGNSGIGFDESSQTTTTTL
VNLPNLREMNLWGLDCLRYIWKSNQWTAFEFPKLTRVEISNCNSLEHVFTSSMVGS
LSQLQELHISQCKLMEEVIVKDADVSVEEDKEKESDGKMNKEILALPSLKSLKLESL
PSLEGFSLGKEDFSFPLLDTLRIEECPAITTFTKGNSATPQLREIETRFGSVYAGEDIKS
SIIKIKQQDFKKAQDSI.CEVNTR

5

10

15

RG2K polynucleotide sequence (SEQ ID NO:109) and (SEQ ID NO:110)

TGGGATTCCATATATAAAAACATATATTTTATAAAGTGGGATTCCATTG 20 AAAACATGTCGGCTTTTGACTAAAAATATAGATTTTTATGAATAGAATAT TCAATTTGCTTAACTCGTTTAAAAAAAAATGAAAAAGATGTCGATATAAAA TCTCATATGGGCCTTCTTTACCATTCAAATAGTAAAATAGTAAAAGATAC TTGTTTGGGGCATGAACTGACCATAGTCAAACCCATACAAAATCAAACGA ATCCCACATGGATGACGATGGGGTCGCAGTAAATGTGTTTTGGTCCT 25 TTTTTTCGAGAGAACAGAAGCTTCTGCTCTTCATCTTCATCTTTAGATTTTG GGGATTTTCTGGTTTCAGGGGTTTGTGAGTGGAAACTAAATTGAAGCAAA AAAGTATGGTATAATTGGTTGCTAGTGAAATTGATGCTTTCTATTACTAT CATCTTTAAAATTGTCAAAACATTATGTATTAAATTATGAGATCGAAAGT GGTCTATGGGCCAAAGGTAATACAAGCTTACTCAATGAAATGAATCTAGG 30 ATGCATCATGCATGTATTGGTTAGATTAAAGATTTCATCAAATTTCCTT TATCAAATTGTTGTATACCATGTTATGTAGGTGCTACCACAAGCCATAAC ATCGAGCAATGGAGTGTATTACTGGCATCTTTAGCAACCCGTTTGCTCAG TGTCTCATCGCTCCTGTGAAAGAACACCTTTGCCTTCTGATTTTCTATAC ACAATATGTAGGGGATATGCTTACTGCAATGACGGAGTTGAATGCTGCAA 35 AAGACATTGTTGAAGAGCGGAAGAATCAAAACGTAGAAAAATGTTTTGAG GTTCCAAACCATGTCAACCGTTGGTTGGAAGATGTTCAAACAATCAACAG AAAAGTGGAACGTGTTCTTAACGATAATTGCAATTGGTTCAATCTATGTA ATAGGTACATGCTCGCAGTGAAAGCCTTGGAGATAACTCAGGAGATCGAT CATGCCATGAAACAACTCTCTCGGATAGAATGGACTGATGATTCAGTTCC 40 TTTGGGAAGAATGATTCCACAAAGGCATCCACCTCTACACCATCAAGTG ATTACAATGACTTCGAGTCAAGAGAACACACTTTTAGGAAAGCACTTGAA GCACTTGGATCCAACCACACCACATGGTAGCCTTATGGGGGATGGG

TGGAGTTGGGAAGACCACGATGATGAAGAGGCTGAAAAATATTATTAAAG AAAAGAGGACGTTTCATTATATTGTTTTGGTGGTTATAAAGGAAAATATG GATCTCATTCCATCCAGGATGCTGTAGCAGATTATCTGGATATGAAGCT AACAGAAAGCAATGAATCAGAAAGAGCCGATAAACTTCGTGAAGGGTTTC AGGCCAAATCAGATGGAGGTAAGAATAGGTTCCTCATAATACTGGATGAT 5 GTATGGCAATCTGTTAATATGGAAGATATTGGTTTAAGTCCTTTTCCGAA TCAAGGTGTCGACTTCAAGGTCTTGTTGACCTCGGAAAACAAAGATGTTT GTGCAAAAATGGGAGTTGAAGCTAATTTAATTTTCGACGTGAAATTCTTA ACAGAAGAAGAAGCACAAAGTTTGTTTTATCAATTTGTAAAAGTTTCTGA TACCCACCTTGATAAGATTGGAAAAGCTATTGTAAGAAACTGTGGTGGTC 10 TACCCATTGCCATCAAAACCATAGCCAATACTCTTAAAAATAGAAACAAG GATGTATGGAAGGATGCACTTTCTCGTATAGAGCATCATGACATTGAGAC AATTGCACATGTTGTTTTTCAAATGAGCTACGACAATCTCCAAAACGAAG AAGCTCAATCCATTTTTTTGCTTTGTGGATTGTTTCCTGAAGACTTTGAT ATTCCTACTGAGGAATTGGTGAGGTATGGATGGGGATTGAGAGTATTTAA 15 TGGAGTGTATACTATAGGAGAAGCAAGACACAGGTTGAACGCCTACATCG AGCTGCTCAAGGATTCTAATTTATTGATTGAAAGTGATGATGTTCACTGC ATCAAGATGCATGATTTAGTTCGTGCTTTTGTTTTGGATACGTTTAATAG ATTCAAGCATTCTTTGATTGTTAACCATGGTAATGGTGGTATGTTAGGGT GGCCTGAAAATGATATGAGTGCCTCATCTTGCAAAAGAATTTCATTAATA 20 TGCAAGGCATGTCCGATTTTCCTAGAGACGTAAAGTTTCCAAATCTCTT GATTTTGAAACTTATGCATGCAGATAAGTCTTTGAAGTTTCCTCAAGACT TTTATGGAGAAATGAAGAAGCTTCAGGTTATATCATACGATCACATGAAG TATCCCTTGCTTCCAACATCACCTCAATGCTCCACCAACCTTCGTGTGCT TCATCTTCATCAATGCTCATTGATGTTTGATTGCTCTTCTATTGGAAATC 25 TGTTGAATCTGGAAGTGCTCAGCTTTGCTAATTCTGGTATTGAGTGGTTG CCTTCCACAATCGGAAATTTGAAGGAGCTAAGGGTACTAGATTTGACAAA TTGTGATGGTCTTCGTATAGATAATGGTGTCCTAAAGAAATTGGTGAAAC TTGAAGAGCTTTATATGAGAGTTGGTGGTCGATATCAAAAGGCCATTAGC TTCACTGATGAAAACTGCAATGAAATGGCAGAGCGTTCAAAAAATCTTTC 30 TGCATTAGAATTTGAGTTCTTCAAAAACAATGCTCAACCAAAGAATATGT CATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGATGTTATTTTAAG GGAGATTTCGGTAAGATCTTTCACTCTTTTGAAAACACGTTGCGGTTGGT CACCAACAGAACTGAAGTTCTTGAATCTAGGCTTAATGAGTTGTTTGAGA 35 AAGAGTCCTTATCATTTCTGAGTGTATAGAGTTGAGATACCTTTTCACAC TTGATGTTGCAAACACTTTGTCAAAGCTTGAGCATCTTCAAGTTTACGAA TGCGATAATATGGAAGAAATCATACATACAGAGGGTAGAGGAGAAGTGAC AATTACATTCCCAAAGCTGAAGTTTTTATCATTGTGTGGGCTACCAAATC 40 TGTTGGGTTTGTGTGGTAATGTGCACATAATTAATCTACCACAACTCACA GAGTTGAAACTTAATGGCATTCCAGGTTTCACAAGCATATATCCTGAAAA AGATGTTGAAACATCTAGTTTGTTGAATAAAGAGGTAAATGTGTTTTATG

TTAATACAATACAATCTTTTCAATTAACCGTTTCAAAATATATTGTATGA TAATTCCTAATTTGGAGAAACTTGATATTAGTTATATGAAGGATTTGAAA GAGATATGGCCTTGTGAATTAGGGATGAGTCAGGAAGTTGATGTTTCTAC GTTGAGAGTGATTAAAGTAAGCAGTTGTGATAATCTTGTGAATCTATTCC 5 CGTGCAATCCTATGCCATTGATACATCACCTTGAAGAGCTTCAAGTGATA TTTTGTGGTTCCATTGAAGTGTTATTCAACATTGAGTTGGATTCTATTGG TCAAATTGGAGAAGGCATCAACAATAGCAGCTTGAGAATCATCCAATTGC AGAACTTAGGGAAGCTAAGTGAGGTGTGGAGGATAAAAGGTGCGGATAAC TCTAGTCTTCATCAGTGGCTTTCAAGGTGTTGAAAGCATTATCGTTAA 10 CAAATGCAAGATGTTTAGAAATGTATTCACACCTACCACCACCAATTTTG ATCTGGGGGCACTTATGGAGATTCGGATACAAGATTGTGGAGAAAAGAGG AGAAACAACGAATTGGTAGAGAGTAGCCAAGAGCAAGAGCAGGTATGGCT TTCAATTTCACTTTACTTAATGAAGGATTAAGCTCCTGCTTTTTGAA TAAAAAGTGGATGAATGACTAAATTCGGGAATGCCACCCGGAAAGTTATC 15 AACCATTTAGCTACACCATTTTTTGAACTAATGTTGCAATAAATGCATAA TTAAAATGTCTACAATAAATGATTTTCTTTATTATATATCATTTTATAAAC AATAAGCTTAAAGATGTTTAAATAGCCAATGTCAGTTATAGATCGTAACT AATTTTTTATTAACTAGTTTAGTTAAGATATCACTCATTATTATTTTTA 20 TAGAAAAAGACAAGATTGGCTAATCCTCATAAGAATTTGGAAGATTTAA GCA.AAATATAGAGCTTTTCCAAACATAGCCAATAGTTTCTTTTGCAGGTC AATTTCCATTAATTAAAAAAAAGTTCAAGCCATTTTGTAGTTGGCACCTG CAAAATGGTAGTTTGCACCTGCGGAAATCACCTTTCACCATTTCGCATCT 25 ATGACTTGTGAAAATGTTAATTTGTGAAATGGTCATGTGCACCTCATGAG AAATACGAAATGGTCAGTAATATGACTTTTTTATATAAATATGATGGTGG TCAATTTAGGACGACTCGGGCAATGAAATCATCATTTAATAGGAGCAATG 30 AAATCATTTTCGAAAAATGTTTACAAATGAATAAAATATTAAATTAAACT TAAAACATTTTGTTAGTAGTTTGAAATTTACAAACTGAAATTTGTTGTAT TTATTAACATTTATAAATGTTGTACTATGATTTTTTCCTTGTTTGCAAAT ATTCCTTAAAAATCCACCTAAAATCAAAATAATTAATCTTTTTCAAGTTG 35 AAAAATGAAAATCGTATGATATAACCGTGTATGGATGTGGAATTATATAT CAGTTACTAATTACATTTTTTTTTTGGGATATATGTGCGCAGATTGATATT GCAATCCCATTCACTCTCACACACTCTTTCCAAAACCTCCGTAAACTTGC TTTGGAAAAGTATGAAGGAGTGGAGGTGTTTTGAGATAGAGAGTCCAA CAAGTAGAGAATTGATAACAATTCACCATAATCAACAACCACTACTTCCC 40 AACCTTGAGTTATTGGATATAAGTTTTATGGACAGCATGAGTCATGTATG GAAGTGCAACTGGAATAAATTCTTCATTCTTCAAAAACAACAGTCAGAAT CCCCATTCTGTAATCTCACAACCATACATATTCAATATTGCCAAAGCATT AAGTACTTGTTTTCAACTCTCATGGCAAAACTTCTTTCCAACCTAAAGAA

GGTCGAGGTAAGAGAGTGTCATGGTATTGAAGAAGTTGTTTCGAACAGAG ATGATGAAGATGAGGAAAAGACTACATTTACATCTACATCTTCTGAAAAA AGCACTAATTTGTTCCCTCGTCTTGAATCTCTCGCTCTTTATCAACTTCC AAATCTCAAGTGTATTGGTGGTGGTGGTTCTGCCAACAGTGGGAACAATG

Sequence gap
CCTCCCTAATAATACATGTTATGCACACTATACTAACATATTAGACACGT
AAAGGATAAATGCTATGCCTCATATAATACGTTATATTTATAATCTTTAA

- 10 ACAATCAAATTTATTAAACAAATAACTAAGTGTGAGCAAAGGCAGGTACC CGACTAAATTGCCCAAAACCAGTCTGGTGGTTCGTGGAATGTTGGGCCAG GTCGTTAAAACGTCTACACACCCGGTTCTTTAAATCACAGATCCGCTTCTC ATACTGTGAACCCGGTTTTAATTTTAAAAGAAAATTTCATTATAAAGTAA ATGACTTAAACCATTACAAACAAAAAAATTTACCATTACAATGTTGGAC
- 20 TAAGCTTGTTGTATTTAAACATATGCTTTCTAAACTTAATTGATTTTGCA
 TTCCAAAATTTTAGGTTGTAAAGTGGTATGTCATTTGTTGTCTTTTCAAC
 ATTAATTGTACAAAAACCAAAACTACATAATTGATGTAGATATCATAACA
 ATTGTGTTATTTAGTATATAAAAAACTAAATTTTGAATTGAATTCTTATA
 CAAAAGTTGTGTCTATGTATACATGTTTATGTAGGTAATAGACAATTAGT
- 25 CTCTGTTAAGTATATGGAGTTTAATTTTTAGACTAATTTTTCATGTGTTG
 CAGTTTTATCAGGCAGGTGGCGTTTTTTGGACGTTATGCCAATACTCCAG
 AGAGATAAATATAAGGGAGTGTTATGCATTGTCAAGTGTAATTCCATGTT
 ATGCAGCAGGACAGATGCAAAATGTTCAAGTGCTGAATATATACAGGTGC
 AACTCAATGAAGGAGTTATTTGAAACTCAAGGGATGAACAACAACAATGG
- TGACAGTGGTTGTGATGAAGGAAATGGTTGTATACCAGCAATTCCAAGAC
 TAAATAACGTTATTATGCTACCCAATCTAAAGATATTGAAGATTGAAGAT
 TGTGGTCATCTGGAACATGTATTCACATTCTCTGCACTTGGAAGCCTGAG
 ACAGCTCGAAGAGTTAACGATAGAGAAATGCAAGGCAATGAAAGTGATAG
 TGAAGGAAGAAGATGAATATGGAGAGCAAACAACAAAGGCATCTTCGAAG
- GAGGTTGTGGTCTTTCCTCGTCTCAAGTCCATTGAACTGGAAAATCTACA
 AGAGCTCATGGGTTTCTACTTAGGGAAGAATGAGATTCAGTGGCCTTCAT
 TGGATAAGGTTATGATCAAGAATTGCCCAGAAATGATGGTGTTTTGCACCT
 GGTGAGTCCACAGTTCCCAAGCGCAAGTATATAAATACAAGCTTTGGCAT
 ATATGGGATGGAGGAGGTACTTGAAACTCAAGGGATGAACAACAATAATG
- 40 ATGACAATTGTTGTGATGATGGAAATGGTGGAATTCCAAGACTAAATAAC GTTATTATGTTTCCAAATATAAAGATATTGCAAATCAGCAATTGTGGCAG TTTGGAACATATTCACATTCTCTGCACTTGAAAGCCTGATGCAGCTCA AAGAGTTAACAATAGCGGATTGCAAGGCAATGAAAGTGATTGTGAAGGAG

GAATATGATGTAGAGCAAACAAGGGTATTGAAGGCTGTGGTATTTTCTTG
TCTAAAGTCCATTACACTATGCCATCTACCAGAGTTGGTGGGTTTCTTCT
TGGGGAAGAATGAGTTCTGGTGGCCTTCATTGGATAAGGTTACCATCATT
GATTGCCCACAAATGATGGGGTTCACACCTGGTGGGTCAACAACTTCCCA
CCTCAAGTACATACACTCAAGCTTAGGCAAACATACTCTTGAATGTGGCC
TTAATTTCAAGTCACAACTACTGCATATCATCAGGTATAATTATTCT
TTNACACCATCTAATTATGGAATCATGACGCTAATTACAGTATTAAACAC
(SEO ID NO:110)

10 RG2K deduced polypeptide sequence (SEQ ID NO:111)

5

MECITGIFSNPFAQCLIAPVKEHLCLLIFYTQYVGDMLTAMTELNAAKDIVEERK NONVEKCFEVPNHVNRWLEDVQTINRKVERVLNDNCNWFNLCNRYMLAVKAL EITOEIDHAMKQLSRIEWTDDSVPLGRNDSTKASTSTPSSDYNDFESREHTFRKAL EALGSNHTSHMVALWGMGGVGKTTMMKRLKNIIKEKRTFHYIVLVVIKENMDL 15 ISIODAVADYLDMKLTESNESERADKLREGFQAKSDGGKNRFLIILDDVWQSVN MEDIGLSPFPNQGVDFKVLLTSENKDVCAKMGVEANLIFDVKFLTEEEAQSLFY OFVKVSDTHLDKIGKAIVRNCGGLPIAIKTIANTLKNRNKDVWKDALSRIEHHD IETIAHVVFOMSYDNLONEEAOSIFLLCGLFPEDFDIPTEELVRYGWGLRVFNGV YTIGEARHRLNAYIELLKDSNLLIESDDVHCIKMHDLVRAFVLDTFNRFKHSLIV NHGNGGMLGWPENDMSASSCKRISLICKGMSDFPRDVKFPNLLILKLMHADKS 20 LKFPQDFYGEMKKLQVISYDHMKYPLLPTSPQCSTNLRVLHLHQCSLMFDCSSI GNLLNLEVLSFANSGIEWLPSTIGNLKELRVLDLTNCDGLRIDNGVLKKLVKLEELY MRVGGRYQKAISFTDENCNEMAERSKNLSALEFEFFKNNAQPKNMSFENLERFKIS VGCYFKGDFGKIFHSFENTLRLVTNRTEVLESRLNELFEKTDVLYLSVGDMNDLED 25 VEVKLAHLPKSSSFHNLRVLIISECIELRYLFTLDVANTLSKLEHLQVYECDNMEEII HTEGRGEVTITFPKLKFLSLCGLPNLLGLCGNVHIINLPQLTELKLNGIPGFTSIYPEK DVETSSLLNKEVVIPNLEKLDISYMKDLKEIWPCELGMSQEVDVSTLRVIKVSSCDN LVNLFPCNPMPLIHHLEELQVIFCGSIEVLFNIELDSIGQIGEGINNSSLRIIQLQNLGK LSEVWRIKGADNSSLLISGFOGVESIIVNKCKMFRNVFTPTTTNFDLGALMEIRIQDC 30 **GEKRRNNELVESSQEQEQ**

RG2L polynucleotide sequence (SEQ ID NO:112)

AAGGATGCACTTTCACGTATAGAGCACTATGACATTCGTAGTGTTGCGCC TAAAGTCTTTGAAACAAGCTATCACAATCTCCAAGACAGGGAGACTAAAT CCGTGTTTTTGATGTGTGTTTTCTTGAAGACTTCAATATTCCTACC GAGGAGTTGATGAGGTATGGATGGGGCTTAAAGCTATTTGACAGAGTTTA TACAATTAGAGAAGCAAGAACCAGGCTCAACACCTGCATTGAGCGACTTG TGCAGACAAATTTGTTAATTGAAAGTGATGATGTTGGGTGTGTCAAGATG CATGATCTGGTGCGTGCTTTTGTTTTGGGTATGTATTCTGAAGTCGAGCA TGCTTCAATTGTCAACCATGGTAATATGCATGGGTGGACTAAAAATGATA TGAACGACTCTTGCAAAACAGTTTCTTTAACATGCGAGAGTGTCTCTGAG TTTCCAGGAGACCTCAAGTTTCCAAACCTAAAGCTTTTGAAACTTATGCA TGGAGATAAGATGCTAAGGTTTTCTCAAGACTTTTATGAAGGAATGGAAA AGCTCCAGGTAATATCATACCATAAAATGAAGTATCCATTGCTTCCCTCG TCACCTCAATGCTCCACCAACCTTCGAGTGCTTCATCTTCATCGGTGTTC ATTACGGATGCTTGATTGCTCTTGTATCGGAAATTTGACGAATCTGGAAG TGTTGAGCTTCGCTAATTCTGGCATTGAACGGATACCTTCAGCAATCGGA AATTTGAAGAAGCTTAGGCAACTTGATCTGAGAGGTCGTTATGGTCTTTG TATAGAACAGGGTGTCTTGAAAAATTTGGTCGAACTTGAAGAACTTTATA TTGGAAATGCATCTGCGTTTAGAGATTATAACTGCAATGAGATGGCAG

RG2L deduced polypeptide sequence (SEQ ID NO:113)

5

10

15

20

25

30

35

40

EDTMMQRLKKVAKENRMFSYMVEAVIGEKTDPIAIQQAVADYLRIQFKESTKPAR ADKLREWFKAHS?DGKNKFLVIFDDVWQSVDLEDIGLSPFPNQGVDFKVLLTSRDE HVCTMMGVEANSVINVGLLTEVEAQSLFQQFVETFEPELCKIGEVIVRKCCGLPIAI KTMACTLRNKRKDAWKDALSRIEHYDIRSVAPKVFETSYHNLQDRETKSVFLMCG LFPEDFNIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQTNLLIESDDVGC VKMHDLVRAFVLGMYSEVEHASIVNHGNMHGWTKNDMNDSCKTVSLTCESVSEF PGDLKFPNLKLLKLMHGDKMLRFSQDFYEGMEKLQVISYHKMKYPLLPSSPQCST NLRVLHLHRCSLRMLDCSCIGNLTNLEVLSFANSGIERIPSAIGNLKKLRQLDLRGR YGLCIEQGVLKNLVELEELYIGNASAFRDYNCNEMA

RG2M polynucleotide sequence (SEQ ID NO:114)

RG2M deduced polypeptide sequence (SEQ ID NO:115)

5

10

15 GEDTIDAKAEEVAKEKRMFSYIIEAVIGEKTDPISIQEAISYYLGVELNANTKSVRAD
MLRQGFKAKSDVGKDKFLIILDDVWQSVDLEDIGLSPFPNQGVNFKVLLTSRDRHI
CTVMGVEGHSIFNVGLLTEAESKRLFWQFVEGSDPELHKIGEDIVSKCCGLPIAIKT
MACTLRDKSTDAWKDALSRLEHHDIENVASKVFRASYDHLQDEETKSTFFLCGLFP
EDSNIPMEELVRYGWGLKLFKKVYTIREARTRLNTCIERLIYTNLLIKVDDVQCIKM
HDLIRSFVLDMFSKVEHASIVNHGNTLEWPAD??HDSCKGLSLTCKG?CEFCGDL?F
PTLMILKLMHGDKSLRF

RG2N polynucleotide sequence (SEQ ID NO:116)

AGGTAAAATCCATAACCCTAAATGTTGGTACGCTCATATATCAAATTGCG TGTTTGTTGAATGAAAAAGCATGCTCAAAAAACCAGTGTAAGGCACGG 25 TATATGACATATTTATAGTTACTGATAACAAATTATGATAATTTTGGGTT TACRTAAGTTAGGATTCGTACTTCAACCAAATGTAATAGTTTTTGTGAGT CTATCTATGTATTTGGGGAATCACATTAGCAACGGGATTGTACTAGTAAT TCGAAAAAGTCTTTTAAATAATTTTTCTGTTTATAATTTATGAATAGTTT TAGCGACATCTAATATTAAATAGAATGTATCTGATATTGAATTAATGTCC 30 TTAATGTGAACATAGACCTTTTCCATTTACTAATGCCTAATTATTAGTTT CTAATCAATAAATTTTAATTTCTGTTTTATGCTTCTAAGACAATAAAAAT ATTAGGATACCAAACCCCCCGCCATGCCCAATGTCTAAATATTCTTGAT GCTTTTGCTTTTCCTTTTTCCTTGTTAGTCTATTATTCTGGAGAGTTT 35 GAGAGAGTTTCATACAAGAAATTTCAAGAAGAAAGCAAAGGTCCAGGTA TTCTCTTTTCTTAATTATGTATTAACTTACAAGCATTTTTTACACGATCC ATGGTTTTTTGTGTATGTTTTTCAAATTGAAACTAGATTGGGACTTTTGC CCTTGATGATTCATAAGATATTGCATGGAGTTGAGATTGTGTAAGAAAAG TGGTGAATAGAAAGAGCAAGTGAATCCAGATATAGTATTGGTAATATATG 40 ATGATGAGATAGAGATATGTTAAAACTGGCTAGAAAATTGTTTTAATTTG AAATTTAGGTKGTTGAATTTGAAAGATACCAAGCTAATAACTAATTAGTT

ATGCTAAWTAGTTATAAAGAACAACAACTCTTAGTTTTTTTTTCATGA TTTTCAACCTCTTTGTACCAAACTAAATTATAGCAAAATTGAATATCATT CTCTGCAATCAATCTTAACTTTTGTTATTATCATCATGTCTAAAATTGCC ACAAGTTTATTTCAAAGTCATATTGGATTATGAAAGGACTATTTTTACC AATTACATCTTTACTTTATGGGCCAAAGCTAATACAATCCGACTAAACTA 5 AAGGAATATGGGATGCATATAGTTTGCTTCCCGATTATAGATTTCTATCT AATTTGTCTATTGTACTAATTTAGGTGCCACCACAAGTAAATTTGTTAAA TGGATATCGTTAATGCCATTCTTAAACCAGTTGTCGAGACTCTCATGGTA CCCGTTAAGAAACACATAGGGTACCTCATTTCCTGCAGGCAATATATGAG GGAAATGGGTATCAAAATGAGGGGATTGAATGCTACTAGACTTGGTGTCG 10 AAGAGCATGTGAACCGGAACATAAGCAACCAGCTTGAGGTTCCAGCCCAA GGCAGGGGTTGGTATGAAGAAGTAGGAAAGATCAATGCAAAAGTGGAAAA TTTTCCTAGCGATGTTGGCAGTTGTTTCAATCTTAAGGTTAGACACGGGG TCGGAAAGAGACCTCCAAGATAATTGAGGACATCGACAGTGTCATGAGA GAACACTCTATCATCATCTGGAATGATCATTCCATTCTTCTAGGAAGAAT 15 TGATTCCACGAAAGCATCCACCTCAATACCATCAACCGATCATCATGATG AGTTCCAGTCAAGAGGCAAACTTTCACAGAAGCACTAAACGCACTCGAT CCTAACCACAAATCCCACATGATAGCCTTATGGGGAATGGGCGGAGTGGG TGTTTAATTTTATTGTTGAGGCGGTTGTAGGGGAAAAAACAGACCCCATT 20 GCTATTCAATCAGCTGTGGCAGATTACCTAGGTATAGAGCTCAATGAAAA AACTAAACCAGCAAGAACTGAGAAGCTTCGTAAATGGTTTGTGGACAATT CTGCTGGTAAGAAGATCCTAGTCATACTCGACGATGTATGGCAGTTTGTA GATCTGAATGATATTGGTTTAAGTCCTTTACCAAATCAAGGTGTCGACTT CAAGGTGTTGTTGACATCACGAGACAAAGATGTTTGCACTGAGATGGGAG 25 CTGAAGTTAATTCAACTTTTAATGTGAAAATGTTAATAGAAACAGAAGCA CAAAGTTTATTCCACCAATTTGTAGAAATTTCGGATGATGTTGATCGTGA GCTCCATAATATAGGAGTGAATATTGTAAGGAAGTGTGGCGGTCTACCCA TTGTCATCAAAACCATGGCGTGTACTCTTAGAGGAAAAAGCAAGGATGCA TGGAAGAATGCACTTCTTCGTTTAGTGAACTACAACATTGAAAATATAGT 30 GAATGGAGTTTTTAAAATGAGTTACGACAATCTCCAAGATGAGGAGACTA AATCCACCTTTTTGCTTTGTGGAATGTTTCCCGAAGACTTTAATATTCCT GTATACTATAGGAGAAGCAAGAATCAGGCTCAACACATGCATTGAGCGGC TCATTCATACAAATTTGTTGATTGAAGTTGATGTTAGGTGCATCAAG 35 ATGCATGATCTTGTCCGTGCTTTTGTTTTGGATATGTATTCTAAAGTCGA GCATGCTTCCATTGTCAACCATGGTAATACACTAGAGTGGCATGTGGATA ATATGCACAACTCTTGTAAAAGACTTTCATTAACATGCAAGGGTATGTCT AAGTTTCCTACAGACCTCAAGTTTCCAAACCTCTCGATTTTGAAACTTAT GCATGAAGATATATCATTGAGGTTTCCCAAAAACTTTTATGAAGAAATGG 40 AGAAGCTTGAGGTTATATCCTATGATAAAATGAAATATCCATTGCTTCCC TCATCACCGCAATGCTCCGTCAACCTTTGCGTGTTTCATCTCCATAAATG CTCGTTAGTGATGTTTGACTGCTCTTGTATTGGAAATCTGTCGAATCTAG

AAGTGCTTAGCTTTGCTGATTCTGCCATTGACCTGTTGCCTTCCACAATC GGAATTTTGAAGAAGCTAAGGCTACTGGATTTGACAAATTGTTATGGTCT TTGTATAGCTAATGGTGTCTTTAAAAAATTGGTCAAACTTGAAGAGCTCT ATATGACAGTGGTTAATGGAGGAGTTCGAAAGGCGATCAGCCTCACTGAG GATAACTGCAATGAGATGGCAGAACGTTCAAAAGACCTTTCTGCATTAGA 5 ACTTGAGTTCTTTGAAAACAATGCTCAGCCAAAGAATATGTCATTTGAGA AGCTACAACGATTCCAGATCTCAGTGGGGTGCTATTTATATGGAGCTTCC ATAAAGAGCAGCACTCGTATGAAAACACATTGAAGTTGGTTATTGACAA AGGTGAATTATTTGAATCTTGAATGAACGGCCTGTTTAAGAAAACAGAGG TGTTATGTTTAAGTGTGGGAGATATGAATGATCTTGAAGATRTTGAGGTT 10 AAGTCATCCTCACAACYTCTTCAATCTTCTTCGTTCAACAATTTAAGAGT CCTTGTCGTTTCAAAGTGTGCAGAGTTGAAACACTTCTTCACACCTGGTG TTGCAAACACTTTAAAAAAGCTTGAGCATCTTGAAGTTTACAAATGTGAT AATATGGAAGAACTCATACGTAGCAGGGGTAGTGAAGAAGAGACGATTAC ATTCCCCAAGCTGAAGTTTTTATCTTTGTGTGGGCTACCAAAGCTATCGG 15 GTTTGTGCGATAATGTCAAAATAATTGAGCTACCACAACTCATGGAGTTG GAACTTGACGACATTCCAGGTTTCACAAGCATATATCCCATGAAAAAGTT TGAAACATTTAGTTTGTTGAAGGAAGAGGTAAATATAAATTTTAATGCT AATACATTACAAAGGATCTTTTCAGTTAAATCTTTCAAAATATATTGTAA TTTGATTGTATGGGGTATTATTGTTGGATGGGACTATTAATAAATGATTA 20 TCTTGCAGGTTCTGATTCCTAAGTTAGAGAAACTGCATGTTAGTAGTATG TAAGTTCAGAGAGATTAAAGTGAGTAACTGTGATAAGCTTGTGAATTTGT TTCCGCACAAGCCCATATCTCTGCTGCGTCATCTTGAAGAGCTTAAAGTC AAGAATTGTGGTTCCATTGAATCGTTATTCAACATCCATTTGGATTGTGC 25 TGGTGCAACTGGAGATGAATACAACAACAGTGGTGTAAGAATTATTAAAG TGATCAGTTGTGATAAGCTTGTGAATCTCTTTCCACACAATCCCATGTCT ATACTGCATCATCTTGAAGAGCTTGAAGTCGAGAATTGTGGTTCCATTGA ATCGTTATTCAACATTGACTTGGATTGTGCTGGTGCAATTGGGCAAGAAG ACAACAGAAGCAGCTTAAGAAACATCAAAGTGGAGAATTTAGGGAAGCTA 30 AGAGAGGTGTGGAGGATAAAAGGTGGAGATAACTCTCGTCCCCTTGTTCA TGGCTTTCAATCTGTTGAAAGCATAAGGGTTACAAAATGTAAGAGGTTTA GAAATGTATTCACACCTACCACCACAAATTTTAATCTGGGGGCACTTTTG GAGATTTCAATAGATGACTGCGGAGAAAACAGGGAAAATGACGAATCGGA AGAGAGTAGCCATGAGCAAGAGCAGGTAAGGATTTCAATTTCACTTTCKT 35 ACTTAATTAATGATTAAGCTCCTGCTTTTTRAATAAAAAAGGGACAAACC ATTTCATGACTTAATGTAGCAATACAAGTCATGTATAAGAGTGACCAACT CTTTTTTATTATAAAATGACTACAAAATATTTTTTTCATTAGAGATCA TGTATAAATGTGACTAATTTTTCATCACCTAACTTTAGTTGATAAATCTT TATAAATGTCACTAGTTACTTTTCAGTAAAATAACAAATTTAATAAATTA 40 TCAACAAAAGCATCAACTAAAAAAATCCCACAACCCGTAATAATTTAAA ATAAAAGGATTTAACATCTAATACGAACAATTTTTTTTCTAAACATGATT

TGGACCAAATATCACCAGCAACTCAAGTTTGGAATCGATTCAGCTTAAAA

CTTGACCARCATAATTAGATAGATGAGAGTTGAAGCTAAAGTGCCTATAT AAGTTCGTTTCATCTTTTTCTTGATCTTGATAGCAAGTTGAATSATTTT CTTCTTCAAAATTGATAAAAATCTACATTATAAAGAGACTAGCTTGAAAA AAAATGGTCTAGGTGGGTCTTGGGTCTGGTAGATGAAGATGGAAGGGAGA 5 TTATTATTTTTGATATCTTGCTCATATTTGTTACAGATATGTGAGGTCT ATTAATCTTTTTAAATATATAAAAAAATAAATACATAAATGAGAAAATTAA ATAAAGAATAAATTAATAAGGGCACAATAGTCTTTTTTGGTAAGACAAGG ACCAAAAGCGCAACAAAAGTAAACAGTAGGGACCATCCGATTTAAAAAAAT TAATTAGGGACCAAAACATAAATTCCCCCAAACCATAGGGACCATTCGT 10 GTAATTTACTCTTGCTTTTCGTTTTGTTCATATTTGGGTAACTATTTTTT TTGTACATATCTAGGTAACGAACTTGTTGAAAGTGTTCACATCTACGATG TGACCTACTACAACCGATCATAATGGTCATATATGAACACTTCCAACAAG TTTGTTATCTAGGTGTGTACAAAAAAACGATAGTTACCATGATGTGAACA TACCAAAAAATTAATTACCTTAGCAAGTTATTTTCCCATTTAGGTTGTAT 15 GGAAACAGTTCCGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAA CTTAACCCTTCAATTAACCTACCTTTTTCTTATTAACTCAATTTCAAGCT AAATTCTGATTCTTGTTTGAAAGTAAGTTGCATCTTTATGTTTGTATTAT AGATCCAACTATTTTAATCTGTTGGCATTTTCCATCATTTGCAACTGTT 20 TCTTGAAAAAA::TACCTAAAATCAAAATAACCATTTTCATATCCAAAA TTATAAGAGAGAATTGTTAACGGACATGGAATCATAAATCATTAACACAG TTCAGTACACAGGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTC TATCAGAGAAAGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATATT GTATTCCCATCCTGTCTCATGCACTCTTTTCATAACCTCCATAAACTTAA 25 CTTGAACAGAGTTGAAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGA GTCCAACAAGTAGAGAATTGGTAACAACTCACCATAACCAACAACAACCT ATTATACTTCCCAACCTCCAGGAATTGATTCTATGGAATATGGACAACAT GAGTCATGTGTGGAAGTGCGGCAACTGGAATAAATTCTTCACTCTTCCAA 30 GAATGCAAAAGCATTAAGTACTTGTTTTCACCTCTCATGGCAGAACTTCT TTCCAACCTAAAGCATATCGAGATAAGAGAGTGTGATGGTATTGAAGAAG TTGTTTCAAAAAGAGATGGTGAGGATGAAGACATGACTACATCTAC:::: :::GCACACACCACCACTTTTTCCCTCATCTTGATTCTCTCACTCTAAA GCAACTGAAGAATCTGAAGTGTATTGGTGGAGGTGGCCAAGGATGAGG 35 GGAGCAATGAAATATCTTTCAATAATACCACTGCAACTACTGCTGTTCTT TTGTTAATTTCCTTTTTCTTTGCAATATTCTATGAAAAAAATCACCAAA TCACAAATAAGAGATTTAAACTTTTATTTCACACCCATGCGGACTCAAGA ATGGGATTTGGAGGCATATAAAGTTACATTCATTTGAACAAGTATTACCA 40 TTTATTTGTTATTTATCATTTTCATATCATTTACTGATAACATTTCTTTT TTACTTTCTAATTAGAAAAGGTCCACATGTCTAATTAGGTTTTCCATTC

PCT/US98/00615 WO 98/30083

AATTGCAACCTGTCATATWTTMWWKKCWWWATKYWMWWARTAATACATTT TATACCCWCTATACTAAGATA

5 RG2N deduced polypeptide sequence (SEQ ID NO:117)

LGKTTMMHRLKKVVKEKKMFNFIVEAVVGEKTDPIAIQSAVADYLGIELNEKTKPA RTEKLRKWFVDNSAGKKILVILDDVWOFVDLNDIGLSPLPNQGVDFKVLLTSRDKD VCTEMGAEVNSTFNVKMLIETEAQSLFHQFVEISDDVDRELHNIGVNIVRKCGGLPI VIKTMACTLRGKSKDAWKNALLRLVNYNIENIVNGVFKMSYDNLQDEETKSTFLL CGMFPEDFNIPTEELVRYGWGLKLFKKVYTIGEARIRLNTCIERLIHTNLLIEVDDVR CIKMHDLVRAFVLDMYSKVEHASIVNHGNTLEWHVDNMHNSCKRLSLTCKGMSK FPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLEVISYDKMKYPLLPSSPQCSVNL CVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDLLPSTIGILKKLRLLDLTNCYGL CIANGVFKKLVKLEELYMTVVNGGVRKAISL

15

10

RG2O polynucleotide sequence (SEO ID NO:118)

TTGTAAAACGACGCCAGTCGAATCGTAACCGTTCGTACGAGAATCGCTG TCCTCTCCTTCATTTGAATCATGATATTTGAATATCGATACTTTTGACTG TAGCTTTTGGGTCGATTTTTTAGCAAGATACATAACTGGCCAAACCCATT 20 GGCTATTTTAGCCCAAAATATGAAATGGACTGGATTGTTTTTTCCTTTC TAACACGCACACATCTGGCGATCAGTATCACTCCATTATGAAGACCTAGT CAAATTCATTAACGTTCAGTCGTTCCTTCAAAGTTTCAAAGTTCCAACTT CCAACTTCCCTCTTTTTTTTTTTCTTCCTCGATTCTGATTTGAATCCGAT TCTGCGACGAAGGAGCTTGGTCAGAGGGCTGTGATTCTTGAGTCTTGA CCTCCGAATCTAGCTGGATTATTTTCGACACACCAGACCACGTATCAGGT 25 TGCTCATCCGAAATACTGCTTTGCAAACTGTTGTATCATCGCCTAGGAA ATTAAGTTTCTTTTTTGGCTCTGTTACTGAATCAGTAGCTTTGCAACTTG CTCATTATAAGCTGATCCATATTTTACATATCTTTTGAAGAATAATAGGT ACTGACTTTACCTTTCTGATGAGAGCGATTTAAGAGATACCTCTGTAAAA 30 TCCATTTTGTGAAGGGATCTGGGTTAGTTTTTAAAGGATTTGCTACAAC AGTATCCCACAAACGATCTATTTCCCATTTNACTCATCCGCTCAAGATCT ATCCACCTTTATATGTTAATTGGGAGTCTTCCATGGTGCAATGAATCT AGGATGCATTTAGAAGCCCAATCCATTACAAGTTTTCATCCAATTTCATG TGACAAGTTGTTGGTTACTATGTAGGTACTTCCACAATTAAGAATTTCCA 35 GCAATGGATGTTGATAATGCCATTCTTAAACCAGTTGCCGAGACACTTAT GGAACCTGTTAAGAAACATCTAGGCTACATCATTTCCAGCACAAAACATG TGAGGGATATGAGTAACAAAATGAGGGAGTTGAACGCTGCAAGACATGCT GAAGAAGACCACTTGGACAGGAACATAAGAACTCGTCTTGAGATTTCAAA TCAAGTTAGGAGTTGGTTAGAAGAAGTAGAAAAGATCGATGCAAAAGTAA 40 AAGCCCTTCCTAGTGATGTCACCGCTTGTTGCAGTCTCAAGATCAAACAT GAAGTCGGAAGGGAAGCCTTGAAGCTAATTGTGGAGATTGAAAGTGCCAC AAGACAACACTCTTTGATCACCTGGACTGATCATCCCCATTCCTCTGGGAA

AAGTTGATTCCATGAAGGCATCGATGTCCACAGCATCAACCGATTACAAT GACTTTCAGTCAAGAGAAAAAACTTTTACTCAAGCATTGAAAGCACTTGA ACCAAACAACGCTTCCCACATGATAGCGTTATGTGGGATGGGTGGAGTGG GGAAGACCACAATGATGCAAAGACTAAAAAAAGTTGCTAAACAAAATAGA ATGTTCAGTTATATGGTTGAGGCAGTTATAGGGGAAAAGACGGACCCAAT 5 TGCTATTCAACAAGCTGTAGCGGATTACCTTCGTATAGAGTTAAAAGAAA GCACTAAACCAGCAAGAGCTGATAAGCTTCGTGAATGGTTCAAGGCCAAC TCTGGAGAAGGTAAGAATAAATTCCTTGTAATACTTGATGACGTCTGGCA GTCTGTTGATCTAGAAGATATTGGTTTAAGTCCTTTTCCAAATCAAGGTG TCGACTTCAAGGTCTTATTGACTTCACGAGACGAACATGTTTGCACAGTA 10 ATGGGAGTTGGATCTAATTCAATTCTTAATGTGGGACTTCTAATAGAAGC AGAAGCACAAAGTTTGTTCCAACAATTTGTAGAAACTTCTGAGCCCGAGC TCCATAAGATAGGAGAAGATATTGTAAGGAAGTGTTGCGGTCTACCTATT GAAGGATGCACTTTCGCGTATAGAGCACTATGACCTTCGCAATGTTGCGC 15 CTAAAGTCTTTGAAACGAGCTACCACAATCTCCATGACAAAGAGACTAAA TCAGTGTTTTTGATGTGTGTGTTTCCGGAAGACTTCAATATTCCTAC TGAGGAGTTGATGAGGTATGGATGGGGATTAAAGATATTTGATAGAGTCT ATACATTTATAGAAGCAAGAAACAGGATCAACACCTGCATTGAGCGACTG GTGCAGACAAATTTGTTAATTGAAAGTGATGATGTTGGGTGTCTCAAGAT 20 GCATGATCTGGTCCGTGCTTTTGTTTTAGGTATGTATTCTGAAGTAGAGC ATGCTTCAGTTGTCAACCATGGTAATATACCTGGATGGACTGAAAATGAT CCGACTGACTCTTGTAAAGCAATTTCATTAACATGCGAGAGTATGTCTGG AAACATTCCAGGAGACTTCAAGTTTCCAAACCTAACGATTTTGAAACTTA TGCATGGAGATAAGTCGCTAAGATTTCCACAAGACTTTTATGAAGGAATG 25 GAAAAGCTCCAGGTTATATCATACGATAAAATGAAGTATCCAATGCTTCC CTTGTCTCCTCAATGCTCCACCAACCTTCGAGTGCTTCATCTCCATGAAT GTTCATTAAAGATGTTTGATTGCTCTTGTATTGGAAATATGGCGAATGTG GAAGTGTTGAGCTTTGCTAATTCTGGCATTGAAATGTTACCTTCCACTAT 30 CGGAAATTTAAAGAAGCTAAGGTTACTTGATTTAACAGATTGTCATGGTC TTCATATAACACACGGTGTCTTTAACAATTTGGTCAAACTTGAAGAGTTG TATATGGGATTTTCTGATCGACCTGATCAAACTCGTGGTAATATTAGCAT GACAGATGTCAGCTACAATGAATTAGCAGAACGTTCAAAAGGCCTTTCTG CATTAGAGTTCCAGTTCTTTGAAAACAATGCCCAACCAAATAATATGTCG TTTGGGAAACTTAAACGATTCAAGATCTCAATGGGATGCACTTTATATGG 35 AGGATCAGATTACTTTAAGAAAACGTATGCTGTCCAAAACACATTGAAGT TGGTTACTAACAAAGGTGAACTATTGGACTCTAGAATGAACGAGTTGTTT TGATGTTTGTGTGAAGTCCTCACGTTCTCCTCAACCTTCTGTGTTCAAAA 40 ACAATTGGTGTAGCCAAGGATTTGTCAAATCTTGAGCATCTTGAAGTTGA TTCATGTAATAATATGGAACAACTCATATGTATTGAGAATGCTGGAAAAG

AGACAATTACATTCCTAAAGCTGAAGATTTTATCTTTGAGTGGGCTACCA

PCT/US98/00615 WO 98/30083

AAGCTTTCGGGTTTGTGCCAAAATGTCAACAAACTTGAGCTACCACAACT CATAGAGTTGAAACTTAAGGGCATTCCAGGGTTCACATGCATTTATCCGC AAAACAAGTTGGAAACATCTAGTTTGTTGAAGGAAGAGGTAGATATATGT TTTATGTTAATACAAGTTAAAAAATCTTTTTAACTAAAAGTTTCAGTATA TATATCTATATGTCTATAATTTGATTATATGATGTATTAGTGTTTTGGATG 5 TGGCTATTAAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGA CACTTCAAATTGATGAGATGGAGAATTTAAAGGAAATATGGCATTATAAA GTTAGTAATGGTGAGAGAGTTAAGTTGAGAAAGATTGAAGTGAGTAACTG TGATAAGCTTGTGAATCTATTTCCACACAACCCCATGTCTCTGCTGCATC ATCTTGAAGAGCTTGAAGTCAAGAAATGTGGTTCCATTGAATCGTTATTC 10 AACATCGACTTGGATTGTTGATGCCATAGGAGAAGAAGACAACATGAG GAGCTTAAGAAACATTAAAGTGAAGAATTCATGGAAGTTAAGAGAAGTGT GGTGTATAAAAGGTGAAAATAACTCTTGCCCCCTTGTTTCTGGCTTTCAA GCTGTTGAAAGCATAAGCATTGAAAGTTGTAAGAGGTTTAGAAATGTATT CACACCTACCACCACTATTTAATATGGGGGCACTTTTGGAGATATCAA 15 TAGATGACTGTGGAGAATACATGGAAAAATGAAAAATCGGAAAAGAGTAGC CAAGAGCAAGAGCAGGTATGGATTTCAATTTCACTTTACTTAA GGATTAAGCTTCTGTTTTTTTGAATAAAAAAGGGACATCTTCTAATAATG CACATCTTAAATTAAAAAGTATTTAATTGTTGCATAGCAGCGTATAACAT CTTCTAATAATTTATCTGAAGGTGAAAGATCCAACTACTTCTAATTTGTT 20 TCAAAACAATCTTCTTCAAATCCAAAATTATGAGACAGAATTGAGAAGGG ATGTGAAATTATAAACCATTAACACAATTCCATGCTCACGTTACTAATTA CATTTCTTGTTGGGATATATATGTACAGACTGATATTTTGTCAGAGGAAG TGAAATTACAAGAAGTCACTGATACTATTTCTAATGTTGTATTCACATCG 25 TGTCTCATACACTCTTTTTATAACAACCTCCGTAAACTCAACTTGGAGAA GTATGGAGGAGTTGAGGTTGTGTTTTGAGATAGAGAGTTCAACAAGTAGAG AATTGGTAACAACATACCATAAACAACAACAACAACAACAACCTATATTT CCCAACCTTGAGGAATTATATCTATATTATATGGACAACATGAGTCATGT 30 ATGGAAGTGCAACAACTGGAATAAATTTTTACAACAATCAGAATCCCCAT TCCACAACCTCACAACCATACACATGTCCGATTGCAAAAGCATTAAGTAC TTGTTTTCACCTCTCATGGCAGAACTTCTTTCCAACCTAAAGAGAATCAA TATTGACGAGTGTGATGGTATTGAAGAAATTGTTTCAAAAAGAGATGATG TGGATGAAGAA

35

40

RG2O deduced polypeptide sequence (SEQ ID NO:119)

MDVVNAILKPVAETLMEPVKKHLGYIISSTKHVRDMSNKMRELNAARHAEEDHLD RNIRTRLEISNOVRSWLEEVEKIDAKVKALPSDVTACCSLKIKHEVGREALKLIVEIE SATRQHSLITWTDHPIPLGKVDSMKASMSTASTDYNDFQSREKTFTQALKALEPNN ASHMIALCGMGGVGKTTMMQRLKKVAKQNRMFSYMVEAVIGEKTDPIAIQQAVA DYLRIELKESTKPARADKLREWFKANSGEGKNKFLVILDDVWQSVDLEDIGLSPFP NOGVDFKVLLTSRDEHVCTVMGVGSNSILNVGLLIEAEAQSLFQQFVETSEPELHKI

GEDIVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDLRNVAPKVFETSYHN · LHDKETKSVFLMCGLFPEDFNIPTEELMRYGWGLKIFDRVYTFIEARNRINTCIERL VOTNLLIESDDVGCVKMHDLVRAFVLGMYSEVEHASVVNHGNIPGWTENDPTDSC KAISLTCESMSGNIPGDFKFPNLTILKLMHGDKSLRFPQDFYEGMEKLQVISYDKMK YPMLPLSPQCSTNLRVLHLHECSLKMFDCSCIGNMANVEVLSFANSGIEMLPSTIGN 5 LKKLRLLDLTDCHGLHITHGVFNNLVKLEELYMGFSDRPDQTRGNISMTDVSYNE LAERSKGLSALEFQFFENNAQPNNMSFGKLKRFKISMGCTLYGGSDYFKKTYAVQ NTLKLVTNKGELLDSRMNELFVETEMLCLSVDDMNDLGDVCVKSSRSPQPSVFKIL RVFVVSKCVELRYLFTIGVAKDLSNLEHLEVDSCNNMEQLICIENAGKETITFLKLKI LSLSGLPKLSGLCQNVNKLELPQLIELKLKGIPGFTCIYPQNKLETSSLLKEEVVIPKL 10 ETLQIDEMENLKEIWHYKVSNGERVKLRKIEVSNCDKLVNLFPHNPMSLLHHLEEL EVKKCGSIESLFNIDLDCVDAIGEEDNMRSLRNIKVKNSWKLREVWCIKGENNSCPL VSGFQAVESISIESCKRFRNVFTPTTTNFNMGALLEISIDDCGEYMENEKSEKSSQEQ EOTDILSEEVKLQEVTDTISNVVFTSCLIHSFYNNLRKLNLEKYGGVEVVFEIESSTS RELYTTYHKOOOOOPIFPNLEELYLYYMDNMSHVWKCNNWNKFLQQSESPFHN 15 LTTIHMSDCKSIKYLFSPLMAELLSNLKRINIDECDGI

RG2P polynucleotide sequence (SEQ ID NO:120)

CCCATTGCTATTCAGGAAGCAGTAGCAGATTACCTCNGTATAGAGCTCAA AGAAAAACTAAATCNGCAAGAGCTGATATGCTTCGTAAAATGTTAGTTG 20 CCAAGTCCGATGGTGGTAAAAATAAGTTCCTAGTAATACTTGACGATGTA TGGCAGTTTGTTGATTTAGAAGATATCGGTTTAAGTCCTTTGCCAAATCA AGGTGTTAACTTCAAGGTCTTGCTAACATCACGGGATGTAGATGTTTGCA CTATGATGGGAGTCGAAGCCAATTCAATTCTCAACATGAAAATCTTACTA GATGAAGAAGCACAAAGTTTGTTCATGGAGTTTGTACAAATTTCGAGTGA 25 TGTTGATCCCAAGCTTCATAAGATAGGAGAAGATATTGTAAGAAAGTGTT GTGGTTTGCCTATTGCCATCAAAACCATGGCCCTTACTCTTAGAAATAAA AGCAAGGATGCATGGAGTGATGCACTTTCTCGTTTAGAGCATCATGACCT TCACAATTTTGTGAATGAAGTTTTTGGAATTAGCTACGACTATCTTCAAG ACCAGGAGACTAAATATATCTTTTTGCTTTGTGGATTGTTTCCCGAAGAC 30 TACAATATTCCTCCTGAGGAGTTAATGAGGTATGGATGGGGCTTAAATTT ATTTAAAAAAGTGTATACTATAAGAGAAGCAAGAGCCAGACTCAACACCT GCATTGAGCGGCTTATCCATACCAATTTGTTGATGGAAGGAGATGTTGTT GGGTGTGTAAAGATGCATGATCTAGCACTTGCTTTTGTTATGGATATGTT TTCTAAAGTGCAGGATGCTTCAATTGTCAACCATGGTAGCATGTCAGGGT 35 GGCCTGAAAATGATGTGAGTGGCTCTTGCCAAAGAATTTCATTAACATGC AAGGGTATGTCTGGGTTTCCTATAGACCTCAACTTTCCAAACCTCACAAT TTTAAAACTTATGCATGGAGATAAGTTTCTCAAGTTTCCTCCAGACTTTT ATGAACAAATGGAAAAGCTTCAAGTTGTATCGTTTCATGAAATGAAATAT CCGTTTCTTCCTCGTCTCCTCAATATTGCTCCACCAACCTTCGAGTTCT 40 TCATCTCCATCAATGCTCATTGATGTTTGATTGCTCTTGTATTGGAAATC TGTTTAATCTGGAAGTGTTGAGCTTTGCTAATTCTGGCATTGAATGGTTA

CCTTCCAGAATTGGAAATTTGAAGAAGCTAAGGCTACTAGATTTGACAGA TTGTTTTGGTCTTCGTATAGATAAGGGTGTCTTAAAAAATTTGGTCAAAC TTGAAGAGGTTTATATGAGAGTTGCTGTTCGAAGCAAAAAAGCCGGAAAT AGAAAAGCCATTAGCTTCACAGATGATAACTGCAATGAGATGGCAGAGCG TTC

RG2P deduced polypeptide sequence (SEQ ID NO:121)

5

PIAIQEAVADYL?IELKEKTKSARADMLRKMLVAKSDGGKNKFLVILDDVWQFVDL
EDIGLSPLPNQGVNFKVLLTSRDVDVCTMMGVEANSILNMKILLDEEAQSLFMEFV

QISSDVDPKLHKIGEDIVRKCCGLPIAIKTMALTLRNKSKDAWSDALSRLEHHDLHN
FVNEVFGISYDYLQDQETKYIFLLCGLFPEDYNIPPEELMRYGWGLNLFKKVYTIRE
ARARLNTCIERLIHTNLLMEGDVVGCVKMHDLALAFVMDMFSKVQDASIVNHGS
MSGWPENDVSGSCQRISLTCKGMSGFPIDLNFPNLTILKLMHGDKFLKFPPDFYEQ
MEKLQVVSFHEMKYPFLPSSPQYCSTNLRVLHLHQCSLMFDCSCIGNLFNLEVLSF
ANSGIEWLPSRIGNLKKLRLLDLTDCFGLRIDKGVLKNLVKLEEVYMRVAVRSKKA
GNRKAISFTDDNCNEMAERS

RG2Q polynucleotide sequence (SEQ ID NO:122)

TGGGGAAGACACAGTGATAGAAAAAAAAAAAAGAATGTTGTGGAAAAGAGGA 20 AAATGTTTGATTATGCTGTTGTGGCGGTTATAGGGGAAAAGACGGACCCT ATTGCTCTTCAGAAAACTGTTGCGGATTACTTGCATATTGAGCTAAATGA AAGCACTAAACTAGCAAGAGCAGATAAACTTTGCAAATGGTTCAAGGACA ACTCGGATGGAGGTAAGAAAAAGTTCCTCGTAATACTCGACGATGTTTGG CAATCTGTTGATTTGGAAGATATTGGTTTAAGTACTCCTTTTCCAAATCA 25 AGGTGTCAACTTCAAGGTTTTGTTGACATCACGAAAGAGAGAAATTTGCA CAATGATGGGAGTTGAAGCTGATTTAATTCTCAATGTCAAAGTCTTAGAA GAAGAAGAAGCACAAAAGTTGTTCCTCCAGTTTGTAGAAATTGGTGACCA ATACCACGAGCTTCATCAGATAGGGGTACATATAGTAAAGAAGTGTTATG GTTTACCCATTGCCATTAAAACCATGGCTCTTACTTTAAGAAATAAAAGA 30 AAGGATTCATGGAAGGACGCACTCTCTCGTTTAGAGGACCATGACACTGA AAATGTTGCAAATGCAGTTTTCGAGATGAACTACCGCAATCTACAAGATG AGGAGACCAAAGCCATTTTTTTGCTTTGCGGTTTGTTCCCCGAAGACTTT GATATTCCTACTGAGGAGTTGGTGAGGTATGGATGGGGCTTAAATCTATT TAAAAAGTGTATACCATAAGAAAGGCAAGAACGAGATCGCATACATGTA 35 TTGAGCGACTCTTGGATTCAAATTTGTTGATTGAAAGTAACGATATTCGG TAAAGTTGAGCATGCTTCAATTGTCAACCATGGTAATATGCGGACCGAAT ATA-ATATGGCTGACTCTTGCAAAACAATTTCATTAACATACAAGAGTATG TCTGGGTTTGAGTTTCCAGGAGACCTCAAGTTTCCAAACCTAACAGTTTT 40 GAAACTTATGCANGGAGATAAGTCTCTAAGGTTTCCTCAAGACTTTTATC AATCAATGGAAAAACTTCGGGTTATATCATATGATAAAATGAAGTATCCA

TTGCTTCCCTCATCACCTCAATGCTCCACTAACATCCGAGTGCTTCGTCT

PCT/US98/00615

CCATGAATGTTCATTAAGGATGTTTGATTGCTCTTGTATTGGAAAGCTAT TGAATTTGGAAGTCCTCAGCTTTTTTAATTCTAACATTGAATGGTTACCT TCCACAATCAGAAATTTAAAAAAGCTAAGGCTACTAGATTTGAGATATTG TGATCGTCTTCGTATAGAACAAGGTGTCTTGAAAAATTTGGTCAAACTTG AAGAACTTTATACTGGATATACATCAGCGTTTACAGA

RG2Q deduced polypeptide sequence (SEQ ID NO:123)

5

GEDTVIEKKKNVVEKRKMFDYAVVAVIGEKTDPIALQKTVADYLHIELNESTKLAR ADKLCKWFKDNSDGGKKKFLVILDDVWQSVDLEDIGLSTPFPNQGVNFKVLLTSR KREICTMMGVEADLILNVKVLEEEEAOKLFLOFVEIGDQYHELHQIGVHIVKKCYG 10 LPIAIKTMALTLRNKRKDSWKDALSRLEDHDTENVANAVFEMNYRNLQDEETKAI FLLCGLFPEDFDIPTEELVRYGWGLNLFKKVYTIRKARTRSHTCIERLLDSNLLIESN DIRCVKIHDLVRAFVLDMYCKVEHASIVNHGNMRTEYNMADSCKTISLTYKSMSG FEFPGDLKFPNLTVLKLM?GDKSLRFPODFYOSMEKLRVISYDKMKYPLLPSSPQCS TNIRVLRLHECSLRMFDCSCIGKLLNLEVLSFFNSNIEWLPSTIRNLKKLRLLDLRYC 15 DRLRIEOGVLKNLVKLEELYTGYTSAFTE

RG2S polynucleotide sequence (SEQ ID NO:124)

ATTTGGGGTTTTACATTTAATTTTTTGTGCATGAATGTGAAAATAGACTG CTTATTGATTCTTTGTGTTTCATTGAGTTGATTTTCATTATTACTACCTT 20 ACAAATTGCTCAGTGATAGATTTCCATTAATTTGCTAATTCGGTTGCTTC TAAATATGTAGGAGCTACTAAAAGCAAAAATATCGAGCAATGTCGGACCC AACGGGGATTGCTGGTGCCATTATTAACCCAATTGCTCAGAGGGCCTTGG TTCCCGTTACAGACCATGTAGGCTACATGATTTCCTGCAGAAAATATGTG AGGGTCATGCAGACGAAAATGACAGAGTTGAATACCTCAAGAATCAGTGT 25 AGAGGAACACATTAGCCGGAACACAAGAAATCATCTTCAGATTCCATCTC AAATTAAGGATTGGTTGGACCAAGTAGAAGGGATCAGAGCAAATGTGGAA AACTTTCCGATTGATGTCATCACTTGTTGTAGTCTCAGGATCAGGCACAA GCTTGGACAGAAAGCCTTCAAGATAACTGAGCAGATTGAAAGTCTAACAA GACAGCTCTCCCTGATCAGTTGGACTGATGATCCAGTTCCTCTAGGAAGA 30 GTTGGTTCCATGAATGCATCCACCTCTGCATCATCAAGTGATGATTTCCC ATC: AAGAGAGAAAACTTTTACACAAGCACTAAAAGCACTCGAACCCAACC AACAATTCCACATGGTAGCCTTGTGTGGGATGGGTGGAGTAGGGAAGACT AGAATGATGCAAAGGCTGAAGAAGGCCGCTGAAGAAAAGAAATTGTTTAA TTATATTGTTAGGGCAGTTATAGGGGAAAAGACGGACCCCTTTGCCATTC 35 AAGAAGCTATAGCAGATTACCTCGGTATACAACTCAATGAAAAAACTAAG CCAGCAAGAGCTGATAAGCTTCGTGAATGGTTCAAAAAGAATTCAGATGG AGGTAAGACTAAGTTCCTCATAGTACTTGACGATGTTTGGCAATTAGTTG ATCTTGAAGATATTGGGTTAAGTCCTTTTCCAAATCAAGGTGTCGACTTC AAGGTCTTGTTGACATCACGAGACTCACAAGTTTGCACTATGATGGGGGT 40 TGAAGCTAATTCAATTATTAACGTGGGCCTTCTAACTGAAGCAGAAGCTC

AAAGTCTGTTCCAGCAATTTGTAGAAACTTCTGAGCCCGAGCTCCAGAAG

PCT/US98/00615 WO 98/30083 159

ATAGGAGAGGATATCGTAAGGAAGTGTTGCGGTCTACCTATTGCCATAAA AACCATGGCATGTACTCTTAGAAATAAAAGAAAGGATGCATGGAAGGATG CACTTTCGCGCATAGAGCACTATGACATTCACAATGTTGCGCCCAAAGTC TTTGAAACGAGCTACCACAATCTCCAAGAAGAGGAGACTAAATCCACTTT 5 TTTAATGTGTGGTTTGTTTCCCGAAGACTTCGATATTCCTACTGAGGAGT TGATGAGGTATGGATGGGCTTGAAGCTATTTGATAGAGTTTATACGATT AGAGAAGCAAGAACCAGGCTCAACACCTGCATTGAGCGACTGGTGCAGAC AAATTTGTTAATTGAAAGTGATGATGTTGGGTGTGTCAAGATGCATGATC TGGTCCGTGCTTTTGTTTTGGGTATGTTTTCTGAAGTCGAGCATGCTTCT ATTGTCAACCATGGTAATATGCCCGAGTGGACTGAAAATGATATAACTGA 10 CTCTTGCAAAAGAATTTCATTAACATGCAAGAGTATGTCTAAGTTTCCAG GAGATTTCAAGTTTCCAAACCTAATGATTTTGAAACTTATGCATGGAGAT AAGTCGCTAAGGTTTCCTCAAGACTTTTATGAAGGAATGGAAAAGCTCCA TGTTATATCATACGATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTC 15 GATGCTCCACCAACATTCGGGTGCTTCATCTCACTAAATGTTCATTAAAG ATGTTTGATTGCTCTTGTATTGGAAATCTATCGAATCTGGAAGTGCTGAG CTTTGCTAATTCTCGCATTGAATGGTTACCTTCCACAGTCAGAAATTTAA AGAAGCTAAGGTTACTTGATCTGAGATTTTGTGATGGTCTCCGTATAGAA CAGGGTGTCTTGAAAAGTTTAGTCAAACTTGAAGAATTTTATATTGGAAA 20 TGCATCTGGGTTTATAGATGATAACTGCAATGAGATGGCAGAGCGTTCTG ACAACCTTTCTGCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTG AAAAATATGTCATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGACG CTCTTTTGATGGAAATATCAATATGAGTAGCCACTCATACGAAAACATGT TGCAATTGGTGACCAACAAGGTGATGTATTAGACTCTAAACTTAATGGG 25 TCTTGAAGATGTTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCAT TCTGCAATTTAAAAGTTCTTATTATTTCAAAGTGTGTAGAGTTGAGATAC CTTTTCAAACTCAATCTTGCAAACACTTTGTCAAGACTTGAGCATCTAGA AGTTTGTGAATGCGAGAATATGGAAGAACTCATACATACTGGAATTTGTG 30 GAGAAGAGACAATTACTTTCCCTAAGCTGAAGTTTTTATCTTTGAGTCAA CTACCGAAGTTATCAAGTTTGTGCCATAATGTCAACATAATTGGGCTACC ACATCTCGTAGACTTGATACTTAAGGGCATTCCAGGTTTCACAGTCATTT ATATGTTCTTTATGTTAATACAATTTAAATAATATTTTCAACCAAATTTT 35 CATAATATCTGTAATTTGATTGTATGATGTGTTATTGTTTATATGTGG CTATTAAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGACAC TTC.AAATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTT AGTGGAGGTGAGAAAGTTAAGTTGAGAGAGATTAAAGTGAGTAGCTGTGA TAAGCTTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATC 40 TTGAAGAGCTTAAAGTCAAGAATTGCGGTTCCATTGAATCGTTATTCAAC ATTGACTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCT CTTAAGAAGCATCAACATGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGA

GGATAAAAGGTGCAGATAACTCTCATCTCATCAACGGTTTTCAAGCTGTT

GAAAGCATAAAGATTGAAAAATGTAAGAGGTTTAGCAATATATTCACACC TATCACCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAG GTTGCGGAGGAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTAA CTTTCTTAAGTAATTAAGGACTAACCTCCTGTTTTTTGAATAATAAAGAG GTGGGATGACTAAACTTGGGCATCACAATTGCAACAAAATGTTACAAACC 5 ATGAAACGTTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTT AAAAATATGGCTTAAATTTTTTTATATTTATGTATCAACATGATTTTTCA TTAGAGATCATTATTATAATAGTAAGTTTAAAGCAATTTAAATTAGAACT AATTCTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTT AGTGAAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCC 10 TAACAAAAAACTATTTGGTTCAGAAGAACCGTAATTCAAGATAACTAA TGCAAATGAATAAAACTTAAATTTATACAGAAAAGATTTTTATATATGTT ATACAAATTTACAAATTGAAACTGGATATGTTAATTAACGGTTTATAAT TCTGGTATCACAAAGGGATATATAATAAAAATATTATTTTCTGTAGTCATT 15 TATAATTGTACTAGTTTATAACCCGTGGGAACCATGAGTTCTAAAATTAG ATTAATTAAGAGATGTATCAAAAATTTAAAGTTATTATAACTTCAAATTT AACATATAATTAGAAAATATATGATCATAACTTTCCGCAACTCTTCTTTT GTATTAAAATGCCCAGAGAAGCTCTTAGTAYATTTTCTAAATCAAAGTCA 20 CAAAACTAATGAAGCATATAATTTTGTGAAAATCAATTAGCATTAGGTTT TAAGAGTCACCAAATTCAAAGAGTAATCCAATGCTTTCATTACCACTATG ATTGTTGCTTACTAAACCAAAGACCCATTACTTAGCCAAGAGTTTAACCA 25 TGAAGGGAGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTC ATGGAATTCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCA ACCAAAGAGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAAATAAAATAA GGATTAGAAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTT GTTCTTGATGTTCTTCTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAAT 30 GCAAAGGAGACCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCA CCAACCTCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTG AAGGACCCTATGCGGGTGCCTTGCGCGGGTGGAGCTGAATACGAAAGGTC TTTGGTCTTTGTGAGGGTGATGCTGTGCGGGTTAGCTTGTCGCATGCTTC CGCGCGGTTCGCGCACATGTGCACAAGTGATGCATGGTGTGTACGTTCTT 35 GAGTTTTGAGCCTCCGATGCTTAGTCCATTTGGCCCAATTCGAGTCCAAT CAGCTTATGACCCATTTTTCTTCAAGTTATCTTCAAGTTATCTTCAAGTT AAGCCCAAATTGCCTTCTCCAAATCATCCATAACTTCACAAAATCGCCCG TTCATCTTAATCCCGAATGCACAATTATTCTCCTGTCTTCCTTTTAAGCA AGATACCACCTTCTTCATGCTTCATCCATCAATAGTACACTTCATGTATC 40 ATCTCTACTAGTTATTTAGTCCACAATCCTTATTGTCCTCCAAATTTAAT TATCTCATTTAGTTCCCGTTCCACTAGTTTCCTTAAAATTTGCAATTAAG CTCACACAAATATTAAGTACCTGAAATGGTCATAAAATAACAAAAAGGAA 5

10

15

20

25

30

35

40

161

AATATGCATGAAGATTAACTAAATGATGAACGAAATATGCTAAAATAGAC TATAAAATGAAGTAAATAAAATGAAATTATCGCACTCCGACCACCCTTAT AGGCTTGTAGTCCATCCACCCTTCATTCCTTGTACCAATATGGGATGGAA GTAAGTACTAAAGATGAAAATAATCCATTTTTYTTGTATATACACAACAC ACACATAGGGCAGACGTAGGATTTCATAGTACAGATTGTTGGTGGCACA TAAGTGTTGCTGGTGACACTTTTTTTTTTTTTTTACGTAGTGGCACAACAG TAGAAAAACGARAAATTCGAAATTTTTTACAATGTGTSTAAAAAAAAAA GTGGTTGTTGGTGCCACTATGGACACCAAAGTTGAACTGCCCCTGCGCGC ARAGWAWGRRRGAKAKARMCSMSYTTGGGATGTGATACTTCTTTTAGGAA AATGGAGTTATATCTTTGATATTGTATTTTTTAATGTAATTTATATATT CTTTTATACATTGGATTTAACATAAAAATCCAACAATATTAATCAAAAAG ACCAMACATGTGGACAMWTATGTATATAAWTAATTCACAATAGTCTTTAG GAATAGNATTATATATATAATTAATTCTCAATGGTCTTAGGAATAGTAAG TTCTTATATTTCAAACTTTNGCCACAATTCTTTGKTTACTTWGACACTTY CACACACACACACTAGATGTGTGCCCGCGCAAAGCAGTGACGTNNNGG TAT-AATAAAAAATTACAACTTTTAAATAAAATATTTATGTTTATACTTTA TATTTATATTGCTTGTATACTATTAATATAATAAATTAATATTTATGTCT AATTTATGAAATGTAAATTAATTTAAATACATGAATTTAATATTTTTAAA ATTTTCAGTTTGCTTCAAATTGAGTTTCTTAATTATTTTTTTAATTCAN GTATTCAAACTTTTGGTAAGTATTAAAGAATTATTTATGCACAATTGATT TATACAAAAACTTTGTAACTTATACATCTTAAAATTCAAGATATAACTA ATATATATATATATAGTAAAGCGCANAGGTCATAGGNANAGANTATTT TCT.ATTATTCTACGTTTTGCCACAAAAGTTTGAACACTTTGCCACTTTTT GTCCCTCCTTAACCTTTTCAATGTTTTGCGACAAAGTTCCAAAACTTTG CCACTTTGATCATTCCTCAACTTTTCACCGCATTAGTTTGTGGAGTTGGC AGTTTTGGTCCCCCTAACTTCGATATTTTCTCCTGCTAGCCAAAAAGGGT TCCAGAGTTTCACANTTTTGGTCCCTGACAATAACCAAATGTGAGATGTC AAATTTTTGCCACATTAGTTTGTGGAGTTGTCCCTTTTGGTCCCCCACA TTCGATATTCTACTATACGACCTTATTTTTCTCAAATAACAACACGTATA TTT-AATTACCAATGATAGAAATAGATATCAAATAAAGTATTTGTAACACC GTGTAAGAACGGTGCTACTATAGGTAAAAATAAACATTTCAAAGTACGAT GTCCTAATTGGAAAAAGAGTTTTAAAAAAAATAACAACTAGGGGCGAGTTT TTTTTACAAGTTTGTATCAAATCATATCAAAATTTAAGGTGGAACGGTGA CCACATTAACCAGAAATGTAATTTATTCTTTGATTTTGATAATTTTTAAT ATTTTGTTGTGATCTATGTATTTAAAAGTAAACAACAAGAACATAATCC AAAACCCTAAATTGCAAGTCTCGCCCAATTTCTCTATCACTAGTCGTCAC

TTACGATGGCGTTACGTCGCTCTCTCACTTCTTACAACCCTTTGTTGCTA

AATTGAACAAATCTCGTCAAATTTTTGATTTGTTGATGGATTTGAGTAG AAGTTTGGGCAGAACGGGAATGATGGTCTGCAAGTGGTTATAAACTTGAT TCTGAGTTATTACTATATGTAGCCTCTTTACAACGACCAAGGTTTCTT CCAGGTACCATTTGATCTTTTTAGAACCCAGTTGTCTGAAACACCCTGAT 5 TTGGATCAAATATCACCAACAACTCTTAAAAACTTGATTAATCAATTGTT TTCTTCATCTTGATAACAAGTGGAATGATTTTCTACTTAGATTAACTTGA AAAAAAGGTCCATGTGCGTCTGGTGGATCTGGTAAATGAAGATGGAAGG TTAAATTTGCTTTTTTCCTATTTCTTTCTTTGATCTCCAGATGGTAT 10 GTGGTGTGGATAATTTACACATAGAGATTGGGAACGACTGTGTTTTAGAG AGGACGTGGCTTGGGGTTGAGGATGGTTTATGGCTGGCCGAGTTTCATTT ATATAAACAAACAAATATATAAAACAAGGGGTAAAATGGCCATCTTATAT GTATTTAACCGTCCTTTTTTATTTTTTTTTTTTAAATTTAAGAAGG GGTATACCAGTGTCAGCCTCTTATTCCCAACCAGGCAACCAGTCAAATAG 15 GGACTTAGGTTGTTTGGAAACAGTTCCGTGAGACCGTGACTTGGATGGTA GATAAATTTAGTAAACTTAACCCTTCAATTAACCTACCTTTTTCTTATTA ACTCAATTTCAACCTAAATTCTGATTCTTGTTTGAAAATAAGTTGCATCT TTATGTTTGTATTATCCTGTTGCATAGGATCCTTAGCATCTTTTAATAAT TTATTTGAAGGTGAAAGATCCAACTATTTTTTAGCTGTTGGCATTTTCCA 20 TCATTTGCAACTGTTTCTTGAAAAAAAAAAAATACCTAAAATCAAAATAACCA TTTTCAAATCCAAAATTATAAGAGAGAATTGTTAATGGACGTGGAATCGT AAATCATTAACACAGTTCAGTACACAAGTTGCTAATTACATTTCTTGCTG TGCAGATTGAAATTCTATCAGAGAAAGAGACATTACAAGAAGTCACTGAT ACTAATATTCTAATGATGTTGTATTATTCCCATCCTGTCTCATGCACTC 25 TTTTCATAACCTCCATAAACTTAAATTGGAGAGAGTTAAAGGAGTGGAGG TGGTGTTTGAGATAGAGAGTGAGAGTCCAACAAGTAGAGAATTGGTAACA ACTCACCATAACCAACACCATCCTATTATACTTCCCAACCTCCAGGAATT GGATCTAAGTTTTATGGACAACATGAGTCATGTGTGGAAGTGCAGCAACT GGAATAAATTCTTCACTCTTCCAAAACAACAATCAGAATCCCCATTCCAC 30 AACCTCACAACCATACACATGTTCAGCTGCAGAAGCATTAAGTACTTGTT TTCGCCTCTCATGGCAGAACTTCTTTCCAACCTAAAGGATATCTGGATAA GTGGGTGTAATGGTATTAAAGAAGTTGTTTCAAAGAGAGATGATGAGGAT GAAGAAATGACTACATTTACATCTACCCACACAACCACCATCTTGTTCCC TCATCTTGATTCTCTCACTCTAAGACTACTGGAGAATCTGAAGTGTATTG 35 GTGGAGGTGCCAAGGATGAGGGGAGCAATGAAATATCTTTCAATAAT ACCACTGCAACTACTGCTGTTCTTGATCAATTTGAGGTATGCTTTGTACA TATTCAATTATTTATTTAATTTCCTTTTTCTTTGCAATATTCTATAAAT **AATACATTTTATACCCACTATACTAAGATAATAATTACCTAGAGGGATGG** ATGCTATGACACAGCTGCTACACTTCAGAAACTCTAGTAAGGGCAGTTAT 40 GGAAGTTCAATAAAATGATAATGGCATCTTTTGATGGGTAATATAGGCAA TTT-AAGTTTTATTTCTGTTAAAGCAGTATTTAGCAAGTACTGGCCAGTAG

GAGAGGAGAATATCACCTTTTGTGAAAATCTGGTCATTGTACCCAAGAAT

TTAGTTAAATGTAACATTTTAGATATCAGGGGACATCAGGTGACAGATAT TGTAGAATAGAACAATATATAATATTACCCAAAACTATTTTTCTAAGGT TATTCTGTTAAATATGTGCTTTCTTGATTTCATTGAATTTGCATTCCTAT 5 AAAAAAAAAAAAAGTAAATTTTTGATATGGAGAGCACTGGTATCA TTTAGTATAAAAAAACTAGATTTTGAATTAAGTTTCTTATATAAAAGC TGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCATGTGGTGTTGCA GTTGTCTGAAGCAGGTGGTGTTTCTTGGAGTTTATGCCAATACGCTAGAG AGATAGAGATATCTAAGTGTAATGTATTGTCAAGTGTGATTCCATGTTAT 10 GCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGAGAGTAACGGGTTGTGA TGGCATGAAGGAGGTATTTGAAACTCAATTAGGGACGAGCAGCAACAAAA ACAGAAAGGGTGGTGATGAAGGAAATGGTGGAATTCCAAGAGTAAAT **AACAATGTTATTATGCTTCCCAATCTAAAGACATTGAAAATCTACATGTG** CGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGAAAGCCTGACAC 15 AGCTCCAAGAGTTAAAGATAGTGGGTTGCTACGGAATGAAAGTGATTGTG AAG.AAGGAAGAAGATGAATATGGAGAGCAGCAACAACAACAACAACAACAAC AACGAAGGGGCATCTTCTTCTTCTTCTTCTTCTTCTAAGAAGGTTG TGGTCTTTCCCCGTCTAAAGTCCATTGAACTATTCAATCTACCAGAGCTG GTAGGATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTGGAAGA 20 AGTTACCATCAAGTATTGCTCAAAAATGATGGTGTTTGCAGCTGGTGGGT CCACAGCTCCCAACTCAAGTATATACACACAAGATTAGGCAAACATACT TAATTGGCATGATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTT ACTTCAAACACATTCACACTGGTTTCAGTCTAAGTTTATGTTGTTCTAGG 25 AAGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTTCAGTGGA AAGGGTATTTTAGGTATTTTCTGTCAAAAGTTGTTATTGCAGGCTTTTTA GTACCTGGAATCGTGTGGGGAGGAGCGTTATTATTCTGATTTGCTTGTT TCTTTATCATTTTTCTTAGCCTCTCGAACAGCTAGAAACCCTTTTAATC TTTTGATTTTAAATGACAAAATTTTTCCCTGTTACTCTATTTGATTGTTG 30 TTCTTCATGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCTTTTGAT TGTTATTTCATATCATGTTGTCCTTTGAATCAAGCTTTTCCATTTTCAA CCAGGGCAAAAGGTCAAAAGTAACCTACTTTATGAGATCAAAAACAGCAA CCCATCGGATAACTTTTAGTTGGAGTTAATAGTTACAATTACCATTGTGA TTA.ATAATTATAATATCTTGTATTAATTCATTAAAATTGGTACAGCACAT 35 ATATGACATTTTAAAGGTTTGTTTTGTTWGACATATATATGCCTCTGGC GTTTTCTTTATTGGACATGCAGACCTCATTCCAAAGTTTATACGGTGACA CCTCGGGCCCTGCTACTTCAGAAGGGACAACTTGGTCTTTTCATAACTTG CAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAGATTCATGTGAGTAGTT 40 GTTATTGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGAGA AATGGAAATAGTGGAATTGGTTTTGATGAATCGTCACAAACTACTACTAC TACTACTCTTTCAATCTTCGAAACCTCAGAGAAATGAAGTTGCATTTTC TACGTGGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG

TTTCCAAACCTAACAAGAGTTCATATAAGTAGGTGTAGAAGGTTAGAACA TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAG ATATTAGTTGGTGCAACCATATGGAGGAGGTGATTGTTAAGGATGCAGAT GTTTCTGTTGAAGAAGACAAAGAGAGAGAATCTGATGGCAAGACGAATAA 5 GGAGATACTTGTGTTACCTCGTCTAAAATCCTTGAAATTAAAATGCCTTC CATGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA TTGGATACTTTAGAAATCTACAAATGCCCAGCAATAACGACCTTCACCAA GGGAAATTCTGCTACTCCACAGCTAAAAGAAATAGAAACAAGATTTGGCT CGTTTTATGCAGGGGAAGACATCAACTCCTCTATTATAAAAAGATCAAAC AACAGGTAAATCAGATCTTTGTTGCTTTAATAATTCTTAAACTACATTTG 10 CTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTTCATGTTCCT AGTTGCCTATTAATTAATGGCCTTTTAGTTCRTGATTTTTGGATGTAGTY WTCATGATGTGAATCTTCTAATACCCCATTCATTGTTTGGTTGAATG 15 TTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCATATG AAGGACATTAAAGAACATGGATGCTATGAAGATGTTGGAARAC

RG2S deduced polypeptide sequence (SEQ ID NO:125)

MSDPTGIAGAIINPIAQRALVPVTDHVGYMISCRKYVRVMQTKMTELNTSRISVEEH 20 ISRN:TRNHLQIPSQIKDWLDQVEGIRANVENFPIDVITCCSLRIRHKLGQKAFKITEQI ESLTROLSLISWTDDPVPLGRVGSMNASTSASSSDDFPSREKTFTQALKALEPNQQF HMVALCGMGGVGKTRMMORLKKAAEEKKLFNYIVRAVIGEKTDPFAIQEAIADYL GIOLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGLSPFPNQG VDFKVLLTSRDSOVCTMMGVEANSIINVGLLTEAEAQSLFQQFVETSEPELQKIGED 25 IVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLQE EETKSTFLMCGLFPEDFDIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQT NLLIESDDVGCVKMHDLVRAFVLGMFSEVEHASIVNHGNMPEWTENDITDSCKRIS LTCKSMSKFPGDFKFPNLMILKLMHGDKSLRFPQDFYEGMEKLHVISYDKMKYPLL PLAPRCSTNIRVLHLTKCSLKMFDCSCIGNLSNLEVLSFANSRIEWLPSTVRNLKKLR 30 LLDLRFCDGLRIEOGVLKSLVKLEEFYIGNASGFIDDNCNEMAERSDNLSALEFAFF NNKAEVKNMSFENLERFKISVGRSFDGNINMSSHSYENMLQLVTNKGDVLDSKLN GLFLKTKVLFLSVHGMNDLEDVEVKSTHPTOSSSFCNLKVLIISKCVELRYLFKLNL ANTLSRLEHLEVCECENMEELIHTGICGEETITFPKLKFLSLSOLPKLSSLCHNVNIIG LPHLVDLILKGIPGFTVIYPONKLRTSSLLKEEVVIPKLETLQIDDMENLEEIWPCELS 35 GGEKVKLREIKVSSCDKLVNLFPRNPMSLLHHLEELKVKNCGSIESLFNIDLDCVGA **IGEEDNKSLLRSINMENLGKLREVWRIKGADNSHLINGFOAVESIKIEKCKRFSNIFT** PITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEVTDTNISNDVVLFPSCLMH SFHNLHKLKLERVKGVEVVFEIESESPTSRELVTTHHNQQHPIILPNLQELDLSFMD 40 NMSHVWKCSNWNKFFTLPKOOSESPFHNLTTIHMFSCRSIKYLFSPLMAELLSNLK DIWTSGCNGIKEVVSKRDDEDEEMTTFTSTHTTTILFPHLDSLTLRLLENLKCIGGGG AKDEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAREIEISKCNVLSSVIPCY AAGQMQKLQVLRVTGCDGMKEVFETQLGTSSNKNRKGGGDEGNGGIPRVNNNVI MLPNLKTLKIYMCGGLEHIFTFSALESLTQLQELKIVGCYGMKVIVKKEEDEYGEQ QTTTTTTTKGASSSSSSSSSKKVVVFPRLKSIELFNLPELVGFFLGMNEFRLPSLEEVT IKYCSKMMVFAAGGSTAPQLKYIHTRLGKHTLDQESGLNFHQTSFQSLYGDTSGPA TSEGTTWSFHNLIELDMELNYDVKKIIPSSELLQLQKLEKIHVSSCYWVEEVFETAL EAAGRNGNSGIGFDESSQTTTTTTLFNLRNLREMKLHFLRGLRYIWKSNQWTAFEF PNLTRVHISRCRRLEHVFTSSMVGSLLQLQELDISWCNHMEEVIVKDADVSVEEDK ERESDGKTNKEILVLPRLKSLKLKCLPCLKGFSLGKEDFSFPLLDTLEIYKCPAITTFT KGNSATPQLKEIETRFGSFYAGEDINSSIIKRSNNRSSNKTLINVK.ILK

10

5

RG2T polynucleotide sequence (SEQ ID NO:126)

GGAAGACGACAATGGTGCAACGGTTGAAGAAGGTTGTGAAAGATAAGAAG ATGTTCCATTATATTGTCGAGGTGGTTGTAGGGGCAAACACTGACCCCAT TGCTATCCAGGATACTGTTGCAGATTACCTCAGCATAGAACTGAAAGGAA 15 ATACGAGAGATGCAAGGGCTTATAAGCTTCGTGAATGCTTTAAGGCCCTC TCTGGTGGAGGTAAGATGAAGTTCCTAGTAATTCTTGACGATGTATGGAG CCCTGTTGATCTGGATGATATGGGTTTAAGTTCTTTGCCAAATCAAGGTG TTGACTTCAAGGTCTTGCTGACATCACGCAACAGTGATATCTGCATGATG ATGGGAGCTAGTTTAATTTTCAACCTCAATATGTTAACAGACGAGGAAGC ACATAATTTTTCCGTCGATACGCAGAAATTTCTTATGATGCTGATCCCG 20 AGCTTATTAAGATAGGAGAAGCTATTGTAGAGAAATGTGGTGGTTTACCC ATTGCCATCAAAACTATGGCCGTTACTCTTAGAAATAAACGCAAAGATGC ATGGAAAGATGCACTTTCTCGTTTAGAGCACCGTGACACTCATAATGTTG TGGCTGATGTTCTTAAATTGAGCTACAGCAATATCCAAGACGAGGAGACT 25 CGGTCGATTTTTTTGCTATGTGGTTTGTTTCCTGAAGACTTTGATATTCC TACCGAAGACTTAGTGAGGTATGGATGGGGATTGAAAATATTTACCAGAG TGTATACTATGAGACATGCAAGAAAAAGGTTGGACACGTGCATTGAGCGG CTTATGCATGCCAACATGTTGATAAAAAGTGATAATGTTGGATTTGTCAA GATGCATGATCTGGTTCGTGCTTTTGTTTTGGGCATGTTATCTGAAGTCG 30 AGCATGCATCAATTGTCAACCATGGGGATATGCCAGGGTGGTTTGAAACT GCA.AATGATAAGAACAGCTTGTGCAAAAGAATTTCATTAACATGCAAAGG TATGTCTGCGATTCCTGAAGACCTCACGTTTCCAAACCTCTCGATCCTGA AATTAATGGATGGAGACGAGTCACTGAGGTTTCCTGAAGGCTTTTATGGA GAAATGGAAAACCTTCAGGTTATATCATATGATAACATGAAGCAGCCATT TCTTCCACAATCACTTCAATGCTCCAATGTTCGAGTGCTTCATCTCCATC 35 ACTGCTCATTAATGTTTGATTGCTCTTCTATTGGAAATCTTTTGAATCTC GAGGTGCTCAGCATTGCTAATTCTGCCATTAAATTGTTACCCTCCACTAT TGGAGATCTGAAGAAGCTAAGGCTCCTGGATTTGACAAATTGTGTTGGTC TCTGTATAGCTAATGGCGTCTTTAGAAATTTGGTCAAACTTGAAGAGCTT TATATGAGAGTTGATGATCGAGATTCGTTTTTTGTGAAAGCTGATGACAG 40 CAAGACCATTACCT

5

10

40

RG2T deduced polypeptide sequence (SEQ ID NO:127)

KTTMVQRLKKVVKDKKMFHYIVEVVVGANTDPIAIQDTVADYLSIELKGNTRDAR AYKLRECFKALSGGGKMKFLVILDDVWSPVDLDDIGLSSLPNQGVDFKVLLTSRNS DICMMMGASLIFNLNMLTDEEAHNFFRRYAEISYDADPELIKIGEAIVEKCGGLPIAI KTMAVTLRNKRKDAWKDALSRLEHRDTHNVVADVLKLSYSNIQDEETRSIFLLCG LFPEDFDIPTEDLVRYGWGLKIFTRVYTMRHARKRLDTCIERLMHANMLIKSDNVG FVKMHDLVRAFVLGMLSEVEHASIVNHGDMPGWFETANDKNSLCKRISLTCKGMS AIPEDLTFPNLSILKLMDGDESLRFPEGFYGEMENLQVISYDNMKQPFLPQSLQCSN VRVLHLHHCSLMFDCSSIGNLLNLEVLSIANSAIKLLPSTIGDLKKLRLLDLTNCVGL CIANGVFRNLVKLEELYMRVDDRDSFFVKADDSKTIT

RG2U polynucleotide sequence (SEQ ID NO:128)

GCCTTGTGTGGGATGGGTGGAGTGGGAAAGACCACTGTGATGAAGAAGCT GAAGGAGGTTGTGGTAGGAAAGAAACTGTTTAATCATTATGTTGAGGCGG TTATAGGGGAAAAGACAGACCCCATTGCTATTCAACAAGCTGTTGCCGAG 15 TACCTTGGTATAAGTCTAACCGAAACCACTAAACCAGCAAGAACTGATAA GCTCCGTACATGGTTTGCAAACAACTCAAATGGAGGAAAGAAGAAGTTCC TGGTAATACTAGACGATGTATGGCAACCAGTTGATTTGGAAGATATTGGT TTAAGTCGTTTTCCAAATCAAGATGTTGACTTCAAGGTCTTGATTACATC ACGGGACCAATCAGTTTGCACTGAGATGGGAGTTAAAGCTGATTTAGTTC 20 TCAAGGTGAGTGTCCTGGAGGAAGCGGAAGCACACAGTTTGTTCCTCCAA TTTTTAGAACCTTCTGATGATGTCGATCCTGAGCTCAATAAAATCGGAGA AGAAATTGTAAAGAAGTGTTGCAGACTACCCATTGCTATCAAAACCATGG CCTGAACTCTTAGAAGTAAAGTAAGGATACATGGAAGAATGCCCTTTCT CGTTTACAACACCATGACATTAACACAATTGCGTCTACTGTTTTCCAAAC 25 TAGCTATGACAATCTCGAAGACGAGGTGACTAAAGCTACTTTTTTGCTTT GTGGTTTATTTCCGGAGGACTTCAATATTCCTACCGAGGACCTATTGAGG TATGGATGGGGATTGAAGTTATTCAAGGAAGTAGATACTATACGAGAAGC AAGATCCAAGTTGAAAGCCTGCATTGAGCGGCTCATGCATACCAATTTGT TGATCGAAGGTGATGATGTTAGGTACGTTAAGATGCATGATCTGGTGCGT 30 CCATGGTAGTAGCCAAGGTGGCCTGAAACTGAAAGTGATGTGAGCT CCTCTTGCAAAAGAATTTCATTAACATGCAAGGGTNTG

35 RG2U deduced polypeptide sequence (SEQ ID NO:129)

ALCGMGGVGKTTVMKKLKEVVVGKKLFNHYVEAVIGEKTDPIAIQQAVAEYLGIS LTETTKPARTDKLRTWFANNSNGGKKKFLVILDDVWQPVDLEDIGLSRFPNQDVD FKVLITSRDQSVCTEMGVKADLVLKVSVLEEAEAHSLFLQFLEPSDDVDPELNKIGE EIVKKCCRLPIAIKTMA.TLRSKSKDTWKNALSRLQHHDINTIASTVFQTSYDNLEDE VTKATFLLCGLFPEDFNIPTEDLLRYGWGLKLFKEVDTIREARSKLKACIERLMHTN

LLIEGDDVRYVKMHDLVRAFVLDMFSKAEHASIVNHGSSKPRWPETESDVSSSCKRISLTCKG?

RG2V polynucleotide sequence (SEQ ID NO:130)

CTGTGGAAGACACGAATGATSAAGAAGCTGAAGGAGGTCGTGGAACAAAA 5 GAAAATGTTCAATATTATTGTTCAAGTGGTCATAGGAGAGAAGACAAACC CTATTGCTATTCAGCAAGCTGTAGCAGATTACCTCTCTATTGAGCTGAAA GAAAACACTAAAGAAGCAAGAGCTGATAAGCTTCGTNAATGGTTCGAGGA CGATGGAGGAAAGAATAAGTTCCTTGTAATACTTGATGATGTATGGCAGT TTGTCGATCTTGAAGATATTGGTTTAAGTCCTCTGCCAAATAAAGGTGTC 10 AACTTCAAGGTCTTGTTGACGTTAAGAGATTCACATGTTTGCACTCTGAT GGGAGCTGAAGCCAATTCAATTCTCAATATAAAAGTTTTAAAAGATGTTN AAGGACAAAGTTTGTTCCGCCAGTTTGCTAAAAATGCAGGTGATGATGAC CTGGATCCTGCTTTCAATGGGATAGCAGATAGTATTGCAAGTAGATGTCA AGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAAAGGTAGAA 15 GCAAGCCTGCGTGGGACCATGCGCTTTCTCGTTTGGAGAACCATAAGATT GGTAGTGAAGAAGTTGTGCGTGAAGTTTTTAAAATTAGCTATGACAATCT CCAAGATGAGGTTACTAAATCTATTTTTWTACTTTGTGCTTTATTTCCTG AAATTATTTATAGAAGCAAAAACTATAAGAGAAGCAAGAAACAGGCTCAA 20 CACCTGCACTGAGCGGCTTAGGGAGACAAATTTGTTATTTGGAAGTGATG ATATTCTCAGAAGTCCAGCACGCTTCAATTGTCAACCATGGTAATGTGTC AGAGTGGCTAGAGGAAAATCATAGCATCTACTCTTGTAAAAGAATTTCAT TAACATGCAAGGGTATGTCTGAGTTTCCCAAAGACCTCAAATTTCCAAAC 25 CTTTCAATTTTGAAACTTATGCATGGAGATAAGTCGNTGAGCTTTCCTGA AGACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATCATATGATAAAT TGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACTAACGTTCGA GTGCTTCATCTCCATTATTGTTCATTAAGGATGTTTGATTGCTCTTCAAT TGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAACATTG 30 AATGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGCTACTAGAT TTGACAAATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTAAAAAATTT GGTCAAACTTGAAGAGCTTTATATGGGTGTTAATGTCCGTATGGACCAGG **CCGT**

35

40

RG2V deduced polypeptide sequence (SEQ ID NO:131)

LWKTRM?KKLKEVVEQKKMFNIIVQVVIGEKTNPIAIQQAVADYLSIELKENTKEAR ADKLR?WFEDDGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTLRDSH VCTLMGAEANSILNIKVLKDV?GQSLFRQFAKNAGDDDLDPAFNGIADSIASRCQGL PIAIKTIALSLKGRSKPAWDHALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIF?L CALFPEDFDIPIEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIG

 ${\tt CVKMHDVVRDFVWYIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEF}.$ PKDLKFPNLSILKLMHGDKS?SFPEDFYGKMEKVQVISYDKLMYPLLPSSLECSTNV RVLHLHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKG LRIDNGVLKNLVKLEELYMGVNVRMDQAV

5

35

RG2W polynucleotide sequence (SEQ ID NO:132)

TTGGGAAAGAGACAATGATGAAGAATTGAAAGAGGTTGTGGTTGAAAAGA AAATGTTTAATCATTATGTGGAGGCGGTTATAGGGGAGAAGACGGACCCC ATTGCTATTCAGCAAGCCGTTGCAGAGTACCTTGGTATAATTCTAACAGA AACCACTAAGGCAGCAAGAACCGATAAGCTACGTGCATGGCTTTCTGACA 10 ATTCAGATGGAGGAAGAAGAAGTTCCTAGTAATACTAGACGATGTATGG CATCCGGTTGATATGGAAGATATTGGTTTAAGTCGTTTCCCAAATCAAGG TGTCGACTTCAAGGTCTTGATTACATCACGGGACCAAGCTGTTTGCACTG AGATGGGAGTTAAAGCTGATTCAGTTATCAAGGTGAGTGTCCTAGAGGAA GCTGAAGCACAAGCTTATTCTGCCAACTTTGGGAACCTTCTGATGATGT 15 CGATCCTGAGCTCCATCAGATTGGAGAAGAAATTGTAAGGAAGTGTTGTG GTTTACCCATTGCAATAAAAACCATGGCCTGCACTCTTAGAAGTAAAAGC AAGGATACATGGAAGAATGCACTTTCTCGTTTACAACACCATGACATTAA CACAGTCGCGCCTACTGTTTTTCAAACCAGCTATGACAATCTCCAAGATG AGGTGACTGGAGATACTTTTTTGCTATGTGGTTTGTTTCCGGAGGACTTC 20 GATATTCCTACTGAAGACTTATTGAAGTATGGATGGGCTTAAAATTATT CAAGGGAGTGGATTCTGTAAGAGAAGCAAGATACCAGTTGAACGCCTGCA TTGAGCGGCTCGTGCATACCAATTTGTTGATTGAAAGTGATGTTGTTGGG TGCGTCAAGTTGCACGATCTGGTGCGTGCTTTTATTTTGGATATGTTTTG TAAAGCGGAGCATGCTTCGATTGTCAACCATGGTAGTAGTAAGCCTGGGT 25 GGCCTGAAACTGAAAATGATGTGATCAGGACCTCCTGCAAAAGAATCTCA TTAACATGCAAGGGTATGATTGAGTTTTCTAGTGACCTCAAGTTTCCAAA TGTCTTGATTTTAAAACTTATGCATGGAGATAAGTCGCTAAGGTTT

RG2W deduced polypeptide sequence (SEQ ID NO:133) 30

WERDNDEELKEVVVEKKMFNHYVEAVIGEKTDPIAIQQAVAEYLGIILTETTKAAR TDKLRAWLSDNSDGGRKKFLVILDDVWHPVDMEDIGLSRFPNQGVDFKVLITSRD QAVCTEMGVKADSVIKVSVLEEAEAQSLFCQLWEPSDDVDPELHQIGEEIVRKCCG LPIAIKTMACTLRSKSKDTWKNALSRLQHHDINTVAPTVFQTSYDNLQDEVTGDTF LLCGLFPEDFDIPTEDLLKYGWGLKLFKGVDSVREARYQLNACIERLVHTNLLIESD VVGCVKLHDLVRAFILDMFCKAEHASIVNHGSSKPGWPETENDVIRTSCKRISLTCK **GMIEFSSDLKFPNVLILKLMHGDKSLRF**

RG5 polynucleotide sequence (SEQ ID NO:134)

GGGGGGGGGAAGNCGACTCTAGCCCAGAAGNTCTATAATGACCATAA 40 AATAAAAGGAAGCTTTAGTAAACAAGCATGGATCTGTGTTTCTCAACAAT

ATTCTGATATTTCAGTTTTGAAAGAAGTCCTTCGGAACATCGGTGTTGAT
TATAAGCATGATGAAACTGTTGGAGAACTTAGCAGAAGGCTTGCAATAGC
TGTCGAAAATGCAAGTTTCTTTCTTGTGTTGGATGATATTTGGCAACATG
AGGTGTGGACTAATTTACTCAGAGCCCCATTAAACACTGCAGCTACAGGA
ATAATTCTAGTAACAACTCGTAATGATACAGTTGCACGAGCAATTGGGGT
GGAAGATATTCATCGAGTAGAAATTGATGTCAGATGAAGTAGGATGAAAT
TGCTTTTGAAGAGTATGAACATTAGCAAAGAAAGTGAAGTAGAAAACCTA
CGAGTTTTAGGGGTTGACATTGTTCGTTTGTGTGGTGGCCTCCCCCTAGC
CTT

10

5

RG5 deduced polypeptide sequence (SEQ ID NO:135)

GGVGKTTLAQK?YNDHKIKGSFSKQAWICVSQQYSDISVLKEVLRNIGVDYKHDET VGELSRRLAIAVENASFFLVLDDIWQHEVWTNLLRAPLNTAATGIILVTTRNDTVA RAIGVEDIHRVELMSDEVGWKLLLKSMNISKESEVENLRVLGVDIVRLCGGLPLAL

15

20

25

30

RG7 polynucleotide sequence (SEQ ID NO:136)

The above examples are provided to illustrate the invention but not to limit its scope. Other variants of the invention will be readily apparent to one of ordinary skill in the art and are encompassed by the appended claims. All publications, patents, and patent applications cited herein are hereby incorporated by reference.

WHAT IS CLAIMED IS:

5

10

25

- 1. An isolated nucleic acid construct comprising an RG polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide from an RG family selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.
- 2. The nucleic acid construct of claim 1, wherein the RG polynucleotide encodes an RG polypeptide comprising an leucine rich region (LRR).
- 3. The nucleic acid construct of claim 1, wherein the RG polynucleotide encodes an RG polypeptide comprising a nucleotide binding site (NBS).
- 4. The nucleic acid construct of claim 1, wherein the polynucleotide is a full length gene.
 - 5. The nucleic acid construct of claim 1, wherein the further encodes a fusion protein.
- 6. The nucleic acid construct of claim 1, wherein the RG1 polypeptide is encoded by an RG1 polynucleotide sequence.
 - 7. The nucleic acid construct of claim 6, wherein the RG1 polypeptide is encoded by a polynucleotide sequence selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 (RG1B), SEQ ID NO: 3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEQ ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).
 - 8. The nucleic acid construct of claim 1, wherein the RG2 polypeptide is encoded by an RG2 polynucleotide sequence.
 - 9. The nucleic acid construct of claim 8, wherein the RG2 polypeptide is encoded by a polynucleotide sequence selected from the group consisting of: SEQ ID NO:21 (RG2A);

15

25

SEQ ID NO:23 (RG2B); SEQ ID NO:25 (RG2C); SEQ ID NO:27 (RG2D); SEQ ID NO:29 (RG2E); SEQ ID NO:31 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:35 (RG2H); SEQ ID NO:37 (RG2I); SEQ ID NO:39 (RG2J); SEQ ID NO:41 (RG2K); SEQ ID NO:43 (RG2L); SEQ ID NO:45 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).

- 10. The nucleic acid construct of claim 1, wherein the RG3 polypeptide is encoded by an RG3 polynucleotide sequence.
 - 11. The nucleic acid construct of claim 10, wherein the RG3 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:68.
- 20 12. The nucleic acid construct of claim 1, wherein the RG4 polypeptide is encoded by an RG4 polynucleotide sequence.
 - 13. The nucleic acid construct of claim 12, wherein the RG4 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:69.
 - 14. The nucleic acid construct of claim 1, wherein the RG5 polypeptide is encoded by an RG5 polynucleotide sequence.
- The nucleic acid construct of claim 14, wherein the RG5 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:134.

- 16. The nucleic acid construct of claim 1, wherein the RG7 polypeptide is encoded by an RG7 polynucleotide sequence.
- 17. The nucleic acid construct of claim 16, wherein the RG7 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:136.
 - 18. The nucleic acid construct of claim 1, further comprising a promoter operably linked to the RG polynucleotide.
- 10 19. The nucleic acid construct of claim 18, wherein the promoter is a plant promoter.
 - 20. The nucleic acid construct of of claim 19, wherein the plant promoter is a disease resistance promoter.
- 15 21. The nucleic acid construct of claim 19, wherein the plant promoter is a lettuce promoter.

- 22. The nucleic acid construct of claim 18, wherein the promoter is a constitutive promoter.
- 23. The nucleic acid construct of claim 18, wherein the promoter is an inducible promoter.
- 24. The nucleic acid construct of claim 18, wherein the promoter is a tissue-specificpromoter.
 - 25. A nucleic acid construct comprising a promoter sequence from an RG gene linked to a heterologous polynucleotide.
- 30 26. A transgenic plant comprising a recombinant expression cassette comprising a promoter operably linked to an RG polynucleotide.

PCT/US98/00615 WO 98/30083 173

- 27. The transgenic plant of claim 26, wherein the plant promoter is a plant promoter.
- 28. The transgenic plant of claim 26, wherein the plant promoter is a viral promoter.
- 5 29. The transgenic plant of claim 26, wherein the plant promoter is a heterologous promoter.
 - 30. The transgenic plant of claim 26, wherein the plant is lettuce.
- 10 31. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 (RG1B), SEQ ID NO: 3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEQ ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).

- 32. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:21 (RG2A); SEQ ID NO:23 (RG2B); SEQ ID NO:25 (RG2C); SEQ ID NO:27 (RG2D); SEQ ID NO:29 (RG2E); SEQ ID NO:31 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:35 (RG2H); SEQ ID NO:37 (RG2I); SEQ ID NO:39 (RG2J); SEQ ID NO:41 (RG2K); SEQ ID NO:43 (RG2L); SEQ ID NO:45 (RG2M); SEQ
- 20 ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID
- 25 NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).
- 30 33. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:68 (RG3) and SEO ID NO:69 (RG4).

5

- The transgenic plant of claim 26, wherein the RG polynucleotide comprises a 34. sequence as set forth in SEQ ID NO:134 (RG5).
- The transgenic plant of claim 26, wherein the RG polynucleotide comprises a 35. sequence as set forth in SEQ ID NO:136 (RG7).
 - The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG1 36. polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEQ ID NO: 13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), and SEQ ID NO:20 (RG1J).
- The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG2 37. polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID 15 NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 20 (RG2H); SEO ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID 25 NO:133 (RG2W).
 - The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG3 38. polypeptide with a sequence as set forth by SEQ ID NO:138.
- The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG4 39. 30 polypeptide with a sequence as set forth by SEQ ID NO:139.

WO 98/30083 PCT/US98/00615

- 40. The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG5 polyneptide with a sequence as set forth by SEO ID NO:135.
- 41. A method of enhancing disease resistance in a plant, the method comprising introducing into the plant a recombinant expression cassette comprising a promoter functional in the plant and operably linked to an RG polynucleotide sequence.
 - 42. The method of claim 41, wherein the plant is a lettuce plant.
- The method of claim 41, wherein the RG polynucleotide encodes an RG polypeptide 10 43. selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEO ID NO:42 (RG2B); SEO ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ 15 ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEO ID NO:121 (RG2P); SEO ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID 20 NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W).
- 44. The method of claim 41, wherein the RG polynucleotide encodes an RG polypeptide selected from the group consisting of SEQ ID NO:138 (RG3); SEQ ID NO:139 (RG4); and SEQ ID NO:135 (RG5).
 - 45. The method of claim 41, wherein the promoter is a tissue-specific promoter or a plant disease resistance promoter.

- The method of claim 41, wherein the promoter is a constitutive promoter or an 46. inducible promoter.
- A method of detecting RG resistance genes in a nucleic acid sample, the method 47. 5 comprising:

contacting the nucleic acid sample with an RG polynucleotide to form a hybridization complex; and,

wherein the formation of the hybridization complex is used to detect the RG resistance gene in the nucleic acid sample.

10

- The method of claim 47, wherein the RG polynucleotide is an RG1 polynucleotide. 48.
- The method of claim 47, wherein the RG polynucleotide is an RG2 polynucleotide. 49.
- The method of claim 47, wherein the RG polynucleotide is an RG3 polynucleotide, 15 50. an RG4 polynucleotide, an RG5 polynucleotide or an RG7 polynucleotide.
 - The method of claim 47, wherein the RG resistance gene is amplified prior to the 51. step of contacting the nucleic acid sample with the RG polynucleotide.

20

- The method of claim 51, where the RG resistance gene is amplified by the 52. polymerase chain reaction.
- The method of claim 47, wherein the RG polynucleotide is labeled. 53.

25

An RG polypeptide having at least 60% sequence identity to a polypeptide selected 54. from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.

International application No. PCT/US98/00615

A. CLASSIFICATION OF SUBJECT MATTER						
IPC(6) :Please See Extra Sheet. US CL :435/6, 91.2, 418, 419; 530/350; 536/23.1, 23.6, 24.1; 800/205 According to International Patent Classification (IPC) or to both national classification and IPC						
B. FIELDS SEARCHED						
Minimum de	ocumentation searched (classification system follower	i by classification symbols)	\Box			
U.S. : 435/6, 91.2, 418, 419; 530/350; 536/23.1, 23.6, 24.1; 800/205						
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS, DIALOG						
C. DOCUMENTS CONSIDERED TO BE RELEVANT						
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages Relevant to claim?	Vo.			
Y	PARAN et al. Development of Reliable to Downy Mildew Resistance Genes Genet. 1993. Vol. 85, No. 8, pages	in Lettuce. Theor. Appl. 14, 16, 18-30, 4				
Y		ed Genetic Linkage Map of 1-6, 8, 10, 18 From RFLP and RAPD 14, 16, 18-30, 40 136, No. 4, pages 1435-				
Y	MICHELMORE, RW. Isolation of Di Crop Plants. Current Opinion in Biotec 2, pages 145-152, see entire document					
X Further documents are listed in the continuation of Box C. See patent family annex.						
• Sp	ecial categories of cited documents:	°T° later document published after the international filing date or prior	ity			
	cument defining the general state of the art which is not considered	date and not in conflict with the application but cited to understa the principle or theory underlying the invention	ba.			
	to be of perticular relevance "X" document of particular relevance; the claimed invention cannot be					
°L° do	cument which may throw doubts on priority claim(s) or which is ad to establish the publication data of another citation or other	considered novel or cannot be considered to involve an inventive si when the document is taken alone "Y" document of particular relevance; the claimed invention cannot				
	ecial resson (es specified) coment referring to en oral disclosure, use, exhibition or other	considered to involve an inventive step when the document combined with one or more other such document, such combinat being obvious to person skilled in the art	. is			
	•					
Date of the actual completion of the international search Date of mailing of the international search report						
14 MARCH 1998						
Name and mairing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 PHUONG BUI						
Facsimile N		Telephone No. (703) 308-0196				

International application No. PCT/US98/00615

	C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT Citation of decument, with indication, where appropriate, of the relevant passages Relevant to claim No.					
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Resevant to claim 140.				
Y	PARAN et al. Recent Amplification of Triose Phosphate Isomerase Related Sequences in Lettuce. Genome. 1992. Vol. 35, No. 4, pages 627-635, see entire document.	1-6, 8, 10, 12, 14, 16, 18-30, 41-42, 45-54				
Y	PARAN et al. Identification of Restriction Fragment Length Polymorphism and Random Amplified Polymorphic DNA markers linked to Downy Mildew Resistance Genes in Lettuce, Using Near- Isogenic Lines. Genome. 1991. Vol. 34, No. 6, pages 1021-1027, see entire document.	1-6, 8, 10, 12, 14, 16, 18-30, 41-42, 45-54				
l						

International application No. PCT/US98/00615

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)			
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:			
1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:			
2. X Claims Nos.: 7, 9, 11, 13, 15, 17, 31-40, 43-44 because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:			
these claims are drawn to numerous sequences identified by SEQ ID NOs. However, since no computer readable form was submitted, no meaningful search could be carried out.			
3. Claims Nos.:			
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).			
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)			
This International Searching Authority found multiple inventions in this international application, as follows:			
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.			
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.			
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:			
·			
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:			
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.			

International application No. PCT/US98/00615

A. CLASSIFICATION OF SUBJECT MATTER: IPC (6):						
A01H 1/00; C07H 21/04; C07K 14/00; C12N 5/04, 5/10; C12P 19/34; C12Q 1/68						
·						
·						

Form PCT/ISA/210 (extra sheet)(July 1992)*